0

0

0

## **STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION**


#### 129RS-10 Williamson ILLINOIS CONTRACT NO 78B58

D-99-069-25

# **PROPOSED HIGHWAY PLANS**

**FAP ROUTE 726 (IL 148) SECTION 129RS-10** STANDARD OVERLAY **WILLIAMSON COUNTY** 

PROJECT NHPP-174R(354) **PROJECT BEGINS** C-99-102-25



STATION EQUATION STA 220+19.34 BK = STA 220+00.72 AH

LOCATION OF SECTION INDICATED THUS: -

**PROJECT ENDS** STA 307+85

STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION** SUBMITTED AUGUST 6 20 25

PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

### FOR INDEX OF SHEETS, SEE SHEET NO. 3


TRAFFIC DATA IL 148 WILLIAMSON COUNTY

	IL-148: STA	0.00 2.87	
WILLIAMS	SON CO LN T	O FREEMAN SPU	R RD
i i	2023	2036	2046
PV =	3,440	3,915	4,330
SU :=	100	115	125
MU =	60	70	75
ADT =	3,600	4,100	4,530

#### **TOWNSHIPS BLAIRSVILLE AND HERRIN**

**DESIGN DESIGNATION:N/A COORDINATE SYSTEM:N/A POSTED SPEED: 55MPH** 

> SN 100-0033 **BRIDGE OMISSION** STA 221+91 TO STA 223+69




ENGINEERING SCALES. REDUCED SIZED PLANS WILL NOT CONFORM TO STANDARD SCALES. IN MAKING MEASUREMENTS ON REDUCED PLANS, THE ABOVE SCALES MAY BE USED.

JOINT UTILITY LOCATION INFORMATION FOR EXCAVATION 1-800-892-0123 OR 811

**PROJECT ENGINEER: VALERIE ROLLA** 

**PROJECT MANAGER: ELISE KNOP** 

CONTRACT NO. 78B58



GROSS LENGTH = 10,226 FT. = 1.936 MILE NET LENGTH = 10.048 FT. = 1.903 MILE

Prepared By: Susan

Examined By: Marcoulsition Engineer

Examined By:

DISTRICT PROGRAM DEVELOPMENT ENGINEER

Examined By: Z

DISTRICT OPERATIONS ENGINEER

Examined By:

DISTRICT PROJECT IMPLEMENTATION ENGINEER

Examined By: Butter Construction Engineer

Examined By: A an Hank

DRAWN -REVISED -PLOT SCALE = \$SCALE\$ CHECKED -REVISED -

STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION**  SIGNATURE SHEET

SHEET 2 OF 13 SHEETS STA.

SCALE:

Williamson 13 2 CONTRACT NO. 78B58

## **GENERAL NOTES**

FACTORS USED FOR ESTIMATING PLAN QUANTITIES ARE AS FOLLOWS AND SHALL NOT BE USED FOR THE BASIS OF FINAL QUANTITIES:

ALL HOT MIX ASPHALT

2.016 TONS/CU. YD.

ALL AGGREGATE

2.05 TONS/CU. YD.

THE QUANTITY OF SHORT TERM PAVEMENT MARKING SHOWN IN THE PLANS IS BASED ON ONE APPLICATION EACH FOR THE HMA SURFACE REMOVAL, BINDER COURSE, AND SURFACE COURSE

HMA RESURFACING SHALL BE PLACED IN A SEQUENCE THAT WILL MINIMIZE THE TIME THE CENTERLINE EDGE IS EXPOSED TO TRAFFIC. WHEN AT THE END OF A DAY'S OPERATION THE EXPOSED CENTERLINE EDGE IS GREATER THAN 2,000 FT, THE CONTRACTOR SHALL BE REQUIRED TO PAVE IN THE ADJACENT LANE ON THE FOLLOWING WORK DAY. PRIOR TO WINTER SHUTDOWN, RESURFACING ON ADJACENT LANES IS TO BE BROUGHT UP TO THE SAME ELEVATION.

LONGITUDINAL JOINT SEALANT SHALL BE PLACED UNDER THE HMA SURFACE COURSE

INCIDENTAL HOT-MIX ASPHALT SURFACING SHALL BE PAVED IN A SEPARATE OPERATION FROM THE MAINLINE PAVEMENT

WHEN SHOULDER RESURFACING OF 6 FEET OR LESS IS ALLOWED TO BE PLACED SIMULTANEOUSLY WITH THE ADJACENT TRAFFIC LANE, THE MAINLINE QUALITY MANAGEMENT PROGRAM WILL BE ENFORCED FOR THE MAINLINE AND SHOULDERS

COMMITMENTS: NONE

## HIGHWAY STANDARDS

000001-08 STANDARS SYMBOLS ABBREVIATIONS PATTERNS

001001-02 AREAS OF REINFRE BARS

001006 DECIMAL OF AN INCH AND OF A FOOT

701001-02 OFF-RD OPERATIONS, 2L, 2W, MORE THAN 15' AWAY

701006-05 OFF-RD OPERATIONS, 2L, 2W, 15' TO 24

701201-05 LANE CLOSURE, 2L 2W, DAY ONLY, FOR SPEEDS GREATER THAN 45 MPH

701301-04 LANE CLOSURE, 2L, 2W, SHORT TIME OPERATIONS

701306-04 LANE CLOSURE, 2L, 2W, SLOW MOVING OP DAY ONLY

701311-03 LANE CLOSURE 2L, 2W MOVING OPERATIONS-DAY ONLY

701336-07 LANE CLOSURE, 2L, 2W WORK AREAS IN SERIES FOR SPEEDS 45 MPH OR GREATER

701901-10 TRAFFIC CONTROL DEVICES

780001-05 TYPICAL PAVEMENT MARKINGS

781001-04 TYPICAL APPLICATIONS RAISED REFLECTIVE PAVEMENT MARKERS

## INDEX OF SHEETS

SHEET NO	DESCRIPTION
1	COVER SHEET
2	SIGNATURE SHEET
3	INDEX OF SHEETS, HIGHWAY STANDARDS,
	GENERAL NOTES, COMMITMENTS
4	MIX DESIGN
5-6	SUMMARY OF QUANTITIES
7	TYPICAL SECTIONS: IL 148
8-10	SCHEDULES
11	DETAILS: ENTRANCE
12	DETAILS: BUTT JOINT
13	DETAILS: DISTRICT STANDARDS

## MTD CROSSING RESTRICTIONS TABLE

ROUTE SN & CENTERL		MAXIMUM GROSS WEIGHT RESTRICTION	MTD CROSSING RESTRICTIONS
GU 400 0000	574 222 22	40 700	EMPTIED.
SN 100-0033	STA 222+80	40 TON	EMPTIED

USER NAME = elise.knop	DESIGNED -	REVISED -	
	DRAWN -	REVISED -	
	CHECKED -	REVISED -	
PLOT DATE = 7/31/2025	DATE -	REVISED -	

## HMA MIXTURE REQUIREMENTS TABLES

Locations	Hot-Mix Asphalt Surface Course
Mixture Use(s):	Hot-Mix Asphalt Surface Course, Mix C, N70
PG:	PG64-22
Design Air Voids:	4.0%, 70 Gyration Design
Mixture Composition:	IL-9.5mm
(Gradation Mixture)	
Friction Aggregate:	Mix C
Mixture Weight:	112 lbs/sq yd/in
Quality Management Program:	QCP
Sublot Size:	1,000 tons
Material Transfer Device	Yes
Locations	Binder Course 1-1/4"
Mixture Use(s):	Hot-Mix Asphalt Binder Course, IL-9.5FG, N70
PG:	PG64 22
Design Air Voids:	4.0%, 70 Gyration Design
Mixture Composition:	IL-9.5mm Fine Graded
(Gradation Mixture)	
Friction Aggregate:	None
Mixture Weight:	112 lbs/sq yd/in
Quality Management Program:	QCP
Sublot Size:	1,000 tons
Material Transfer Device	Yes
Locations	Incidental Hot-Mix Asphalt Surfacing, Hot-Mix Asphalt Shoulders
Mixture Use(s):	Hot-Mix Asphalt Surface Course, Mix C, N30
PG:	PG64-22
Design Air Voids:	4.0%, 30 Gyration Design
Mixture Composition:	IL-9.5L
(Gradation Mixture)	
Friction Aggregate:	None
Mixture Weight:	112 lbs/sq yd/in
Quality Management Program:	QC/QA
Sublot Size:	3,000 tons

NAME: c:\pw\_work\pwidot\knopen\d1113657\D978B58-ShtB-Index\_G

USER NAME = elise.knop	DESIGNED -	REVISED -
	DRAWN -	REVISED -
	CHECKED -	REVISED -
PLOT DATE = 7/16/2025	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

	HMA MI	XTURE '	TABLE		F.A.P RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
					726	129RS-10	Williamson	13	4
							CONTRACT	NO. 78	B58
SHEET 2	OF 2	SHEETS	STA.	TO STA.		ILLINOIS FED.	AID PROJECT		

## SUMMARY OF QUANTITIES

CODE NUMBER

SUMMANT OF QUANTITIES		ROUTE:	FAP 726 (IL 148)
		FUNDING:	80% FEDERAL 20% STATE
	741	LOCATION:	RURAL
ITEM DESCRIPTION	UNIT	TOTAL	ROADWAY
THE DESCRIPTION	0	QUANTITY	0005
DITUMINOUS MATERIALS (TACK COAT)	DOUND	22.056	22.056
BITUMINOUS MATERIALS (TACK COAT)	POUND	22,856	22,856
ONGITUDINAL JOINT SEALANT	FOOT	10,068	10,068
SONG TO DINA SEALANT	1001	10,000	10,000
MATERIAL TRANSFER DEVICE	TON	4,156	4,156
HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT	SQ YD	384	384
TEMPORARY RAMP	SQ YD	205	205
HOT-MIX ASPHALT BINDER COURSE, IL-9.5FG, N70	TON	1,888	1,888
HOT-MIX ASPHALT SURFACE COURSE, IL-9.5, MIX "C", N70	TON	2,268	2,268
NCIDENTAL HOT-MIX ASPHALT SURFACING	TON	37	37
HOT-MIX ASPHALT SURFACE REMOVAL, 1 1/2"	SQ YD	33,557	33,557
10.1.11.11.11.11.11.11.11.11.11.11.11.11	34.5	33,331	33,331
CLASS C PATCHES, TYPE II, 16 INCH	SQ YD	136	136
	1		
CLASS C PATCHES, TYPE III, 16 INCH	SQ YD	83	83
CLASS C PATCHES, TYPE IV, 16 INCH	SQ YD	158	158
TE BARS 3/4"	EACH	40	40
AGGREGATE WEDGE SHOULDER, TYPE B	TON	443	443

COUNTY:

WILLIAMSON CO

	ı
ugp	l
Soo	l
5	l
8-5	l
78B5	١
602	l
365	l
M111	l
ned	l
fikno	١
wido	l
orklp	
WW	l
9	l

REV - MS

USER NAME = elise.knop	DESIGNED -	REVISED -			SI	JMMARY	OF QUANTITIES		F.A.P RTE.	SECTION	COUNTY	TOTAL	SHEET NO.
	DRAWN -	REVISED -	STATE OF ILLINOIS				0. 40		726	129RS-10	Williamson	13	5
	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION								CONTRAC	T NO. 78	3B58
PLOT DATE = 8/6/2025	DATE -	REVISED -		SCALE:	SHEET 1	OF 2	SHEETS STA.	TO STA.		ILLINOIS FED. A	ID PROJECT		

## SUMMARY OF QUANTITIES - CONT


SUMMARY OF QUANTITIES - CONT  ROUTE: FUNDING: 80 LOCATION:  CODE NUMBER  ITEM DESCRIPTION  UNIT QUANTITY	FAP 726 (IL 148) 0% FEDERAL 20% STATE RURAL ROADWAY 0005
CODE TITEM DESCRIPTION LINIT TOTAL	RURAL ROADWAY
CODE ITEM DESCRIPTION LINIT TOTAL	ROADWAY
NUMBER QUANTITY	0005
48203100 HOT-MIX ASPHALT SHOULDERS TON 1,035	1,035
67100100 MOBILIZATION L SUM 1	1
70100450 TRAFFIC CONTROL AND PROTECTION, STANDARD 701201 L SUM 1	1
70100460 TRAFFIC CONTROL AND PROTECTION, STANDARD 701306 L SUM 1	1
70100600 TRAFFIC CONTROL AND PROTECTION, STANDARD 701336 L SUM 1	1
70100000 TRAFFIC CONTROL AND PROTECTION, STANDARD 701330	1
70107025 CHANGEABLE MESSAGE SIGN CAL DA 28	28
70300100 SHORT TERM PAVEMENT MARKING FOOT 3,030	3,030
70300100 SHOKE LEMM FAVEMENT MAKKING	
70300150 SHORT TERM PAVEMENT MARKING REMOVAL SQ FT 1,010	1,010
70300221 TEMPORARY PAVEMENT MARKING - LINE 4"- PAINT FOOT 25,437	25,437
70300221 TEMPORART PAVEMENT MARKING - LINE 4 - PAINT	23,437
78000200 THERMOPLASTIC PAVEMENT MARKING - LINE 4" FOOT 25,437	25,437
78100100 RAISED REFLECTIVE PAVEMENT MARKER EACH 129	129
78300200 RAISED REFLECTIVE PAVEMENT MARKER REMOVAL EACH 129	129
78300201 PAVEMENT MARKING REMOVAL - GRINDING SQ FT 8,480	8,480
X4430200 STRIP REFLECTIVE CRACK CONTROL TREATMENT FOOT 20,134	20,134

\* SPECIALTY ITEM

REV - MS

USER NAME = elise.knop	DESIGNED -	REVISED -
	DRAWN -	REVISED -
	CHECKED -	REVISED -
PLOT DATE = 7/31/2025	DATE =	REVISED =

WILLIAMSON CO



STATION EQUATION STA 220+19.34 BK = STA 220+00.72 AH

STATE OF ILLINOIS

**DEPARTMENT OF TRANSPORTATION** 

SECTION

129RS-10

COUNTY SHEETS NO.
Williamson 13 7

CONTRACT NO. 78B58

TYPICAL SECTION

TO STA.

SHEET 1 OF 1 SHEETS STA.

MODEL: TYPICAL-1 [Sheet]

JSER NAME = elise.knop

PLOT DATE = 7/17/2025

DESIGNED -

CHECKED -

DRAWN

DATE

REVISED -

REVISED

REVISED

## **PAVEMENT SCHEDULE**

							HMA	HMA	HMA	MATERIAL	HMA	BITUMINOUS	AGG WEDGE	STRIP	LONG
						TEMP	BINDER	SURFACE	SHOULDERS	TRANSFER	SURFACE	MATERIALS	SHOULDER	REFLECTIVE	JOINT
	LOCATION					RAMPS	COURSE	COURSE		DEVICE	REMOVAL,	(TACK COAT)	TYPE B	CRACK	SEALANT
		STATIO	ON TO STA	NOITA			(1 1/4")	(1 1/2")			1 1/2"	900		CONTROL	
						SQ YD	TON	TON	TON	TON	SQ YD	POUND	TON	FOOT	FOOT
		FA	P 726 (IL 14	3)											
	STA	205+59.00	TO	STA	220+19.34	17	274	329	150	603	4868	3286	61	2921	1461
S.	TA EQ	220+19.34	BK =	STA	220+00.72 AH					STATI	ON EQUATION				2
	STA	220+00.72	TO	STA	221+91.00	17	36	43	20	79	635	429	8	381	191
	STA 221+91.00 TO STA 223+69.00									POND CREE	K BRIDGE OMISSION				
·	STA	223+69.00	TO	STA	307+85.00	33	1578	1896	865	3474	28054	18936	347	16832	8416
				PI	ROJECT TOTALS	67	1888	2268	1035	4156	33557	22651	416	20134	10068

			P/	ATCHING S	SCHEDUL	E	
LOCATION	LENGTH	WIDTH	AREA	CLASS C, TY II,	CLASS C, TY III,	CLASS C, TY IV,	TIE BARS
STATION	FOOT	FOOT	SQ YD	SQYD	SQYD	SQYD	EACH
				SONTHRONND	LANE IL 148	•	
239+26	6	12	8.0	8.0			
242+44	9	12	12.0	12.0			
243+90	9	12	12.0	12.0			
245+78	9	12	12.0	12.0			
249+27	15	12	20.0		20.0		
253+28	16	12	21.3		21.3		
254+24	7	12	9.3	9.3			
258+43	6	12	8.0	8.0			
281+04	33	12	44.0			44.0	11
283+43	4	12	5.3	5.3			
		S	UBTOTAL SB	66.7	41.3	44.0	11
STATION	FOOT	FOOT	SQ YD	SQYD	SQYD	SQYD	EACH
				NORTHBOUND	LANE IL 148	<u> </u>	
239+83	5	12	6.7	6.7			
242+44	9	12	12.0	12.0			
243+90	9	12	12.0	12.0			
245+78	9	12	12.0	12.0			
248+52	31	12	41.3			41.3	11
249+27	15	12	20.0		20.0		
253+28	16	12	21.3		21.3		
254+24	21	12	28.0			28.0	7
258+43	6	12	8.0	8.0			
281+04	33	12	44.0			44.0	11
283+43	4	12	5.3	5.3			
302+80	5	12	6.7	6.7			
304+40	5	12	6.7	6.7			
_		S	UBTOTAL NB	69.3	41.3	113.3	29
		TC	TAL (SQ YD)	136	83	158	40

USER NAME = elise.knop	DESIGNED -	REVISED -	
	DRAWN -	REVISED -	
	CHECKED -	REVISED -	
PLOT DATE = 9/23/2025	DATE -	REVISED -	

SCALE:

PAVEME	NT AND	NG SCHE	DULE	F.A.P RTE.	SECTION		COUNTY	TOTAL SHEETS	SHEET NO.	
					726	129RS-10		Williamson	13	8
								CONTRACT	NO. 78	358
SHEET 1	OF 3	SHEETS	STA.	TO STA.		ILLINOIS F	ED. AII	PROJECT		

	SIDE ROAD SCHEDULE									
	LOCATION: FAP 726	(IL 148)	SURFACE WIDTH 15' OFFSET AREA HMA		BIT. MAT. (TACK COAT)	HMA SURFACE REMOVAL -	TEMPORARY RAMP			
			FOR I	FOR INFORMATIONAL PURPOSE				,	BUTT JOINT	
				FOOT	FOOT	SQ YD	TON	POUND	SQ YD	SQ YD
	SIDE ROADS									
LT	SASSIE DR	268+00	O & C	55	35	75.0	6	34	75	26
LT	NEWMAN DR	272+61	O&C	45	29	61.7	5	28	62	21
RT	BIG BUCK LANE	272+85	O & C	56	30	71.7	6	33	72	26
RT	WEAVER RD	292+18	HMA	50	33	69.2	5	32	70	24
LT	17ST	307+08	O & C	45	20	54.2	4	25	55	21
RT	17ST	307+26	O & C	42	1/	49.2	4	23	50	20
			TOTALS		30	175	384	138		

			EN.	TRA	NCE S	SCHEE	ULE		
LOCATION FAP 726 (IL		ENTRANCE TYPE			WIDTH AT OFFSET ONAL PURPOS	AREA	INCIDENTAL HMA SURFACING	BIT. MAT. (TACK COAT)	AGG WEDGE SHOULDER, TYPE B
FAF /20 (IL	140)	ITEE	2 0 10000	Sign room magnerators	0.0000000000000000000000000000000000000	3 2 22003030	remain that Alex Attractional Bullions	DOLIND	
	D 4 1 1	L	TYPE	(FT)	(FT)	(SQ YD)	TON	POUND	TON
ENT									
206+95	RT	FE	HMA	26	26	11.6	1	6	
207+01	LT	FE	O&C	82	82	36.4	4	1/	
231+08	LT	PE	AGG	19	19	8.4			
237+34	RT	PE	AGG	53	53	23.6			2
242+46	RT	PE	AGG	24	25	10.9			1
244+72	LT	PE	AGG	28	28	12.4			1
246+62	LT	FE	O&C	35	35	15.6	2	7	141
259+27	RT	PE	AGG	30	30	13.3			1
260+67	LT	PE	AGG	36	36	16.0			1
261+72	LT	PE	AGG	36	36	16.0			1
261+90	RT	FE	AGG	28	28	12.4			1
262+75	LŢ	PE	AGG	22	22	9.8			1
266+40	RT	PE	ΛGG	38	38	16.9			1
267+50	RT	PE	AGG	37	37	16.4			1
271+35	LT	PE	AGG	37	37	16.4			1
277+35	RT	PE	AGG	20	20	8.9			1
278+23	LT	PE	AGG	27	27	12.0			1
279+78	RT	PE	AGG	26	26	11.6			1
280+52	LT	PE	AGG	25	25	11.1			1
285+49	LT	PE	AGG	40	40	17.8			1
289+88	RT	FE	AGG	25	25	11.1			1
290+38	LT	PE	AGG	36	36	16.0			1
292+93	LT	PE	AGG	27	27	12.0			1
299+07	RT	PE	AGG	32	32	14.2			1
300+32	RT	PE	AGG	30	30	13.3			1
301+68	LT	PE	AGG	26	26	11.6			1
302+11	LT	PE	AGG	24	24	10.7			1
303+08	RT	PE	AGG	24	24	10.7			1
303+75	LT	PE	AGG	29	29	12.9			1
304+79	LT	PE	AGG	28	28	12.4			1
	i –								
		-	TOTAL	-			7	30	27

MODEL: SCHEDULE-2 [Sheet]
FII F NAMF: c:\text{low work\text{lowidof\text{knonen\text{id}}1113657\text{D978P}}

USER NAME = elise.knop	DESIGNED -	REVISED -
	DRAWN -	REVISED -
	CHECKED -	REVISED -
PLOT DATE = 9/23/2025	DATE -	REVISED -

SCALE:

SIDERO	AD AI	ND E	ENTRAN	CE SCHI	EDULE	F.A.P RTE.	SECTION		COUNTY	TOTAL SHEETS	SHEET NO.
							129RS-10		Williamson	13	9
									CONTRACT	NO. 78F	358
SHEET 2 OF 3 SHEETS STA. TO STA.						ILLINOIS	FED. AID	PROJECT			

## PAVEMENT MARKING SCHEDULE

	Т	HERMO PAVEN	MENT MARKIN	IG		RAISED	
LOCATION STATION TO STATION	LINE - 4" WHITE	LIN	E - 4" YEL	LOW	RAISED REFL PAVEMENT MARKER	REFL PAVEMENT MARKER	COMMENTS
	SOLID	SOLID LT	SOLID RT	SKIP - DASH	MARKER	REMOVAL	
FAP 726 (IL 148)	FOOT	FOOT	FOOT	FOOT	EACH	EACH	
STA 205+59.00 TO STA 216+33.00	2148		1074	269	14	14	RT SOLID LT DASH
STA 216+33.00 TO STA 220+19.34	773	387		97	5	5	LT SOLID RT DASH
STA 220+19.34 = STA 220+00.74			STATION	EQUATION			
STA 220+00.74 TO STA 221+91.00	381	191		48	3	3	LT SOLID RT DASH
STA 221+91.00 TO STA 223+69.00			BRIDGE (	OMISSION			
STA 223+69.00 TO STA 227+96.00	854	427		107	6	6	LT SOLID RT DASH
STA 227+96.00 TO STA 300+80.00	14568			1821	92	92	SKIP DASH
STA 300+80.00 TO STA 307+85.00	1410		705	177	9	9	RT SOLID LT DASH
SUBTOTAL	20134	1005	1779	2519	129	129	
TOTAL		254	137		129	129	

## TEMPORARY PAVEMENT MARKING SCHEDULE

					TEM	IPORARY PAV	EMENT MARK	ING			SHORT	
	LOCA STATION T	TION O STA	TION		LINE - 4" WHITE	LIN	LINE - 4" YELLOW			SHORT TERM PAVEMENT	TERM PAVEMENT I MARKING	
					SOLID	SOLID LT	SOLID RT	SKIP - DASH	GRINDING	MARKING	REMOVAL	
	FAP 726	(IL 14	8)		FOOT	FOOT	FOOT	FOOT	SQ FT	FOOT	SQ FT	
STA	205+59.00	TO	STA	216+33.00	2148		1074	269	1164	324	108	
STA	216+33.00	ТО	STA	220+19.34	773	387		97	419	117	39	
STA	220+19.34	=	STA	220+00.74			STA	ATION EQUAT	ION	25		
STA	220+00.74	TO	STA	221+91.00	381	191		48	207	60	20	
STA	221+91.00	TO	STA	223+69.00			BR	IDGE OMISSI	ON			
STA	223+69.00	TO	STA	227+96.00	854	427		107	463	129	43	
STA	227+96.00	TO	STA	300+80.00	14568			1821	5463	2187	729	
STA	300+80.00	ТО	SΤΛ	307+85.00	1410		705	177	764	213	71	
				SUBTOTAL	20134	1005	1779	2519	8480	3030	1010	
TOTAL 25437									8480	3030	1010	

MODEL: SCHEDULE-3 [Sheet]
FILE NAME: c:\pw work\pwidot\knopen\d1113657\D97\

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION


 PAVEMENT MARKING SCHEDULE
 F.A.P. RTE.
 SECTION
 COUNTY
 TOTAL SHEET NO.

 726
 129RS-10
 Williamson
 13
 10


 CONTRACT NO. 78B58

 SHEET 3
 OF 3
 SHEETS STA.
 TO STA.
 ILLINOIS FED. AID PROJECT


## **HMA OR OIL & CHIP ENTRANCE**



## AGGREGATE ENTRANCE



## HMA, PCC OR OIL & CHIP SIDEROADS



1) IF THE EXISTING SUBASE IS INADEQUATE, AS DETERMINED BY THE ENGINEER, THE SIDE ROADS SHALL BE CORED OUT AND AGGREGATE SUBBASE, TYPE B SHALL BE PLACED FOR BASE. THE COST OF CORING OUT THE SIDEROAD AND ANY AGGREGATE BASE COURSE SHALL BE PAID FOR AS SPECIFIED IN ART. 109.04 OF THE STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION. IF EXISTING SUBBASE IS DETERMINED TO BE ADEQUATE, THE PREPARTION OF THE BASE SHALL BE CONSTRUCTED ACCORDING TO ARTICLE 406.09.

2) VARIABLE SHAPING IS INCLUDED IN THE COST OF INCIDENTAL HOT-MIX ASPHALT SURFACING.

\*SURFACE REMOVAL BUTT JOINT ON ENTRANCES IS INCLUDED IN THE COST OF INCIDENTAL HOT-MIX ASPHALT SURFACING.


USER NAME = elise.knop	DESIGNED -	REVISED -
	DRAWN -	REVISED -
	CHECKED -	REVISED -
PLOT DATE = 7/21/2025	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

ENTRANCE DETAILS							SECT	TION		COUNTY	SHEETS	NO.	
						726	129R	S-10		Williamson	13	11	
										CONTRACT	NO. 78	358	
	SHEET 1	OF 3	SHEETS	STA.	TO STA.		ILLINOIS			AID PROJECT			

IODEL: Entrance Details [Sheet]

## **BUTT JOINT WITH MILLING**



MODEL: Butt Joint Detail [Sheet] FILE NAME: c:\pw work\pwidot\knopen\d1113657\D978B58

 USER NAME = elise.knop
 DESIGNED REVISED 

 DRAWN REVISED 


 CHECKED REVISED 

 PLOT DATE = 7/16/2025
 DATE REVISED

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SCALE:

## **UNEVEN LANES SIGN** W8-11 (48" X 48")



#### **COLORS:**

LEGEND AND BORDER - BLACK NON-REFLECTORIZED BACKGROUND - ORANGE REFLECTORIZED


NOTE: PRIOR TO ALLOWING TRAFFIC ON ANY PORTION OF THE ROADWAY THAT HAS BEEN COLDMILLED OR BEFORE RESURFACING OPERATIONS BEGIN, THE CONTRACTOR SHALL HAVE ERECTED "UNEVEN PAVEMENT" SIGNS THAT CONFORM TO THE ABOVE DETAILS. A MINIMUM OF ONE SIGN AT EACH END OF THE IMPROVEMENT WILL BE REQUIRED. THE CONTRACTOR SHALL MAINTAIN THE "UNEVEN PAVEMENT" SIGNS UNTIL THE RESURFACING OPERATIONS ARE COMPLETED.

> IF AT ANY TIME THE SIGNS ARE IN PLACE BUT NOT APPLICABLE, THEY SHALL BE TURNED FROM THE VIEW OF MOTORISTS OR COVERED AS DIRECTED BY THE ENGINEER.

THE COST OF FURNISHING, ERECTING, MAINTAINING, AND REMOVING THE REQUIRED SIGNS SHALL BE INCLUDED IN THE CONTRACT.

	DRAWN	02-15-89
	REVISED	05-08-08
	REVISED	10-21-21
STD. 9-24	REVISED	05-27-22

### TEMPORARY HOT-MIX ASPHALT TRANSITIONS




## STEP I

- 1. PLACE HOT-MIX ASPHALT MAT, LENGTH 40 TIMES THE THICKNESS OF THE MAT BEING PLACED PAST THE PROPOSED TRANSVERSE JOINT LOCATION USING NORMAL OPERATING PROCEDURES.
- 2. EXTREME CARE SHOULD BE TAKEN TO MAINTAIN ENOUGH MATERIAL IN FRONT OF THE SCREED TO MAINTAIN REQUIRED PAVING DEPTH.

## LOCATION OF PROPOSED TRANSVERSE JOINT TEMP. HMA JOINT PAPER FEATHER OR MATERIAL

#### STEP III

- 1. JOINT PAPER OR OTHER PRESELECTED JOINT MATERIAL IS THEN PLACED IN THE CLEARED AREA AND THE EXCESS ASPHALT USED TO HAND FORM A TRANSITION TO THE DIMENSIONS SHOWN ABOVE.
- 2. NOTE THAT IN CONSTRUCTING THE TRANSITION, THE MAT DEPTH IS CONTINUED AS PART OF THE TRANSITION BEFORE FORMING THE FEATHER.



JSER NAME = elise.knop

PLOT DATE = 7/16/2025

- MOVE THE PAVER OUT OF THE WAY AND REMOVE THE ASPHALT FROM THE AREA OF THE PROPOSED TEMPORARY HOT-MIX ASPHALT TRANSITION.
- SQUARE UP THE END OF THE MAT WITH A RAKE OR LUTE.
- NOTE THAT THE MAT WITHIN 4' OF THE END OF JOINT IS NOT TO BE ROLLED AT THIS TIME.

## ROLLED MAT FOLLOWING NORMAL ROLLING COMPLETED TRANSVERSE JOINT

#### STEP IV

DESIGNED -

HECKED

DRAWN

DATE

1. COMPLETE TEMPORARY TRANSITION BY ROLLING.

REVISED

REVISED


REVISED

REVISED

- 2. TO RESUME PAVING, AT THE JOINT, REMOVE TEMPORARY TRANSITION AND DISPOSE OF THE MATERIAL ACCORDING TO ART, 202,03 OF THE STD. SPECS. (COST INCLUDED IN THE CONTRACT).
- 3. CONSTRUCTING THE TEMPORARY TRANSITIONS WILL NOT BE PAID FOR SEPARATELY IN ACCORDANCE WITH ARTICLE 406.14 OF THE STANDARD SPECIFICATIONS.

DRAWN 02-15-89 REVISED 01-09-07 REVISED 10-21-21 STD. 9-18 REVISED 05-26-22

## **ILLINOIS STANDARD ROUGH GROOVED SURFACE SIGN**



#### COLORS

LEGEND AND BORDER- BLACK NON-REFLECTORIZED BACKGROUND- ORANGE REFLECTORIZED

	SIGN	DIMENSIONS									
	SIZE	Α	В	С	D	Е	F	G	Н		
	48X48	48.0	24.1	3,0	34.0	33.0	6.0	13.0	3.5		

		SERIES					
	SIGN		LINES		MAR- BOF		
	SIZE	1	2	3	GIN	DER	STD.
				_			
	48X48	7C	7C	7C	0.8	1.2	B4-48D
	ALL DIN						

#### **NOTES**

SCALE:

PRIOR TO ALLOWING TRAFFIC ON ANY PORTION OF THE ROADWAY THAT HAS BEEN COLDMILLED, THE CONTRACTOR SHALL HAVE ERECTED "ROUGH GROOVED SURFACE" SIGNS THAT CONFORM TO THE ABOVE DETAILS. A MINIMUM OF ONE SIGN AT EACH END OF THE IMPROVEMENT WILL BE REQUIRED. THE CONTRACTOR SHALL MAINTAIN THE "ROUGH GROOVED SURFACE" SIGNS UNTIL THE COLDMILLED SURFACE IS COVERED WITH LEVELING BINDER OR SURFACE COURSE.

IF AT ANY TIME THE SIGNS ARE IN PLACE BUT NOT APPLICABLE, THEY SHALL BE TURNED FROM THE VIEW OF MOTORISTS OR COVERED AS DIRECTED BY THE ENGINEER.

THE COST OF FURNISHING, ERECTING, MAINTAINING, AND REMOVING THE REQUIRED SIGNS SHALL BE INCLUDED IN THE CONTRACT.

	DRAWN	
	REVISED	
	REVISED	
23	REVISED	05-27-22

							STD. 9	-23 REVISE	D 05-27	7-22
ROUGH GROOVED SURFACE, TEMP HMA TRANS, AND UNEVEN LANES SIGN				F.A.P RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEI		
				726	129RS-10	Williamson	13	13		
	AND ONLYEN LANES SIGN					CONTRACT	NO. 78	B58		
	SHEET 3	OF 3	SHEETS	STA.	TO STA.	ILLINOIS FED AID PROJECT				

**STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION**