11-07-2025 LETTING ITEM 095

FOR INDEX OF SHEETS, SEE SHEET NO. 2

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

## **STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION**

**PROPOSED** 

**HIGHWAY PLANS** 

**VARIOUS SOUTH COOK COUNTY ARTERIAL ROUTES** DISTRICT 1 SECTION 2025-2026-SWP(S.COOK) ARTERIAL HIGHWAY CLEANING (SWEEPING) SOUTH COOK COUNTY

C-91-030-26

JOINT UTILITY LOCATION INFORMATION FOR EXCAVATION 1-800-892-0123


PROJECT ENGINEER: OSCAR OLIVEROS PROJECT MANAGER: JACEK EJMONT

(847)-705-4548

**SEE LOCATION MAPS SHEETS 4 THRU 8** 

D-91-025-26





PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

(847) 705-4641

CONTRACT NO. 80B71

## **INDEX OF SHEETS**

1. TITLE SHEET

2. INDEX OF SHEETS APPLICABLE STATE STANDARDS

3. SUMMARY OF QUANTITIES GENERAL NOTES

4. ARTERIAL TYPICAL SECTIONS CURB RETURN DETAIL

5. ARTERIAL CLEANING LOCATION MAP COOK COUNTY ALSIP TEAM SECTION

6. ARTERIAL CLEANING LOCATION MAP COOK COUNTY HARVEY TEAM SECTION

7. ARTERIAL CLEANING LOCATION MAP COOK COUNTY HILLSIDE TEAM SECTION

8. TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTIONS AND DRIVEWAYS (TC-10)

## **STATE STANDARDS**

701001-02	OFF-RD OPERATIONS, 2L, 2W, MORE THAN 15' (4.5 m) AWAY
701006-05	OFF-RD OPERATIONS, 2L, 2W, 15' (4.5 m) TO 24" (600 mm) FROM PAVEMENT EDGE
701011-04	OFF-RD MOVING OPERATIONS 2L, 2W, DAY ONLY
701301-04	LANE CLOSURE, 2L, 2W, SHORT TIME OPERATIONS
701311-03	LANE CLOSURE 2L, 2W MOVING OPERATIONS DAY ONLY
701411-09	LANE CLOSURE, MULTILANE, AT ENTRANCE OR EXIT RAMP, FOR SPEEDS $\geq$ 45 MPH
701426-09	LANE CLOSURE, MULTILANE, INTERMITTENT OR MOVING OPER., FOR SPEEDS $\geq 45~\mathrm{MPH}$
701427-05	LANE CLOSURE, MULTILANE, INTERMITTENT OR MOVING OPER., FOR SPEEDS $\leq$ 40 MPH
701428-01	TRAFFIC CONTROL SETUP AND REMOVAL FREEWAY/EXPRESSWAY
701901-10	TRAFFIC CONTROL DEVICES

GENERAL NOTES

 THE CONTRACTOR IS EXPECTED TO COMPLETE TWO CYCLES PER CALENDAR YEAR. THE SCHEDULE MAY VARY AS DIRECTED BY THE ENGINEER.

ARTERIAL CLEANING CYCLE SCHEDULE WILL BE COORDINATED DURING THE PRE-CONSTRUCTION MEETING.
 THE CONTRACTOR SHALL NOT START CLEANING CYCLES BEFORE THE DATES SCHEDULED WITHOUT
WRITTEN AUTHORIZATION FROM THE ENGINEER.

3. NO DAILY CONTRACTOR WORK REQUESTS / SCHEDULING SHALL BE AUTHORIZED OR APPROVED TO START WHEN IT IS DETERMINED BY THE ENGINEER THAT WEATHER CONDITIONS WILL BE UNFAVORABLE. APPROVAL OF ALL DAILY CONTRACTOR WORK SCHEDULE REQUEST SHALL BE SOLELY DETERMINED BY THE ENGINEER.

4. ALL LANE AND SHOULDER CLOSURES SHALL BE IMMEDIATELY REMOVED DURING ALL ADVERSE WEATHER CONDITIONS WITHOUT EXCEPTION, INCLUDING BUT NOT LIMITED TO RAIN, WET ROAD SURFACE (SPRAY FROM TIRES), MIST, DRIZZLE, SLEET, SNOW, FOG AND ANY OTHER CIRCUMSTANCE DETERMINED UNSAFE BY THE ENGINEER. THE CONTRACTOR SHALL IMPLEMENT THIS CONTRACT REQUIREMENT IMMEDIATELY WITHOUT WAITING FOR DEPARTMENT INSTRUCTIONS.

5. SWEEPING WILL NOT PROCEED IF TEMPERATURES ARE FORECASTED BY THE DEPARTMENT'S CONSULTING METEOROLOGISTS
TO DROP BELOW 32°F. ALL SHOULDER AND CURB LINES MUST BE FREE OF ANY EXISTING SNOW AND/OR ICE. DRY
SWEEPING SHALL BE ALLOWED ONLY IF IT IS CONSIDERED AN EMERGENCY, IMMEDIATE HAZARD, OR ANY WORK AS
DESIGNATED BY THE DEPARTMENT THAT REQUIRES FIRST PRIORITY CORRECTIVE ACTION.

6. NO WORK WILL BE ALLOWED DURING THE FOLLOWING LEGAL HOLIDAYS AS IN ACCORDINANCE WITH ARTICLE 107.09
OR AS PER DISTRICT 1 BUREAU OF TRAFFIC RESTRICTIONS UNLESS IT IS CONSIDERED AN EMERGENCY, IMMEDIATE
HAZARD OR ANY WORK AS DESIGNATED BY THE DEPARTMENT THAT REQUIRES FIRST PRIORITY CORRECTIVE ACTION:

EASTER HOLIDAY
MEMORIAL DAY HOLIDAY
INDEPENDENCE DAY HOLIDAY
THANKSGIVING HOLIDAY

NEW YEAR'S HOLIDAY

FULL ARTERIAL CLEANING CYCLE	SUPPLEMENTAL SWEEPING	ITEM

Z0010617

CODE NO.

SUMMARY OF QUANTITIES

X0330600

EACH

TIN

URBAN TOTAL QUANTITIES

100 % STATE 0044 ARTERIAL

MLE

175

175

REVISED - STATE OF ILLINOIS
REVISED - DEPARTMENT OF TRANSPORTATION
REVISED - DEPARTMENT OF TRANSPORTATION

USER NAME


MODEL: SOQ-NOTES [Sheet]
FILE NAME: c:\pw\_work\pwidot\thanh.vo@illinois.gov\d1144783\D102526-sht-ger


SCALE: Full Size 1 = 1 SHEET OF 1 SHEETS STA. TO STA


\*VARIOU

2025-2026-SWP(S.COOK)

COUNTY








- ③ TRAVELED ROADWAY
- 4 STABILIZED SHOULDER OR MEDIAN
- (5) STEEL PLATE GUARDRAIL (SEE NOTE 1)
- 6 CONCRETE BARRIER
- (7) NON STABILIZED AREA
- 8 RAISED CONCRETE MEDIAN
- ALL EXISTING TURF MEDIANS
- 10 LITTER PICKING

NOTES:



TYPICAL ARTERIAL CROSS SECTION NO. 4


- 1) ALL LOCATIONS OF MEDIANS AND GUARDRAILS SHALL BE CLEANED OF ALL DEBRIS AND RUBISH INCLUDING BUT NOT LIMITED TO DIRT, WEEDS, SAND, ROCKS, GRAVEL, CONCRETE, WOOD, LIMBS, LEAVES, GARBAGE & ANIMAL CARCASSES BY HAND LABORING UNDERNEATH AND 10 FEET BEHIND GUARDRAIL INCLUDING STABILIZED AND NON STABILIZED AREAS. THIS WORK SHALL BE CONSIDERED AS INCLUDED IN THE CONTRACT UNIT PRICE FOR ALL FULL CLEANING CYCLES.
- 2) SLOPE WALLS UNDER BRIDGES ARE NOT INCLUDED IN AREAS TO BE CLEANED.
- 3) ALL ARTERIAL INTERCHANGES, INTERSECTIONS, RAMPS AND CROSSOVERS SHALL BE CLEANED AND LITTER PICKED.
- 4) ALL PAVED DITCHES AND SPILLWAYS WITHIN 10' OF STABILIZED BASE SHALL BE CLEANED

SCALE: 1"=50'


USER NAME = thanh.vo	DESIGNED -	REVISED -	
	DRAWN -	REVISED -	
PLOT SCALE = \$SCALE\$	CHECKED -	REVISED -	
PLOT DATE = 8/21/2025	DATE -	REVISED -	


STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION


TYPICAL ARTERIAL CROSS SECTIONS			F.A.* RTE.	SECTION		COUNTY	TOTAL SHEETS	SHEET NO.					
AND CURB RETURN DETAIL					VAR	2025-2026-SWP(S.COOK)		COOK	8	4			
AND CORD RETORN DETAIL								CONTRAC	T NO. 801	B71			
	SHEET	OF 1	SHEETS	STA.	TO S	TA.			ILLINOIS	FED. AIL	PROJECT		



\*VARIO







## NOTES:

- 1. SIDE ROAD WITH A SPEED LIMIT OF 40 MPH (60 km/h) OR LESS AS SHOWN ON THE DRAWING AND AS DIRECTED BY THE ENGINEER:
- a) ONE "ROAD CONSTRUCTION AHEAD" SIGN 36 x 36 (900x900) WITH A FLASHER MOUNTED ON IT APPROXIMATELY 200' (60 m) IN ADVANCE OF THE MAIN ROUTE.
- b) THE CLOSED PORTION OF THE MAIN ROUTE SHALL BE PROTECTED BY BLOCKING WITH TYPE I, TYPE II OR TYPE III BARRICADES, 1/3 OF THE CROSS SECTION OF THE CLOSED PORTION.
- SIDE ROAD WITH A SPEED LIMIT GREATER THAN 40 MPH (60 km/h)
  AS SHOWN ON THE DRAWING AND AS DIRECTED BY THE ENGINEER:
- a) ONE "ROAD CONSTRUCTION AHEAD" SIGN 48 x 48 (1.2 m x 1.2 m) WITH A FLASHER MOUNTED ON IT APPROXIMATELY 500' (150 m) IN ADVANCE OF THE MAIN ROUTE.
- b) THE CLOSED PORTION OF THE MAIN ROUTE SHALL BE PROTECTED BY BLOCKING WITH TYPE III BARRICADES, 1/2 OF THE CROSS SECTION OF THE CLOSED PORTION.
- 3. CONES MAY BE SUBSTITUTED FOR BARRICADES OR DRUMS AT HALF THE SPACING DURING DAY OPERATIONS. CONES SHALL BE A MINIMUM OF 28 (710) IN HEIGHT
- 4. WHEN THE SIDE ROAD LIES BETWEEN THE BEGINNING OF THE MAINLINE SIGNING AND THE WORK ZONE, A SINGLE HEADED ARROW (M6-1) SHALL BE USED IN LIEU OF THE DOUBLE HEADED ARROW (M6-4).

- 5. WHEN WORK IS BEING PERFORMED ON A SIDE ROAD OR DRIVEWAY, FOLLOW THE APPLICABLE STANDARD(S). THE DIRECTIONAL ARROW (M6-1 OR M6-4) SHALL BE COVERED OR REMOVED WHEN NO LONGER CONSISTENT WITH THE TRAFFIC CONTROL SET-UP.
- 6. ADVANCE WARNING SIGNS ARE TO BE OMITTED ON DRIVEWAYS UNLESS OTHERWISE SPECIFIED IN THE PLANS OR BY THE ENGINEER.
- 7. THE TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTIONS, AND DRIVEWAYS SHALL BE INCLUDED IN THE COST OF SPECIFIED TRAFFIC CONTROL STANDARDS OR ITEMS.

All dimensions are in inches (millimeters) unless otherwise shown.

USER NAME = brad.gagliano	DESIGNED - L.H.A.	REVISED - T. RAMMACHER 01-06-00
	DRAWN -	REVISED - A. SCHUETZE 07-01-13
	CHECKED -	REVISED - A. SCHUETZE 09-15-06
PLOT DATE = 8/18/2025	DATE _ 06-89	REVISED D. SENDERAK 05-03-24

STATE OF ILLINOIS	
DEPARTMENT OF TRANSPORTATION	

7	TRAFFIC CONTROL AND PROTECTION FOR						SECTION
SIDE ROADS, INTERSECTIONS, AND DRIVEWAYS							2025-2026-SWP(S.
							TC-10
	SHEET	OF	SHEETS	STA.	TO STA.		ILLING