TRAFFIC SIGNAL LEGEND

ITEM	REMOVAL	EXISTING	PROPOSED	ITEM	REMOVAL	EXISTING	PROPOSED	ITEM	REMOVAL	EXISTING	PROPOSED
CONTROLLER CABINET	\bowtie^{R}	\bowtie		EMERGENCY VEHICLE LIGHT DETECTOR	R≪	\bowtie	•	ELECTRIC CABLE IN CONDUIT, TRACER, NO. 14 1/C, UNLESS NOTED OTHERWISE			
RAILROAD CONTROL CABINET		B B	E A	CONFIRMATION BEACON	R ₀ -()	$\circ\!\!\!-\!\!\!\!\!-\!$	••			~	
OMMUNICATIONS CABINET	C C	ECC	СС	HANDHOLE	R □			COAXIAL CABLE		— <u>(c)</u>	— <u>c</u> —
ASTER CONTROLLER		EMC	MC		R			VENDOR CABLE FOR CAMERA		(v)	
MASTER MASTER CONTROLLER	R	EMMC	MMC	HEAVY DUTY HANDHOLE	D	H	H	COPPER INTERCONNECT CABLE,		<i></i>	
NINTERRUPTIBLE POWER SUPPLY	UPS	EUPS	UPS	DOUBLE HANDHOLE	* <u> </u>			NO. 18 3 PAIR TWISTED, SHIELDED			<u></u>
ERVICE INSTALLATION, POLE OR (G) GROUND MOUNT	-□ ^{-R}	- <u></u> -	- ■ P	JUNCTION BOX GALVANIZED STEEL CONDUIT IN TRENCH (T) OR BUSINED (D)		<u> </u>		FIBER OPTIC CABLE NO. 62.5/125, MM12F		—(12F)—	
ELEPHONE CONNECTION P) POLE OR (G) GROUND MOUNT	R	P	P	IN TRENCH (T) OR PUSHED (P) TEMPORARY SPAN WIRE, TETHER WIRE,	R			FIBER OPTIC CABLE NO. 62.5/125, MM12F SM12F		— <u>24</u> F—	—24F—
TEEL MAST ARM ASSEMBLY AND POLE	R	O	•	AND CABLE						,	
UMINUM MAST ARM ASSEMBLY AND POLE	R	0		COMMON TRENCH			СТ	FIBER OPTIC CABLE NO. 62.5/125, (NUMBER OF FIBERS & TYPE TO BE		-	
TEEL COMBINATION MAST ARM SSEMBLY AND POLE WITH LUMINAIRE	^R O→¤	0 - ¤	• ×	COILABLE NONMETALLIC CONDUIT (EMPTY) SYSTEM ITEM		S	CNC S	NOTED ON PLANS) GROUND ROD AT (C) CONTROLLER,		Ć	0
TEEL COMBINATION MAST ARM SSEMBLY AND POLE WITH PTZ CAMERA	R PTZ[1]	PIZ]	PIZ	INTERSECTION ITEM		I	IP	(H) HANDHOLE, (P) POST, (M) MAST ARM, OR (S) SERVICE		C _{II} —•	^C
GNAL POST	R	0	•	REMOVE ITEM	R			CONTROLLER CABINET AND	RCF		
EMPORARY WOOD POLE (CLASS 5 OR	O R⊗	8	•	RELOCATE ITEM	RL			FOUNDATION TO BE REMOVED			
TTER) 45 FOOT (13.7m) MINIMUM				ABANDON ITEM	А			STEEL MAST ARM POLE AND FOUNDATION TO BE REMOVED	ORMF		
JY WIRE	R	>	>	12" (300mm) TRAFFIC SIGNAL SECTION		R	R	ALUMINUM MAST ARM POLE AND	RMF		
GNAL HEAD		\rightarrow	-	12" (300mm) RED WITH 8" (200mm)		R		FOUNDATION TO BE REMOVED	0		
CHAIL HEAD CONSTRUCTION STAGES JMBERS INDICATE THE CONSTRUCTION STAGE)			2	YELLOW AND GREEN TRAFFIC SIGNAL FACE				STEEL COMBINATION MAST ARM ASSEMBLY AND POLE WITH LUMINAIRE AND	RMF O-X		
GNAL HEAD WITH BACKPLATE	+C> R	+>	+			R	R	FOUNDATION TO BE REMOVED			
SNAL HEAD OPTICALLY PROGRAMMED	R →⊃′′P′′	- >′′P′′	→ "P"	SIGNAL FACE			G ∢ Y	SIGNAL POST AND FOUNDATION TO BE REMOVED	RMF		
ASHER INSTALLATION DENOTES SOLAR POWER)	R O- □ ″F‴	O-t>"F"	●● "F"			4 G	 G	INTERSECTION & SAMPLING (SYSTEM) DETECTOR			IS
DESTRIAN SIGNAL HEAD	R -∏	-0	-			R	R	SAMPLING (SYSTEM) DETECTOR		[5]	S
DESTRIAN PUSHBUTTON DETECTOR	R	©	•	SIGNAL FACE WITH BACKPLATE. "P" INDICATES PROGRAMMED HEAD		\bigcirc	G	EXISTING INTERSECTION LOOP DETECTOR		'' [<u>P</u>]	
CESSIBLE PEDESTRIAN PUSHBUTTON DETECTOR	R APS	@APS	APS			4 9	◆ Y ◆ G	PROPOSED INTERSECTION AND SAMPLING (SYSTEM) DETECT	OR	L'_'	
LUMINATED SIGN	R					"P"	"P"	EXISTING PREFORMED INTERSECTION LOOP DETECTOR PROPOSED INTERSECTION AND SAMPLING (SYSTEM) DETECT	OR	ÎPPÎ	
IO LEFT TURN''			•	12" (300mm) PEDESTRIAN SIGNAL HEAD WALK/DON'T WALK SYMBOL		DW W		PREFORMED INTERSECTION AND SAMPLING (SYSTEM) DETECTOR		PIS	PIS
LUMINATED SIGN NO RIGHT TURN''	R			12" (300mm) PEDESTRIAN SIGNAL HEAD		<u>~</u>		PREFORMED SAMPLING (SYSTEM) DETECTOR		PS j	₽
TECTOR LOOP, TYPE I		<u> </u>		INTERNATIONAL SYMBOL, OUTLINED				THE ORMED SAMILETING (STSTEM) DETECTOR		1 3	[13]
		9 ə	P	12" (300mm) PEDESTRIAN SIGNAL HEAD		(•	DAILDOAD	CVNADA	ni e	
REFORMED DETECTOR LOOP		7-4 1-1	P	INTERNATIONAL SYMBOL, SOLID			*	RAILROAD	O I IVID	ULO	
CROWAVE VEHICLE SENSOR	R [M]1	(M)	M	PEDESTRIAN SIGNAL HEAD, INTERNATIONAL SYMBOL, WITH COUNTDOWN TIMER		(€) C ((€) D	₽ C ★ D			EXISTING	PROPOSED
DEO DETECTION CAMERA	R [V]⊅	(V)	V ■	RADIO INTERCONNECT	- + ^R -○		 ••	RAILROAD CONTROL CABINET			
DEO DETECTION ZONE					R ERR	,	1.	RAILROAD CANTILEVER MAST ARM		X OX X X	XeX X
N, TILT, ZOOM CAMERA	R PīZ]1	(PZ)1	₽ī Z ¶	RADIO REPEATER DENOTES NUMBER OF CONDUCTORS, ELECTRIC	[FKK]	ERR	RR	FLASHING SIGNAL		$\times \Theta \times$	X O X
	R(W)	_	_	CABLE NO. 14, UNLESS NOTED OTHERWISE, ALL DETECTOR LOOP CABLE TO BE SHIELDED				CROSSING GATE		$\times \times \times$	X 0 X -
IRELESS DETECTOR SENSOR	R	(W)	<u> </u>	GROUND CABLE IN CONDUIT		(1)		CROSSBUCK		≥ ≤	><
IRELESS ACCESS POINT				NO. 6 SOLID COPPER (GREEN)					le.e.		
NAME = USER NAME = kanthaphix _work\PWIDOT\KANTHAPHIXAYBC\d01126	oybc DE DR	SIGNED - DAG/BCK AWN - BCK	REVISED REVISED	STATE				DISTRICT 1	F.A.P RTE.	SECTION	COUNTY TOTA