

PAVING SCHEDULE - MAINLINE

LOCATION	LENGTH FOOT	LEVELING BINDER (MACHINE METHOD), N50					HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N50					HOT-MIX ASPHALT SURFACE COURSE, MIX "C", N50					
		BITUMINOUS MATERIALS PRIME COAT TON	AGGREGATE PRIME COAT TON	(1.25" TO 2.00" THICKNESS)			BITUMINOUS MATERIALS PRIME COAT TON	AGGREGATE PRIME COAT TON	(2.00" THICKNESS)			BITUMINOUS MATERIALS PRIME COAT TON	AGGREGATE PRIME COAT TON	(1.50" THICKNESS)			
				AVE WIDTH FOOT	AREA SQ YD	TON			AVE WIDTH FOOT	AREA SQ YD	TON			AVE WIDTH FOOT	AREA SQ YD	TON	
FAS 1597 (IL 96)																	
STA 984.40.00 TO STA 986+00.00	160.00	0.18	0.94	26.50	471.1	33.0							0.18	0.93	26.25	466.7	39.2
STA 1320+76.11 AH TO STA 1326+86.10	609.99	0.68	3.59	26.50	1796.1	125.7							0.68	3.56	26.25	1779.1	149.4
STA 1327+98.90 TO STA 1329+72.29 BK	173.39	0.19	1.02	26.50	510.5	35.7							0.19	1.01	26.25	505.7	42.5
STA 1324+34.67 AH TO STA 1336+00.00	1165.33	1.30	6.86	26.50	3431.2	240.2							1.29	6.80	26.25	3398.9	285.5
STA 1336+00.00 TO STA 1352+00.00	1600.00	1.79	9.42	26.50	4711.1	329.8	0.95	4.98	14.00	2488.9	545.9	1.77	9.33	26.25	4666.7	392.0	
STA 1352+00.00 TO STA 1368+00.00	1600.00	1.79	9.42	26.50	4711.1	329.8	1.35	7.11	20.00	3555.6	881.8	1.77	9.33	26.25	4666.7	392.0	
STA 1368+00.00 TO STA 1376+87.15 BK	887.15	0.99	5.22	26.50	2612.2	182.9	0.75	3.94	20.00	1971.4	716.6	0.98	5.18	26.25	2587.5	217.4	
STA 1376+84.50 AH TO STA 1384+00.00	715.50	0.80	4.21	26.50	2106.8	147.5	0.42	2.23	14.00	1113.0	51.1	0.79	4.17	26.25	2086.9	175.3	
STA 1384+00.00 TO STA 1400+00.00	1600.00	1.79	9.42	26.50	4711.1	329.8						1.77	9.33	26.25	4666.7	392.0	
STA 1400+00.00 TO STA 1416+00.00	1600.00	1.79	9.42	26.50	4711.1	329.8	0.95	4.98	14.00	2488.9	247.6	1.77	9.33	26.25	4666.7	392.0	
STA 1416+00.00 TO STA 1432+00.00	1600.00	1.79	9.42	26.50	4711.1	329.8						1.77	9.33	26.25	4666.7	392.0	
STA 1432+00.00 TO STA 1436+65.00	465.00	0.52	2.74	26.50	1369.2	95.8						0.52	2.71	26.25	1356.3	113.9	
	12,176.36	13.62	71.71			2,509.7	4.41	23.24			2,443.0	13.50	71.03			2,983.2	
		13.6	71.7			2,510	4.4	23.2			2,443	13.5	71.0			2,970	

USE HMA BINDER COURSE IN SUPERELEVATION AREAS WHEN THICKNESS EXCEEDS 2.00" OR AS DIRECTED BY ENGINEER.

HOT-MIX ASPHALT BASE COURSE, 10"
HOT-MIX ASPHALT BASE COURSE WIDENING, 10"

STATION TO STATION	SIDE	AVE WIDTH	LENGTH	HMA BASE COURSE, 10"	HMA BASE COURSE WIDENING, 10"	
		FOOT	FOOT	SO YD	SO YD	
FAS 1597 (IL 96)						
STA 984+40.00 TO STA 986+00.00 BK	LT	4.0	160.00		71.1	
STA 1320+76.11 AH TO STA 1325+70.00	LT	4.0	493.89		219.5	
STA 1327+98.90 TO STA 1329+72.29 BK	LT	4.0	173.39		77.1	
STA 1324+34.67 AH TO STA 1340+32.02	LT	4.0	1597.35		709.9	
STA 1340+32.02 TO STA 1353+33.37	LT	4.0	1301.35		578.4	
STA 1353+33.37 TO STA 1354+33.00	LT	5.6	99.63		62.0	
STA 1354+33.00 TO STA 1373+90.00	LT	9.5	1957.00	2,074.0		
STA 1373+90.00 TO STA 1376+87.15 BK	LT	4.3	297.15		142.0	
STA 1376+84.50 AH TO STA 1401+34.27	LT	4.0	2449.77		1088.8	
STA 1401+34.27 TO STA 1408+46.77	LT	4.0	712.50		316.7	
STA 1408+46.77 TO STA 1436+65.00	LT	4.0	2818.23		1252.5	
FAS 1597 (IL 96)						
STA 984+40.00 TO STA 986+00.00 BK	RT	4.0	160.00		71.1	
STA 1320+76.11 AH TO STA 1326+86.10	RT	4.0	609.99		271.1	
STA 1327+98.90 TO STA 1329+72.29 BK	RT	4.0	173.39		77.1	
STA 1324+34.67 AH TO STA 1340+32.02	RT	4.0	1597.35		709.9	
STA 1340+32.02 TO STA 1353+33.37	RT	4.0	1301.35		578.4	
STA 1353+33.37 TO STA 1356+22.00	RT	2.5	288.63		80.2	
STA 1371+40.00 TO STA 1376+87.15 BK	RT	3.2	547.15		194.5	
STA 1376+84.50 AH TO STA 1401+34.27	RT	4.0	2449.77		1088.8	
STA 1401+34.27 TO STA 1408+46.77	RT	4.0	712.50		316.7	
STA 1408+46.77 TO STA 1436+65.00	RT	4.0	2818.23		1252.5	
				TOTAL	2,074.0	9,158.3
				USE	2,074	9,159

PAVING SCHEDULE - SIDEROADS

LOCATION	AVERAGE WIDTH	LENGTH	AREA	BITUMIN MATERIALS PRIME COAT	AGGREGATE PRIME COAT	HOT-MIX ASPHALT BASE CSE	INCIDENTAL HMA SURFACING	INCIDENTAL HMA SURFACING
	FOOT	FOOT	SO YD	TON	TON	SO YD	TON	TON
TR 123 (2250N)								
STA 10+13.00 TO STA 10+65.65	40.0	52.7	237.0	0.09	0.47	237.0	19.9	
TR 48 (2350N)								
STA 10+13.00 TO STA 11+20.48	28.3	107.5	338.4	0.13	0.68	338.4	28.4	
TR 95 (0003N)								
STA 8+93.30 TO STA 9+87.00	28.5	93.7	296.5	0.42	0.59	296.5	24.9	
FROM DRIVEWAY SCHEDULE (W/O GUTTER)			1173.0	0.45	2.35			230.0
			TOTAL	1.09	4.09	871.90	73.24	230.00
			USE	1.1	4.1	872	74	230