

# Illinois Department of Transportation

#### Memorandum

To:

From:

Rich Dotson

Subject:

**Special Provision Changes** 

Date:

July 30, 2010

The following special provisions have been revised for the November 5, 2010 letting. Please revise your special provision books as indicated.

	Interim Special Provisions						
ISP Number	Description						
Alphabetic ISP Index (Revised)	Remove existing alphabetic index and insert revised index.						
Numerical ISP Index (Revised)	Remove existing numeric index and insert revised index.						
107.22 (Revised)	"Approval of Proposed Borrow Areas, Use Areas and/or Waste Areas (BDE)" Revised for clarification.						
108.00 (New)	"Selection of Labor (BDE)" New special to comply with a Public Act.						
109.11 (Revised)	"Monthly Employment Report (BDE)" Revised for minor clarification.						
251.00 (New)	"Mulch (BDE)" Updates hydraulic mulch to current available products.						
442.08 (Delete)	"Multi-lane Pavement Patching (BDE)" Deleted.						

	District Special Provisions
<b>District Number</b>	Description
Alphabetic District Index (Revised)	Remove existing alphabetic index and insert revised index.
Numerical District Index (Revised)	Remove existing numeric index for Section 400 and insert revised index.
281.06 (New)	<b>"Stone Riprap"</b> New special similar to Stone Dumped Riprap.
RD:kme\mgr1\winword\progdev\s	pecial provisions\interim spec provs\specprovchngsmemo.doc

RD:kme\mgr1\winword\progdev\special provisions\interim spec provs\specprovchngsmemo.doc

Attachment(s)

(	c: * J. Miller	Team 2	Team 6	Team 10	Galesburg Design (D. Painter)
	K. Emert	Team 3	Team 7	Team 11	Local Roads (M. Augspurger)
	T. Phillips	Team 4	Team 8	Geometrics	Materials (H. Shoup)
	Team 1	Team 5	Team 9	Bridge (T. Inglis)	\$100 Per 2010 CO 100 Per 2010 CO 100 Per 2010 Pe

# BDE Special Provisions Checklist For the November 5, 2010 Letting

Contract No.:	

Letting:

Note: Specials that go in every contract have already been marked with an "X" for you.

## BDE SPECIAL PROVISIONS For the November 5, 2010 Letting

The following special provisions indicated by an "x" are applicable to this contract and will be included by the Project Development and Implementation Section of the BD&E. An \* indicates a new or revised special provision for the letting.

Tile Name	ш			p	o lotting.
File Name	007000		Special Provision Title	<b>Effective</b>	Revised
80240	1	-	Above Grade Inlet Protection	July 1, 2009	
80099		-	Accessible Pedestrian Signals (APS)	April 1, 2003	Jan. 1, 2007
80243		_	American Recovery and Reinvestment Act Provisions	April 1, 2009	
80236		-	American Recovery and Reinvestment Act Signing	April 1, 2009	April 15, 2009
80186			Alkali-Silica Reaction for Cast-in-Place Concrete	Aug. 1, 2007	Jan. 1, 2009
80213	CONTRACTOR SAFERANCES	V	Alkali-Silica Reaction for Precast and Precast Prestressed Concrete	Jan. 1, 2009	
* 80207	1	X	Approval of Proposed Borrow Areas, Use Areas, and/or Waste Areas	Nov. 1, 2008	Nov. 1, 2010
			(NOTE: This special provision was previously named "Approval of		
			Proposed Borrow Areas, Use Areas, and/or Waste Areas Inside Illinois State Borders".)		
80192	8		Automated Flagger Assistance Device	l== 4 0000	
80173		-	Bituminous Materials Cost Adjustments	Jan. 1, 2008	4 14 0000
80241			Bridge Demolition Debris	Nov. 2, 2006	April 1, 2009
50261	11			July 1, 2009	
50481	12		Building Removal-Case I (Non-Friable and Friable Asbestos) Building Removal-Case II (Non-Friable Asbestos)	Sept. 1, 1990	April 1, 2010
50491	13		Building Removal-Case III (Friable Asbestos)	Sept. 1, 1990	April 1, 2010
50531	14		Building Removal-Case IV (No Asbestos)	Sept. 1, 1990	April 1, 2010
80166	15		Cement	Sept. 1, 1990	April 1, 2010
80260	16		Certification of Metal Fabricator	Jan. 1, 2007	April 1, 2009
80198	17		Completion Date (via calendar days)	July 1, 2010	
80199	18			April 1, 2008	
80094	19		Completion Date (via calendar days) Plus Working Days Concrete Admixtures	April 1, 2008	A!! 4 0000
80214			Concrete Gutter, Type A	Jan. 1, 2003	April 1, 2009
80215			Concrete Joint Sealer	Jan. 1, 2009	
80226			Concrete Mix Designs	Jan. 1, 2009	
80261			Construction Air Quality – Diesel Retrofit	April 1, 2009	
80237		X	Construction Air Quality – Diesel Retroft  Construction Air Quality – Diesel Vehicle Emissions Control	June 1, 2010	Luk. 4 2000
80239		X	Construction Air Quality – Diesel Verlicle Emissions Control	April 1, 2009	July 1, 2009
80227			Determination of Thickness	April 1, 2009	
80177			Digital Terrain Modeling for Earthwork Calculations	April 1, 2009	
80029			Disadvantaged Business Enterprise Participation	April 1, 2007	Jan. 1, 2010
80178	29		Dowel Bars	Sept. 1, 2000 April 1, 2007	Jan. 1, 2010 Jan. 1, 2008
80179		-	Engineer's Field Office Type A	April 1, 2007	Aug. 1, 2008
80205	31	-	Engineer's Field Office Type B	Aug. 1, 2008	Aug. 1, 2000
80189	32	Х	Equipment Rental Rates	Aug. 2, 2007	Jan. 2, 2008
80228	33		Flagger at Side Roads and Entrances	April 1, 2009	Jan. 2, 2000
80249			Frames and Grates	Jan. 1, 2010	
80229	35		Fuel Cost Adjustment	April 1, 2009	July 1, 2009
80169	36		High Tension Cable Median Barrier	Jan. 1, 2007	April 1, 2009
80194	37		HMA – Hauling on Partially Completed Full-Depth Pavement	Jan. 1, 2007	April 1, 2005
80245	38		Hot-Mix Asphalt – Anti-Stripping Additive	Nov. 1, 2009	
80246	39		Hot-Mix Asphalt – Density Testing of Longitudinal Joints	Jan. 1, 2010	
80250	40		Hot-Mix Asphalt – Drop-Offs	Jan. 1, 2010	
80259	41		Hot Mix Asphalt – Fine Aggregate	April 1, 2010	
80201	42		Hot-Mix Asphalt – Plant Test Frequency	April 1, 2008	Jan. 1, 2010
80251	43		Hot-Mix Asphalt – QC/QA Acceptance Criteria	Jan. 1, 2010	Juli. 1, 2010
80202			Hot-Mix Asphalt – Transportation	April 1, 2008	
			1	7 (pin 1, 2000	

Contract No.:		
OUNITAUL 140	 -	

Letting:\_\_\_\_

# Note: Specials that go in every contract have already been marked with an "X" for you.

File Name	<u>#</u>		Special Provision Title	Effective	Povised
80109			Impact Attenuators	Nov. 1, 2003	Revised
80110		- 2-01	Impact Attenuators, Temporary	Nov. 1, 2003	Nov. 1, 2008
80252		-	Improved Subgrade		Jan. 1, 2007
80230	48	X	Liquidated Damages	Jan. 1, 2010	
80196	49		Mast Arm Assembly and Pole	April 1, 2009	lan 4 0000
80045	50		Material Transfer Device	Jan. 1, 2008	Jan. 1, 2009
80203	51	-	Metal Hardware Cast into Concrete	June 15, 1999	Jan. 1, 2009
80165	52		Moisture Cured Urethane Paint System	April 1, 2008	April 1, 2009
80238	53		Monthly Employment Report	Nov. 1, 2006	Jan. 1, 2010
80253	54		Movable Traffic Barrier System	April 1, 2009	Jan. 1, 2010
* 80262	55	16.500	Mulch	Jan. 1, 2010	THE WATER TO SERVICE THE
80180	56	X	National Pollutant Discharge Elimination System / Erosion and	Nov. 1, 2010	No. 4 0000
		1,000	Sediment Control Deficiency Deduction	April 1, 2007	Nov. 1, 2009
80208	57		Nighttime Work Zone Lighting	Nov. 1, 2008	
80182	58		Notification of Reduced Width	April 1, 2007	
80069	59		Organic Zinc-Rich Paint System		lon 1 2010
80216	60		Partial Exit Ramp Closure for Freeway/Expressway	Nov. 1, 2001	Jan. 1, 2010
80231	61		Pavement Marking Removal	Jan. 1, 2009	
80254	62		Pavement Patching	April 1, 2009	
80022	63	Х	Payments to Subcontractors	Jan. 1, 2010	la= 4 0000
80209	64	X	Personal Protective Equipment	June 1, 2000	Jan. 1, 2006
80232	65		Pipe Culverts	Nov. 1, 2008	A
80119	66		Polyurea Pavement Marking	April 1, 2009	April 1, 2010
80210	67		Portland Cement Concrete Inlay or Overlay	April 1, 2004	Jan. 1, 2009
80170	68		Portland Cement Concrete Plants	Nov. 1, 2008	
80217	69		Post Clips for Extruded Aluminum Signs	Jan. 1, 2007	
80171	70		Precast Handling Holes	Jan. 1, 2009	
80218	71		Preventive Maintenance – Bituminous Surface Treatment	Jan. 1, 2007	4 "4 0000
80219	72		Preventive Maintenance – Cape Seal	Jan. 1, 2009	April 1, 2009
80220	73	-		Jan. 1, 2009	April 1, 2009
80221		-	Preventive Maintenance – Micro-Surfacing	Jan. 1, 2009	
80211	75	-	Preventive Maintenance – Slurry Seal Prismatic Curb Reflectors	Jan. 1, 2009	
80015	76			Nov. 1, 2008	
34261	77		Public Convenience and Safety	Jan. 1, 2000	
80157	78		Railroad Protective Liability Insurance	Dec. 1, 1986	Jan. 1, 2006
80247	79	_	Railroad Protective Liability Insurance (5 and 10)	Jan. 1, 2006	
80223		_	Raised Reflective Pavement Markers	Nov. 1, 2009	April 1, 2010
80172			Ramp Closure for Freeway/Expressway	Jan. 1, 2009	
		_	Reclaimed Asphalt Pavement (RAP)	Jan. 1, 2007	Jan. 1, 2010
80183		X	Reflective Sheeting on Channelizing Devices	April 1, 2007	Nov. 1, 2008
80206	83	-	Reinforcement Bars – Storage and Protection	Aug. 1, 2008	April 1, 2009
80224	84		Restoring Bridge Approach Pavements Using High-Density Foam	Jan. 1, 2009	1 2 1 1 2 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1
80131	85		Seeding	July 1, 2004	July 1, 2010
* 80264			Selection of Labor	July 2, 2010	
80152 80132			Self-Consolidating Concrete for Cast-In-Place Construction	Nov. 1, 2005	July 1, 2010
			Self-Consolidating Concrete for Precast Products	July 1, 2004	July 1, 2010
80127			Steel Cost Adjustment	April 2, 2004	April 1, 2009
80255 80234	90		Stone Matrix Asphalt	Jan. 1, 2010	
			Storm Sewers	April 1, 2009	April 1, 2010
80143		X	Subcontractor Mobilization Payments	April 2, 2005	
80075 80087	93		Surface Testing of Pavements	April 1, 2002	Jan. 1, 2007
			Temporary Erosion Control	Nov. 1, 2002	July 1, 2010
80256 80225	95		Temporary Longitudinal Traffic Barrier System	Jan. 1, 2010	
00223	30		Temporary Raised Pavement Marker	Jan. 1, 2009	

Contract No.:	 		
Lettina:			

### Note: Specials that go in every contract have already been marked with an "X" for you.

File Name	<u>#</u>	Special Provision Title	Effective	Revised
80176	97	Thermoplastic Pavement Markings	Jan. 1, 2007	revised
80257	98	Traffic Barrier Terminal, Type 6	Jan. 1, 2010	
20338	99	Training Special Provisions	Oct. 15, 1975	
80258	100	Truck Mounted/Trailer Mounted Attenuators	Jan. 1, 2010	
80071	101	Working Days	Jan. 1, 2002	

The following special provisions have been deleted from use:

80244 Filter Fabric

80082 Multilane Pavement Patching

The following special provisions are in the 2010 Supplemental Specifications and Recurring Special Provisions:

File Name 80193	Special Provision Title Concrete Barrier	New Location Section 637	Effective Jan. 1, 2008	Revised
80175	Epoxy Pavement Markings	Section 1095	Jan. 1, 2007	
80181	Hot-Mix Asphalt – Field Voids in the Mineral Aggregate	Section 1030	April 1, 2007	April 1, 2008
80136	Hot-Mix Asphalt Mixture IL-4.75	Sections 406, 1003, 1030, 1032 and 1102	Nov. 1, 2004	Jan. 1, 2008
80195	Hot-Mix Asphalt Mixture IL-9.5L	Sections 1004 and 1030	Jan. 1, 2008	
80129	Notched Wedge Longitudinal Joint	Section 406	July 1, 2004	Jan. 1, 2007
80235	Payrolls and Payroll Records	Check Sheets #1 and #5	Mar. 1, 2009	July 1, 2009
80134	Plastic Blockouts for Guardrail	Section 630	Nov. 1, 2004	Jan. 1, 2007
80151	Reinforcement Bars	Section 1006	Nov. 1, 2005	April 1, 2009
80184	Retroreflective Sheeting, Nonreflective Sheeting, and Translucent Overlay Film for Highway Signs	Sections 1090, 1091, 1092 and 1093	April 1, 2007	7 pm 1, 2000
80212	Sign Panels and Sign Panel Overlays	Supplemental	Nov. 1, 2008	
80197	Silt Filter Fence	Sections 1080 and 1081	Jan. 1, 2008	
80153	Steel Plate Beam Guardrail	Section 1006	Nov. 1, 2005	Aug. 1, 2007
80191	Stone Gradation Testing	Section 1005	Nov. 1, 2007	Aug. 1, 2007
80185	Type ZZ Retroreflective Sheeting, Nonreflective	Sections 1090, 1091, 1092	April 1, 2007	
	Sheeting, and Translucent Overlay Film for Highway Signs	and 1093	7 pm 1, 2007	
80149	Variable Spaced Tining	Section 420	Aug. 1, 2005	Jan. 1, 2007
80204	Woven Wire Fence	Section 1006	April 1, 2008	Juli. 1, 2007

The following special provisions require additional information from the designer. The additional information needs to be included in a separate document attached to this check sheet. The Project Development and Implementation section will then include the information in the applicable special provision. The Special Provisions are:

- Bridge Demolition Debris
   Devilding Department County
- Building Removal-Case I
- Building Removal-Case II
   Building Removal-Case III
- Building Removal-Case IV
- Completion Date
- Completion Date Plus Working Days
- DBE Participation

- Material Transfer Device
- Railroad Protective Liability Insurance
- Training Special Provisions
- Working Days

# Index for Supplemental Specifications and Recurring Special Provisions

### INDEX FOR SUPPLEMENTAL SPECIFICATIONS AND RECURRING SPECIAL PROVISIONS

#### Adopted January 1, 2010

This index contains a listing of SUPPLEMENTAL SPECIFICATIONS and frequently used RECURRING SPECIAL PROVISIONS.

**ERRATA** Standard Specifications for Road and Bridge Construction (Adopted 1-1-07) (Revised 1-1-10)

#### SUPPLEMENTAL SPECIFICATIONS

Std.	Spec. Sec. Page N	0.
201	Clearing, Tree Removal and Protection	1
205	Embankment	2
251	Mulch	3
253	Planting Woody Plants	
280	Temporary Erosion Control	6
406	Hot-Mix Asphalt Binder and Surface Course	7
443	Reflective Crack Control Treatment	12
502	Excavation for Structures	15
503	Concrete Structures	16
504	Precast Concrete Structures	17
505	Steel Structures	18
540	Box Culverts	19
581	Waterproofing Membrane System	20
630	Steel Plate Beam Guardrail	21
633	Removing and Reerecting Guardrail and Terminals	22
637	Concrete Barrier	
669	Removal and Disposal of Regulated Substances	24
672	Sealing Abandoned Water Wells	25
701	Work Zone Traffic Control and Protection	26
720	Sign Panels and Appurtenances	
721	Sign Panel Overlay	
722	Demountable Sign Legend Characters and Arrows	29
726	Mile Post Marker Assembly	30
733	Overhead Sign Structures	31
783	Pavement Marking and Marker Removal	32
801	Electrical Requirements	
805	Electrical Service Installation – Traffic Signals	34
836	Pole Foundation	
838	Breakaway Devices	36
862	Uninterruptable Power Supply	37
873	Electric Cable	39
878	Traffic Signal Concrete Foundation	41
100		
1004		
100		
1000		
100		
1010	Finely Divided Materials	48
1020		
102		
102	Nonshrink Grout	59
1030		
1032		

1042	Precast Concrete Products	68
1062	Reflective Crack Control System	70
1069	Pole and Tower	72
1074	Control Equipment	75
1076	Wire and Cable	80
1080	Fabric Materials	81
1081	Materials for Planting	82
1083	Elastomeric Bearings	84
1090	Sign Base	85
1091	Sign Face	87
1092	Sign Legend and Supplemental Panels	95
1093	Sign Supports	96
1094	Overhead Sign Structures	
1095	Pavement Markings	
1101	General Equipment	
1102		107
1103		109
1106	Work Zone Traffic Control Devices	

#### RECURRING SPECIAL PROVISIONS

The following RECURRING SPECIAL PROVISIONS indicated by an "X" are applicable to this contract and are included by reference:

CHEC	K SHEET#	PAGE
NO.		0
1	Additional State Requirements For Federal-Aid Construction Contracts	
	(Eff. 2-1-69) (Rev. 1-1-10)	111
2	Subletting of Contracts (Federal-Aid Contracts) (Eff. 1-1-88) (Rev. 5-1-93)	114
3	EEO (Eff. 7-21-78) (Rev. 11-18-80)	115
4	Specific Equal Employment Opportunity Responsibilities	
	Non Federal-Aid Contracts (Eff. 3-20-69) (Rev. 1-1-94)	
5	Required Provisions - State Contracts (Eff. 4-1-65) (Rev. 1-1-10)	130
6	Reserved	135
7		136
8	Haul Road Stream Crossings, Other Temporary Stream Crossings, and	
	In-Stream Work Pads (Eff. 1-2-92) (Rev. 1-1-98)	137
9	Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-07)	138
10	Construction Layout Stakes (Eff. 5-1-93) (Rev. 1-1-07)	
11	Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-07)	144
12	Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 1-1-07)	146
13	Hot-Mix Asphalt Surface Correction (Eff. 11-1-87) (Rev. 1-1-09)	150
14	Pavement and Shoulder Resurfacing (Eff. 2-1-00) (Rev. 1-1-09)	152
15	PCC Partial Depth Hot-Mix Asphalt Patching (Eff. 1-1-98) (Rev. 1-1-07)	153
16	Patching with Hot-Mix Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07)	155
17	Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-08)	156
18	PVC Pipeliner (Eff. 4-1-04) (Rev. 1-1-07)	158
19	Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-07)	159
20	Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)	
21	Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07)	164
22	Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07)	166
23	Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07)	168
24	Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07)	
25	Night Time Inspection of Roadway Lighting (Eff. 5-1-96)	171
26	English Substitution of Metric Bolts (Eff. 7-1-96)	
27	English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)	173
28	Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01)	174
29	Reserved	175
30	Quality Control of Concrete Mixtures at the Plant	
	(Eff. 8-1-00) (Rev. 1-1-09)	176
31	Quality Control/Quality Assurance of Concrete Mixtures	
	(Eff. 4-1-92) (Rev. 1-1-09)	184
32	Asbestos Bearing Pad Removal (Eff. 11-1-03)	
33	Asbestos Hot-Mix Asphalt Surface Removal (Eff. 6-1-89) (Rev. 1-1-09)	

# BDE Special Provisions Alphabetic Index

#### **REVISED INDEX**

#### ALPHABETIC LIST OF DESIGN INTERIM SPECIAL PROVISIONS (ISP's)

Get a copy of the current check list from the Program Development Secretary, indicate which ISP's are to be included in your set of special provisions, fill in any blanks as indicated on the check list, and include with your set of special provisions to be sent to Springfield where they will be inserted.

Standard Spec. No.	PC No.	<u>Item</u>
280.02	28002	Above Grade Inlet Protection
888.00	88800	Accessible Pedestrian Signals (APS)
1020.02	102002	Alkali-Silica Reaction for Cast-in-Place Concrete
1020.03	102003	Alkali-Silica Reaction for Precast and Precast Prestressed Concrete
109.12	10912	American Recovery and Reinvestment Act Provisions
701.04	70104	American Recovery and Reinvestment Act Signing
107.22	10722	Approval of Proposed Borrow Areas, Use Areas, and/or Waste Areas Inside Illinois State Borders
701.00	70100	Automated Flagger Assistance Devices
109.01	10901	Bituminous Materials Cost Adjustment
107.38	10738	Bridge Demolition Debris
107.19a	10719a	Building Removal Case I
107.19b	10719b	Building Removal Case II
107.19c	10719c	Building Removal Case III
107.19d	10719d	Building Removal Case IV
1001.00	100100	Cement
106.08	10608	Certification of Metal Fabricators
108.05a	10805a	Completion Date (Via Calendar Days)
108.05b	10805b	Completion Date (Via Calendar Days) Plus working Days
1020.05b	102005b	Concrete Admixtures
606.07	60607	Concrete Gutter, Type A
503.19	50319	Concrete Joint Sealer

#### REVISED INDEX

Standard Spec. No.	PC No.	<u>Item</u>
1020.05c	102005c	Concrete Mix Designs
107.00	10700	Construction Air Quality - Diesel Vehicle Emissions Control
107.01	10701	Construction Air Quality - Diesel Retrofit
107.37	10737	Construction air Quality – Idling Restrictions
353.00	35300	Determination of Thickness
202.07	20207	Digital Terrain Modeling for Earthwork Calculations
108.06a	10806a	Disadvantaged Business Enterprise Participation
1006.11	100611	Dowel Bars
670.02	67002	Engineer's Field Office, Type A
670.03	67003	Engineer's Field Office, Type B
109.04	10904	Equipment Rental Rates
701.13	70113	Flagger at Side Roads and Entrances
609.02	60902	Frames and Grates
109.03	10903	Fuel Cost Adjustment
643.00	64300	High Tension Cable Median Barrier
407.08	40708	HMA-Hauling on Partially Completed Full-Depth Pavement
1030.04c	103004c	Hot-Mix Asphalt – Anti-Stripping Additive
406.07	40607	Hot-Mix Asphalt-Density Testing of Longitudinal Joints
701.07a	70107a	Hot-Mix Asphalt Drop-Offs
1003.01	100301	Hot-Mix Asphalt – Fine Aggregate
1030.04	103004	Hot-Mix Asphalt – Plant Test Frequency
1030.05	103005	Hot-Mix Asphalt – QC/QA Acceptance Criteria
1030.08	103008	Hot-Mix Asphalt - Transportation
702.00c	70200c	Impact Attenuators

Standard Spec. No.	PC No.	<u>ltem</u>
702.00d	70200d	Impact Attenuators, Temporary
302.04	30204	Improved Subgrade
108.09	10809	Liquidated Damages
1106.02k	110602k	Longitudinal Temporary Traffic Barrier System
1077.03	107703	Mast Arm Assembly and Pole
406.00f	40600f	Material Transfer Device
503.02	50302	Metal Hardware Cast into Concrete
1008.27	100827	Moisture Cured Urethane Paint System
109.11	10911	Monthly Employment Report
1106.021	1106021	Movable Traffic Barrier System
251.00	25100	Mulch
105.03	10503	National Pollutant Discharge Elimination System / Erosion and Sediment Control Deficiency Deduction
701.01	70101	Nighttime Work Zone Lighting
701.06	70106	Notification of Reduced Width
1008.26	100826	Organic Zinc-Rich Paint System
701.07	70107	Partial Exit Ramp Closure for Freeway/Expressway
783.03	78303	Pavement Marking Removal
701.17	70117	Pavement Patching
109.07	10907	Payments to Subcontractors
701.12	70112	Personal Protective Equipment
542.03	54203	Pipe Culverts
780.00	78000	Polyurea Pavement Marking
420.00	42000	Portland Cement Concrete Inlay or Overlay

Standard Spec. No.	PC No.	Item
1020.11	102011	Portland Cement Concrete Plants
1090.03	109003	Post Clips for Extruded Aluminum Signs
540.02	54002	Precast Concrete Handling Holes
400.04	40004	Preventive Maintenance - Bituminous Surface Treatment
400.01	40001	Preventive Maintenance - Cape Seal
400.02	40002	Preventive Maintenance – Micro-Surfacing
400.03	40003	Preventive Maintenance - Slurry Seal
782.03	78203	Prismatic Curb Reflectors
107.09	10709	Public Convenience and Safety
107.11	10711a	Railroad Protective Liability Insurance
107.11	10711b	Railroad Protective Liability Insurance (5 and 10)
781.03	78103	Raised Reflective Pavement Markers
701.02	70102	Ramp Closure for Freeway/Expressway
1031.00	103100	Reclaimed Asphalt Pavement (RAP)
1106.02	110602	Reflective Sheeting on Channelizing Devices
420.16	42016	Restoring Bridge Approach Pavements Using High-Density Foam
250.00	25000	Seeding
108.00	10800	Selection of Labor
1020.01	102001	Self-Consolidating Concrete for Cast-in-Place Construction
1020.00	102000	Self-Consolidating Concrete for Precast Products
109.00	10900a	Steel Cost Adjustment
406.06	40606	Stone Matrix Asphalt
508.03	50803	Storage and Protection of Reinforcement Bars
550.02	55002	Storm Sewers

Standard Spec. No.	PC No.	Item
671.00	67100	Subcontractor Mobilization Payments
406.21	40621	Surface Testing of Pavements
280.04	28004	Temporary Erosion Control
703.00	70300	Temporary Raised Pavement Marker
1095.01	109501	Thermoplastic Pavement Markings
631.07	63107	Traffic Barrier Terminal, Type 6
108.06	10806	Training Special Provision
701.03	70103	Truck Mounted/Trailer Mounted Attenuators
108.05	10805	Working Days

s:\mgr1\winword\progdev\special provisions\interim spec provs\isp alpha index.doc

# BDE Special Provisions Numeric Index

#### REVISED INDEX

#### NUMERIC DESIGN INTERIM SPECIAL PROVISIONS (ISP's)

Get a copy of the current check list from the Program Development Secretary, indicate which ISP's are to be included in your set of special provisions, fill in any blanks as indicated on the check list, and include with your set of special provisions to be sent to Springfield where they will be inserted.

Standard Spec. No.	PC No.	<u>Item</u>
105.03	10503	National Pollutant Discharge Elimination System / Erosion and Sediment Control Deficiency Deduction
106.08	10608	Certification of Metal Fabricator
107.00	10700	Construction Air Quality – Diesel Vehicle Emissions Control
107.01	10701	Construction Air Quality - Diesel Retrofit
107.09	10709	Public Convenience and Safety
107.11a	10711a	Railroad Protective Liability Insurance
107.11b	10711b	Railroad Protective Liability Insurance (5 and 10)
107.19a	10719a	Building Removal Case I
107.19b	10719b	Building Removal Case II
107.19c	10719c	Building Removal Case III
107.19d	10719d	Building Removal Case IV
107.22	10722	Approval of Proposed Borrow Areas, Use Areas, and/or Waste Areas Inside Illinois State Borders
107.37	10737	Construction Air Quality – Idling Restrictions
107.38	10738	Bridge Demolition Debris
108.00	10800	Selection of Labor
108.05	10805	Working Days
108.05a	10805a	Completion Date (Via Calendar Days)
108.05b	10805b	Completion Date (Via Calendar Days) Plus Working Days
108.06	10806	Training Special Provision
108.06a	10806a	Disadvantaged Business Enterprise Participation
108.09	10809	Liquidated Damages

Standard Spec. No.	PC No.	<u>Item</u>
109.00a	10900a	Steel Cost Adjustment
109.01	10901	Bituminous Materials Cost Adjustments
109.03	10903	Fuel Cost Adjustment
109.04	10904	Equipment Rental Rates
109.07	10907	Payments to Subcontractors
109.11	10911	Monthly Employment Report
109.12	10912	American Recovery and Reinvestment Act Provisions
202.07	20207	Digital Terrain Modeling for Earthwork Calculations
250.00	25000	Seeding
251.00	25100	Mulch
280.02	28002	Above Grade Inlet Protection
280.04	28004	Temporary Erosion Control
302.04	30204	Improved Subgrade
353.00	35300	Determination of Thickness
400.01	40001	Preventive Maintenance – Cape Seal
400.02	40002	Preventive Maintenance – Micro-Surfacing
400.03	40003	Preventive Maintenance – Slurry Seal
400.04	40004	Preventive Maintenance - Bituminous Surface Treatment
406.00f	40600f	Material Transfer Device
406.06	40606	Stone Matrix Asphalt
406.07	40607	Hot-Mix Asphalt – Density Testing of Longitudinal Joints
406.21	40621	Surface Testing of Interstate Pavements
407.08	40708	HMA-Hauling on Partially Completed Full-Depth Pavement
420.00	42000	Portland Cement Concrete Inlay or Overlay
420.16	42016	Restoring Bridge Approach Pavements Using High-Density Foam

Standard Spec. No.	PC No.	<u>ltem</u>
503.02	50302	Metal Hardware Cast Into Concrete
503.19	50319	Concrete Joint Sealer
508.03	50803	Storage and Protection of Reinforcement Bars
540.02	54002	Precast Concrete Handling Holes
542.03	54203	Pipe Culverts
550.02	55002	Storm Sewers
606.07	60607	Concrete Gutter, Type A
609.02	60902	Frames and Grates
631.07	63107	Traffic Barrier Terminal, Type 6
643.00	64300	High Tension Cable Median Barrier
670.02	67002	Engineers Field Office Type A
670.03	67003	Engineers Field Office Type B
671.00	67100	Subcontractor Mobilization Payments
701.00	70100	Automated Flagger Assistance Devices
701.01	70101	Nighttime Work Zone Lighting
701.02	70102	Ramp Closure for Freeway/Expressway
701.03	70103	Truck Mounted/Trailer Mounted Attenuators
701.04	70104	American Recovery and Reinvestment Act Signing
701.06	70106	Notification of Reduced Width
701.07	70107	Partial Exit Ramp Closure for Freeway/Expressway
701.07a	70107a	Hot-Mix Asphalt – Drop-Offs
701.12	70112	Personal Protective Equipment
701.13	70113	Flagger at Side Roads and Entrances
701.17	70117	Pavement Patching

Standard Spec. No.	PC No.	<u>Item</u>
702.00c	70200c	Impact Attenuators
702.00d	70200d	Impact Attenuators, Temporary
703.00	70300	Temporary Raised Pavement Marker
780.00	78000	Polyurea Pavement Marking
781.03	78103	Raised Reflective Pavement Markers
782.03	78203	Prismatic Curb Reflectors
783.03	78303	Pavement Marking Removal
888.00	88800	Accessible Pedestrian Signals (APS)
1001.00	100100	Cement
1003.01	100301	Hot-Mix Asphalt – Fine Aggregate
1006.11	100611	Dowel Bars
1008.26	100826	Organic Zinc-Rich Paint System
1008.27	100827	Moisture Cured Urethane Paint System
1020.00	102000	Self-Consolidating Concrete for Precast Products
1020.01	102001	Self-Consolidating Concrete for Cast-in-Place Construction
1020.02	102002	Alkali-Silica Reaction for Cast-in-Place Concrete
1020.03	102003	Alkali-Silica Reaction for Precast and Precast Prestressed Concrete
1020.05b	102005b	Concrete Admixtures
1020.05c	102005c	Concrete Mix Designs
1020.11	102011	Portland Cement Concrete Plants
1030.04	103004	Hot-Mix Asphalt – Plant Test Frequency
1030.04c	103004c	Hot-Mix Asphalt – Anti-Stripping Additive
1030.05	103005	Hot-Mix Asphalt – QC/QA Acceptance Criteria
1030.08	103008	Hot-Mix Asphalt - Transportation
1031.00	103100	Reclaimed Asphalt Pavement (RAP)

Standard Spec. No.	PC No.	<u>Item</u>
1077.03	107703	Mast Arm Assembly and Pole
1090.03	109003	Post Clips for Extruded Aluminum Signs
1095.01	1095.01	Thermoplastic Pavement Markings
1106.02	110602	Reflective Sheeting on Channelizing Devices
1106.02k	110602k	Longitudinal Temporary Traffic Barrier System
1106.021	1106021	Movable Traffic Barrier System

# **BDE Special Provisions**

10722

Designer Note: Insert into all contracts.

## APPROVAL OF PROPOSED BORROW AREAS, USE AREAS, AND/OR WASTE AREAS (BDE)

Effective: November 1, 2008 Revised: November 1, 2010

Replace the first paragraph of Article 107.22 of the Standard Specifications with the following:

"All proposed borrow areas, including commercial borrow areas; use areas, including, but not limited to temporary access roads, detours, runarounds, plant sites, and staging and storage areas; and/or waste areas are to be designated by the Contractor to the Engineer and approved prior to their use. Such areas outside the State of Illinois shall be evaluated, at no additional cost to the Department, according to the requirements of the state in which the area lies; and approval by the authority within the state having jurisdiction for such areas shall be forwarded to the Engineer. Such areas within Illinois shall be evaluated as described herein.

A location map delineating the proposed borrow area, use area, and/or waste area shall be submitted to the Engineer for approval along with an agreement from the property owner granting the Department permission to enter the property and conduct cultural and biological resource reconnaissance surveys of the site for archaeological resources, threatened or endangered species or their designated essential habitat, wetlands, prairies, and savannahs. The type of location map submitted shall be a topographic map, a plat map, or a 7.5 minute quadrangle map. Submittals shall include the intended use of the site and provide sufficient detail for the Engineer to determine the extent of impacts to the site. The Engineer will initiate cultural and biological resource reconnaissance surveys of the site, as necessary, at no cost to the Contractor. The Engineer will advise the Contractor of the expected time required to complete all surveys. The Engineer area is within 150 ft (45 m) of the highway right-of-way, a topographic map of the proposed site will be required as specified in Article 204.02."

10800

Designer Note: Insert into all contracts where Recurring Check Sheet #5 is checked. (i.e. all state funded contracts.)

#### SELECTION OF LABOR (BDE)

Effective: July 2, 2010

Revise Section I of Check Sheet #5 of the Recurring Special Provisions to read:

#### "I. SELECTION OF LABOR

The Contractor shall comply with all Illinois statutes pertaining to the selection of labor.

### EMPLOYMENT OF ILLINOIS WORKERS DURING PERIODS OF EXCESSIVE UNEMPLOYMENT

Whenever there is a period of excessive unemployment in Illinois, which is defined herein as any month immediately following two consecutive calendar months during which the level of unemployment in the State of Illinois has exceeded five percent as measured by the United States Bureau of Labor Statistics in its monthly publication of employment and unemployment figures, the Contractor shall employ at least 90 percent Illinois laborers. "Illinois laborer" means any person who has resided in Illinois for at least 30 days and intends to become or remain an Illinois resident.

Other laborers may be used when Illinois laborers as defined herein are not available, or are incapable of performing the particular type of work involved, if so certified by the Contractor and approved by the Engineer. The Contractor may place no more than three of his/her regularly employed non-resident executive and technical experts, who do not qualify as Illinois laborers, to do work encompassed by this contract during period of excessive unemployment.

This provision applies to all labor, whether skilled, semi-skilled, or unskilled, whether manual or non-manual."

10911

Designer Note: Insert into any contracts using American Recover and Reinvestment Act of 2009 funding. Ask Programming Engineer if you suspect it does.

#### MONTHLY EMPLOYMENT REPORT (BDE)

Effective: April 1, 2009 Revised: January 1, 2010

In addition to any other reporting required by the contract, the Contractor shall provide to the Engineer an employment summary for all employees working on the contract from the contract execution date to the last full pay period each month for the duration of the contract. The report may include but is not limited to:

- a) Total number of employees.
- b) The total hours worked.
- c) Total payroll.

The report shall be completed by the Contractor. The Contractor shall also report for each subcontractor. Employee hours worked from home office or other off-site office hours worked related directly to this contract shall be included. Engineering consulting firms performing construction layout and material testing for the Contractor shall also be included.

Hours worked for material suppliers, services provided by purchase orders, Department employees or consulting firms performing inspection or testing for the Department shall not be included in the report.

The report shall contain all hours worked under the contract from the start of the month to the last full pay period each month and shall be submitted no later than five business days after the end of each month.

The report shall be submitted electronically by accessing the Department's website (http://www.dot.il.gov/stimulus/index.html).

Any costs associated with complying with this provision shall be considered as included in the contract unit prices bid for the various items of work involved and no additional compensation will be allowed.

Designer Note: Insert into all contracts utilizing mulch.

#### MULCH (BDE)

Effective: November 1, 2010

Revise Article 251.03(b)(2) of the Standard Specifications to read:

"(2) Procedure 2. This procedure shall consist of stabilizing the straw with an approved mulch blower followed immediately by an overspray application of light-duty hydraulic mulch. The hydraulic mulch shall be according to Article 251.03(c) except that it shall be applied as a slurry of 900 lb (1020 kg) of mulch and 1000 gal (9500 L) of water per acre (hectare) using a hydraulic mulch applicator. The light-duty hydraulic mulch shall be agitated a minimum of five minutes before application and shall be agitated during application. The light-duty hydraulic mulch shall be applied from opposing directions to ensure even coverage."

Revise Article 251.03(c) of the Standard Specification to read:

"(c) Method 3. This method shall consist of the machine application of a light-duty hydraulic mulch. Seeding shall be conducted as a separate operation and shall not be added to the hydraulic mulch slurry. Hydraulic mulch shall not be applied when the ambient temperature is at or below freezing. To achieve full and even coverage, the hydraulic mulch shall be applied from two opposing directions. Mixing and application rates shall be according to the manufacturer's recommendations and meet the minimum application rates set in Article 1081.06(a)(2)."

Revise Article 251.03(d) of the Standard Specifications to read:

"(d) Method 3A. This method shall consist of the machine application of a heavy-duty hydraulic mulch. Seeding shall be conducted as a separate operation and shall not be added to the hydraulic mulch slurry. The hydraulic mulch shall not be applied when the ambient temperature is at or below freezing. To achieve full and even coverage, the hydraulic mulch shall be applied from two opposing directions. Mixing and application rates shall be according to the manufacturer's recommendations and meet the minimum application rates set in Article 1081.06(a)(2). The heavy-duty hydraulic mulch shall be applied using a mechanically agitated hydraulic mulching machine."

Add the following to Article 251.03 of the Standard Specifications:

"(e) Method 4. This method shall consist of applying compost combined with a performance additive designed to bind/stabilize the compost. The compost/performance additive mixture shall be applied to the surface of the slope using a pneumatic blower at a depth of 2 in. (50 mm)."

Revise Article 251.06(b) of the Supplemental Specifications to read:

"(b) Measured Quantities. Mulch Methods 1, 2, 3, 3A and 4 will be measured for payment in place in acres (hectares) of surface area mulched. Erosion control blanket, heavy duty erosion control blanket, and turf reinforcement mat will be measured for payment in place in square yards (square meters)."

Revise Article 251.07 of the Supplemental Specifications to read:

"251.07 Basis of Payment. This work will be paid for at the contract unit price per acre (hectare) for MULCH, METHOD 1; MULCH, METHOD 2; MULCH, METHOD 3; MULCH, METHOD 3A; MULCH, METHOD 4; and at the contract unit price per square yard (square meter) for EROSION CONTROL BLANKET, HEAVY DUTY EROSION CONTROL BLANKET, or TURF REINFORCEMENT MAT."

Revise Article 1081.06(a)(2) of the Standard Specifications to read:

"(2) Hydraulic Mulch. The mulch component shall be comprised of a minimum of 70 percent biodegradable material such as wood cellulose, paper fibers, straw or cotton and shall contain no growth or germination inhibiting factors. The remainder of the components shall consist of the manufacturer's choice of tackifiers and/or strengthening fibers needed to meet the performance specifications. Tackifiers shall be non-toxic and LC 50 test results shall be provided along with the manufacturer's certification. Hydraulic mulch shall disperse evenly and rapidly and remain in slurry when agitated with water. When uniformly applied, the slurry shall form an absorbent cover allowing percolation of water to the underlying surface. Hydraulic mulch shall be packaged in UV and moisture resistant factory labeled packages or bags with the net quantity of the packaged material plainly shown on each package. The biodegradable material shall be relatively free of glossy papers and shall not be water soluble. The hydraulic mulches shall be according to the following.

Light-Duty Hydraulid	c Mulch
Property <sup>1/</sup>	Value
Functional Longevity <sup>2/</sup>	3 months
Minimum Application Rates	2000 lb/acre (2240 kg/ha)
Typical Maximum Slope Gradient (V:H)	≤ 1:3
Maximum Uninterrupted Slope Length	50 ft (15 m)
Maximum C Factor	0.15
Minimum Vegetation Establishment <sup>5/</sup>	200 %

Heavy-Duty Hydraulic Mulch	
Property <sup>17</sup>	Value
Functional Longevity <sup>2/</sup>	12 months
Minimum Application Rates	3000 lb/acre (3360 kg/ha)
Typical Maximum Slope Gradient (V:H)	≤ 1:2
Maximum Uninterrupted Slope Length	100 ft (30 m)
Maximum C Factor <sup>3/4/</sup>	0.02
Minimum Vegetation Establishment <sup>5</sup>	400 %

- 1/ This table sets minimum requirements only. Refer to manufacturer recommendations for application rates, instructions, gradients, maximum continuous slope lengths and other site specific recommendations.
- 2/ Manufacturer's estimated time period, based upon field observations, that a material can be anticipated to provide erosion control as influenced by its composition and site-specific conditions.

- 3/ "C" Factor calculated as ratio of soil loss from HECP protected slope (tested at specified or greater gradient, h:v) to ratio of soil loss from unprotected (control) plot based on large-scale testing.
- 4/ Large-scale test methods shall be according to ASTM D 6459.
- 5/ Minimum vegetation establishment shall be calculated according to ASTM D 7322.

The manufacturer shall furnish a certification with each shipment of hydraulic mulch stating the number of packages or bags furnished and that the material complies with these requirements."

# **District Special Provisions**

# District Special Provisions Alphabetic Index

#### 7/29/2010

Item/Description	Standard Specification	<u>Filename</u>
AGGREGATE DITCH	283.03	28303
AGGREGATE QUALITY	1004.04	100404
ANTI-STRIP ADDITIVE FOR HOT-MIX ASPHALT	406.01	40601
BACKFILL - PIPE CULVERTS	542.04e	54204e
BACKFILL, BUILDING REMOVAL	550.07	55007
BIN-TYPE RETAINING WALL	503.00	50300
BITUMINOUS PRIME COATE FOR HOT-MIX ASPHALT PAVEMENT (FULL DEPTH)	407.06	40706
BORROW AND FURNISHED EXCAVATION	204.00	20400
BRIDGE FLOOR FINISHING MACHINE	503.17	50317
BRIDGE WEARING SURFACE REMOVAL	440.01	44001
CENTER JOINT REPAIR SYSTEM	440.03c	44003c
CLASS (*) PATCHES, TYPE (**), (***")	442.00	44200
CLEAN EXISTING PAVEMENT EDGE JOINT	406.00	40600
COARSE AGGREGATE FOR BITUMINOUS COURSES, CLASS A	1004.03b	100403b
CONCRETE HANDRAIL REMOVAL	501.04	50104
CONCRETE HEADWALL REMOVAL	501.03	50103
CONCRETE SUPERSTRUCTURE AGGREGATE OPTIMIZATION	1004.02	100402
CONCRETE WEARING SURFACE	503.01	50301
CONDUIT, PUSHED OR TRENCHED	810.00	81000
CONSTRUCTION STATION LAYOUT	105.00	10500
CRACK AND JOINT SEALING`	451.00	45100
DATE OF COMPLETION	108.05a	10805a
DATE OF COMPLETION (PLUS WORKING DAYS)	108.05b	10805b
DELAYED START OF MULTIPLE CONTRACTS	108.03	10803
DETECTOR LOOP, SPECIAL FOR TRAFFIC COUNTERS	886.00	88600

7/29/2010

DETECTOR LOOPS, TYPE 1	886.00a	88600a
DRAINAGE HOLES	606.12	60612
ELECTRIC CABLE CONDUIT, LEAD-IN, NO. 18	873.00	87300
EMBANKMENT	205.05	20505
EMBANKMENT (RESTRICTIONS)	205.04	205.04
EMBANKMENT (SMALL EMBANKMENTS)	205.05a	20505a
EQUIPMENT VAULT FOR NUCLEAR TESTING EQUIPMENT	670.05	67005
EROSION CONTROL CURB	630.00	63000
FILLING EXISTING CULVERTS	605.04a	60504a
FILLING EXISTING DRAINAGE STRUCTURES	605.04b	60504b
FILLING EXISTING INLETS	605.04d	60504d
FLEXIBLE DELINEATOR MAINTENANCE	635.00	63500
FLEXIBLE DELINEATORS	635.01	63501
FLOOR DRAIN EXTENSION	503.12a	50312a
GEOTECHNICAL REINFORCEMENT	205.00	20500
GROOVED-IN RUMBLE STRIP	407.13	40713
GROUT FOR USE WITH RIPRAP	281.00	28100
GUARD POST REMOVAL	632.00	63200
GUARDRAIL AGGREGATE EROSION CONTROL	630.01	63001
HOT-MIX ASPHALT CONCRETE MILLING MATERIAL	440.03f	44003f
HOT-MIX ASPHALT – PRIME COAT (BMPR)	406.05	40605
HOT-MIX ASPHALT SHOULDER RESURFACING CONSTRUCTED SIMULTANEOUSLY WITH MAINLINE PAVING	482.06	48206
HOT-MIX ASPHALT SHOULDER RESURFACING REQUIRED TO BE CONSTRUCTED SIMULTANEOUSLY WITH MAINLINE PAVING	482.05	48205
HOT-MIX ASPHALT SURFACE COURSE SURFACE TESTS	406.04a	40604a

HOT-MIX ASPHALT SURFACE REMOVAL, **" (** MM)	440.03a	44003a
HOT-MIX ASPHALT SURFACE REMOVAL, **" (** MM)	440.03b	44003b
INLET-MANHOLE, TYPE G-1, 4' (1.2 M) DIAMETER	602.00d	60200d
INLET-MANHOLE, TYPE G-1, 4' (1.2 M) DIAMETER, SPECIAL	602.00e	60200e
INLET-MANHOLE, TYPE G-1, 5' (1.5 M) DIAMETER	602.00f	60200f
INLET-MANHOLE, TYPE G-1, 5' (1.5 M) DIAMETER, DOUBLE, SPECIAL	602.00h	60200h
INLET-MANHOLE, TYPE G-1, 5' (1.5 M) DIAMETER, SPECIAL	602.00g	60200g
INLET-MANHOLE, TYPE G-1, 8' (2.4 M) DIAMETER, DOUBLE, SPECIAL	602.00i	60200i
INLETS, TYPE G-1	602.00a	60200a
INLETS, TYPE G-1, DOUBLE	602.00m	60200m
INLETS, TYPE G-1, DOUBLE, SPECIAL	602.00c	60200c
INLETS, TYPE G-1, SPECIAL	602.00b	60200b
INLETS, TYPE G-2	602.001	602001
ISLAND PAVEMENT CONSTRUCTED ON EXISTING PAVEMENT	606.08	60608
JACK AND REPOSITION BEARINGS	521.00b	52100b
JACKING AND CRIBBING	521.00c	52100c
LOCATION OF UNDERGROUND STATE MAINTAINED FACILITIES	107.31	10731
MANHOLE TO BE ADJUSTED WITH NEW TYPE G-1 FRAME AND GRATE	602.00j	60200j
MORTARED STONE WALL	683.00	68300
MOWING	250.06a	250.06a
MOWING	250.06b	250.06b
NATIONWIDE 404 PERMIT REQUIREMENTS	107.00a	10700a
PAVEMENT DRAINAGE AFTER COLD MILLING	440.03c	44003c
PAVEMENT MARKING REMOVAL/WORK ZONE PAVEMENT MARKING REMOVAL	703.00	70300

PAVEMENT PATCHING WITH HOT-MIX ASPHALT SURFACE REMOVAL	440.03e	44003e
PAYMENT FOR USE OF MATERIAL TRANSFER DEVICE	406.13	40613
PCC AUTOMATIC BATCHING EQUIPMENT	1103.03	110303
PERMANENT SURVEY MARKER, TYPE I, BRIDGE PLACEMENT	667.04	66704
PERMANENT SURVEY TIES	668.02	66802
PIPE CULVERTS	542.04	54204
PIPE UNDERDRAIN	601.00	60100
PLACEMENT OF HOT-MIX ASPHALT SURFACE COURSE	406.04	40604
PLUG EXISTING DRAINS	503.12	50312
PREFORMED PLASTIC PAVEMENT MARKINGS	780.07	78007
PRESTAGE SITE CONSTRUCTION MEETINGS	105.06	10506
PROOF ROLLING	301.01	30101
PROTECTION OF FRAMES AND LIDS OF UTILITY STRUCTURES	440.03	44003
PROTECTIVE COAT, SPECIAL	503.19	50319
RAILROAD APPROACH PAVEMENT	420.20	42020
RAILROAD TIES REMOVAL AND DISPOSAL	680.00a	68000a
RAILROAD TRACK RAIL REMOVAL	680.00	68000
RAISED RUMBLE STRIP	407.14d	40714d
REFLECTIVE CRACK CONTROL TREATMENT	443.00	44300
REMOVAL OF ABANDONED UNDERGROUND UTILITIES	105.07	10507
REMOVE AND RELAY PIPE CULVERTS	542.01	54201
RIGHT-OF-WAY RESTRICTIONS	107.32	10732
ROCKFILL	311.00	31100
RUMBLE STRIP	407.14	40714
SEEDING, MINOR AREAS	250.00	25000
SEEDLING MIXTURE A	253.00b	15300b

SEEPAGE COLLAR	542.00	54200
SIDEWALK DRAINS	424.01	42401
SOIL MODIFICATION	302.00	30200
SPEEDING PENALTY	701.06	70106
STATUS OF UTILITIES/UTILITIES TO BE ADJUSTED	105.07	10507
STEEL CASINGS *" (* MM)	561.00	56100
STEEL PIPE CULVERT, SPECIAL (JACKED) *" (* MM)	552.00	55200
STEEL PLATE BEAM GUARDRAIL, TYPE A, 6.75 FOOT POSTS	630.08	63008
STONE DUMPED RIPRAP*	281.04	28104
STONE RIPRAP	281.06	28106
STORM SEWER (SPECIAL)	550.02	55002
STORM SEWER, (PVC), SDR 26	550.00	55000
STORM SEWER/PIPE CULVERT) JACKED IN PLACE **" (** MM)	552.01	55201
SUBBASE GRANULAR MATERIAL	311.01	31101
SUBGRADE TREATMENT	301.03	30103
SURFACE FILLER, SPECIAL (GALLON)	503.02	50302
TEMPERATURE CONTROL FOR CONCRETE PLACEMENT	1020.14	102014
TEMPORARY CONCRETE BARRIER REFLECTORS	704.00a	70400a
TEMPORARY CONCRETE BARRIER, STATE OWNED & TEMPORARY CONCRETE BARRIER TERMINAL SECTIONS, STATE OWNED	704.00d	70400d
TEMPORARY INLET DRAINAGE TREATMENT	602.00k	60200k
TEMPORARY PAVEMENT	355.00	35500
TEMPORARY RAISED REFLECTIVE PAVEMENT MARKER, TYPE II	781.00	78100
TEMPORARY SIDEWALKS	424.02	42402
TERMINAL FACILITY	863.00	86300
THERMOPLASTIC PAVEMENT MARKING EQUIPMENT	780.00	78000
TRAFFIC BARRIER TERMINALS	631.11c	63111c

ALPHABETIC INDEX OF DISTRICT SPECIAL PROVISION	NC	7/29/2010
ALL TIMBETTO TABLE OF BIOTRICT SI ECIAL PROVISION	10	
TRAFFIC BARRIER TERMINALS, TYPE 1, SPECIAL (FLAMED) OR (TANGENT)	631.04	631.04
TRAFFIC BARRIER TERMINALS, TYPE 2	631.14	63114
TRAFFIC BARRIER TERMINALS, TYPE 6	631.07	63107
TRAFFIC CONTROL AND PROTECTION STANDARD 701331 (SPECIAL)	701.08b	70108b
TRAFFIC CONTROL AND PROTECTION STANDARD BLR 21 AND BLR 21 (SPECIAL)	701.20	70120
TRAFFIC CONTROL AND PROTECTION STANDARD BLR 22 AND BLR 22 (SPECIAL)	701.21	701.21
TRAFFIC CONTROL AND PROTECTION STANDARD 701606 (SPECIAL)	701.22	70122
TRAFFIC CONTROL PLAN	701.00	70100
TREE WHIP MIXTURE	253.00	25300
TRENCH & BACKFILL, SPECIAL FOR CONDUIT INSTALLATION BENEATH BITUMINOUS SHOULDERS	815.00	81500
URETHANE PAVEMENT MARKING	780.01	78001
WIDTH RESTRICTION SIGNING	701.14	70114

# ALPHABETIC INDEX OF DISTRICT SPECIAL PROVISIONS

s:\mgr1\winword\progdev\special provisions\district spec provs\district spec prov alpha list.doc

# District Special Provisions Numeric Index

Standard		
Specifications	Item/Description	<u>Doc. #</u>
105.00	CONSTRUCTION STATION LAYOUT	10500
105.06	PRESTAGE SITE CONSTRUCTION MEETINGS	10506
105.07	REMOVAL OF ABANDONED UNDERGROUND UTILITIES	10507
105.07a	STATUS OF UTILITIES/UTILITIES TO BE ADJUSTED	10507a
107.00a	NATIONWIDE 404 PERMIT REQUIREMENTS	10700a
107.31	LOCATION OF UNDERGROUND STATE MAINTAINED FACILITIES	10731
107.32	RIGHT-OF-WAY RESTRICTIONS	10732
108.03	DELAYED START OF MULTIPLE CONTRACTS	10803
108.05a	DATE OF COMPLETION	10805a
108.05b	DATE OF COMPLETION (PLUS WORKING DAYS)	10805b

Standard		
Specifications	Item/Description	<u>Doc. #</u>
204.00	BORROW AND FURNISHED EXCAVATION	20400
205.00	GEOTECHNICAL REINFORCEMENT	20500
205.05	EMBANKMENT	20505
205.04	EMBANKMENT (RESTRICTIONS)	20504
205.05a	EMBANKMENT (SMALL EMBANKMENTS)	20505a
250.00	SEEDING, MINOR AREAS	25000
250.06a	MOWING	25006a
250.06b	MOWING	250.06b
253.00	TREE WHIP MIXTURE	25300
253.00b	SEEDLING MIXTURE A	25300b
281.00	GROUT FOR USE WITH RIPRAP	28100
281.04	STONE DUMPED RIPRAP *	28104
281.06	STONE RIPRAP	28106
283.03	AGGREGATE DITCH	28303

7/29/2010

# SECTION 300

Standard Specifications	Item/Description	<u>Doc. #</u>
301.01	PROOF ROLLING	30101
301.03	SUBGRADE TREATMENT	30103
302.00	SOIL MODIFICATION	30200
311.00	ROCKFILL	31100
311.01	SUBBASE GRANULAR MATERIAL	31101
355.00	TEMPORARY PAVEMENT	35500

Standard Specifications	Item/Description	Doc. #
406.00	CLEAN EXISTING PAVEMENT EDGE JOINT	40600
406.01	ANTI-STRIP ADDITIVE FOR HOT-MIX ASPHALT	40601
406.04	PLACEMENT OF HOT-MIX ASPHALT SURFACE COURSE	40604
406.04a	HOT-MIX ASPHALT SURFACE COURSE SURFACE TESTS	40604a
406.05	HOT-MIX ASPHALT - PRIME COAT (BMPR)	40605
406.13	PAYMNET FOR USE OF MATERIAL TRANSFER DEVICE	40613
407.06	BITUMINOUS PRIME COAT FOR HOT-MIX ASPHALT PAVEMENT (FULL DEPTH)	40706
407.13	GROOVED-IN RUMBLE STRIP	40713
407.14d	RAISED RUMBLE STRIP	40714d
420.20	RAILROAD APPROACH PAVEMENT	42020
424.01	SIDEWALK DRAINS	42401
424.02	TEMPORARY SIDEWALKS	42402
440.01	BRIDGE WEARING SURFACE REMOVAL	44001
440.03	PROTECTION OF FRAMES AND LIDS OF UTILITY STRUCTURES	44003
440.03c	CENTER JOINT REPAIR SYSTEM	44003c
440.03a	HOT-MIX ASPHALT SURFACE REMOVAL, **" (** MM)	44003a
440.03b	HOT-MIX ASPHALT SURFACE REMOVAL, **" (** MM)	44003b
440.03d	PAVEMENT DRAINAGE AFTER COLD MILLING	44003d
440.03e	PAVEMENT PATCHING WITH HOT-MIX ASPHALT SURFACE REMOVAL	44003e
440.03f	HOT-MIX ASPHALT CONCRETE MILLING MATERIAL	44003f
442.00	CLASS (*) PATCHES, TYPE (**), (***")	44200
443.00	REFLECTIVE CRACK CONTROL TREATMENT	44300
451.00	CRACK AND JOINT SEALING	45100
482.05	HOT-MIX ASPHALT SHOULDER RESURFACING REQUIRED TO BE CONSTUCTED SIMULTANEOUSLY WITH MAINLINE PAVING	48205
482.06	HOT-MIX ASPHALT SHOULDER RESURFACING CONSTRUCTED SIMULTANEOUSLY WITH MAINLINE PAVING	48206

Standard Specifications	Item/Description	Doc. #
501.03	CONCRETE HEADWALL REMOVAL	50103
501.04	CONCRETE HANDRAIL REMOVAL	50104
503.00	BIN-TYPE RETAINING WALL	50300
503.01	CONCRETE WEARING SURFACE	50301
503.02	SURFACE FILLER, SPECIAL (GALLON)	50302
503.12a	FLOOR DRAIN EXTENSIONS	50312a
503.12	PLUG EXISTING DRAINS	50312
503.17	BRIDGE FLOOR FINISHING MACHINE	50317
503.19	PROTECTING COAT, SPECIAL	50319
521.00b	JACK AND REPOSITION BEARINGS	52100b
521.00c	JACKING AND CRIBBING	52100c
542.00	SEEPAGE COLLAR	54200
542.01	REMOVE AND RELAY PIPE CULVERTS	54201
542.04	PIPE CULVERTS	54204
542.04e	BACKFILL - PIPE CULVERTS	54204e
550.00	STORM SEWER, (PVC), SDR 26	55000
550.02	STORM SEWER (SPECIAL)	55002
550.07	BACKFILL, BUILDING REMOVAL	55007
552.00	STEEL PIPE CULVERT, SPECIAL (JACKED) *" (* MM)	55200
552.01	(*STORM SEWER/PIPE CULVERT) JACKED IN PLACE, *" (* MM)	55201
561.00	STEEL CASINGS *" (* MM)	56100

Standard		
<u>Specifications</u>	<u>Item/Description</u>	<u>Doc. #</u>
601.01	PIPE UNDERDRAIN	60101
602.00d	INLET-MANHOLE, TYPE G-1, 4' (1.2 M) DIAMETER	60200d
602.00f	INLET-MANHOLE, TYPE G-1, 5' (1.5 M) DIAMETER	60200f
602.00h	INLET-MANHOLE, TYPE G-1, 5' (1.5 M) DIAMETER, DOUBLE, SPECIAL	60200h
602.00i	INLET-MANHOLE, TYPE G-1, 8' (2.4 M) DIAMETER, DOUBLE, SPECIAL	60200i
602.00e	INLET-MANHOLE, TYPE G-1, 4' (1.2 M) DIAMETER, SPECIAL	60200e
602.00g	INLET-MANHOLE, TYPE G-1, 5' (1.5 M) DIAMETER, SPECIAL	60200g
602.00a	INLETS, TYPE G-1	60200a
602.00c	INLETS, TYPE G-1, DOUBLE, SPECIAL	60200c
602.00b	INLETS, TYPE G-1, SPECIAL	60200b
602.00j	MANHOLE TO BE ADJUSTED WITH NEW TYPE G-1 FRAME AND GRATE	60200j
602.00k	TEMPORARY INLET DRAINAGE TREATMENT	60200k
602.001	INLETS, TYPE G-2	602001
602.00m	INLETS, TYPE G-1, DOUBLE	60200m
605.04a	FILLING EXISTING CULVERTS	60504a
605.04b	FILLING EXISTING DRAINAGE STRUCTURES	60504b
605.04	FILLING EXISTING INLETS	60504
606.08	ISLAND PAVEMENT CONSTRUCTED ON EXISTING PAVEMENT	60608
606.12	DRAINAGE HOLES	60612
630.00	EROSION CONTROL CURB	63000
630.01	GUARDRAIL AGGREGATE EROSION CONTROL	63001
630.08	STEEL PLATE BEAM GUARDRAIL, TYPE A, 6.75 FOOT POSTS	63008

Standard Specifications	Item/Description	<u>Doc. #</u>
631.04	TRAFFIC BARRIER TERMINAL, TYPE 1, SPECIAL (FLARED) OR (TANGENT)	63104
631.07	TRAFFIC BARRIER TERMINALS, TYPE 6	63107
631.11c	TRAFFIC BARRIER TERMINALS	63111c
631.14	TRAFFIC BARRIER TERMINALS, TYPE 2	63114
632.00	GUARD POST REMOVAL	63200
635.00	FLEXIBLE DELINEATOR MAINTENANCE	63500
635.01	FLEXIBLE DELINEATORS	63501
667.04	PERMANENT SURVEY MARKER, TYPE I, BRIDGE PLACEMENT	66704
668.02	PERMANENT SURVEY TIES	66802
670.05	EQUIPMENT VAULT FOR NUCLEAR TESTING EQUIPMENT	67005
680.00a	RAILROAD TIES REMOVAL AND DISPOSAL	68000a
680.00	RAILROAD TRACK RAIL REMOVAL	68000
683.00	MORTARED STONE WALL	68300

Standard Specifications	Item/Description	<u>Doc. #</u>
701.00	TRAFFIC CONTROL PLAN	70100
701.06	SPEEDING PENALTY	70106
701.08b	TRAFFIC CONTROL AND PROTECTION STANDARD 701331 (SPECIAL)	70108b
701.14	WIDTH RESTRICTION SIGNING	70114
701.20	TRAFFIC CONTROL AND PROTECTION STANDARD BLR 21 AND BLR 21 (SPECIAL)	70120
701.21	TRAFFIC CONTROL AND PROTECTION STANDARD BLR 22 AND BLR 22 (SPECIAL)	70121
701.22	TRAFFIC CONTROL AND PROTECTION STANDARD 701606 (SPECIAL)	70122
703.00	PAVEMENT MARKING REMOVAL/WORK ZONE PAVEMENT MARKING REMOVAL	70300
704.00a	TEMPORARY CONCRETE BARRIER REFLECTORS	70400a
704.00	TEMPORARY CONCRETE BARRIER, STATE OWNED AND TEMPORARY CONCRETE BARRIER TERMINAL SECTIONS, STATE OWNED	70400
780.00	THERMOPLASTIC PAVEMENT MARKING EQUIPMENT	78000
780.01	URETHANE PAVEMENT MARKING	78001
780.07	PREFORMED PLASTIC PAVEMENT MARKINGS	78007
781.00	TEMPORARY RAISED REFLECTIVE PAVEMENT MARKER	78100

7/29/2010

# SECTION 800

Standard Specifications	Item/Description	Doc. #
810.00	CONDUIT, PUSHED OR TRENCHED	81000
815.00	TRENCH & BACKFILL, SPECIAL FOR CONDUIT INSTALLATION BENEATH BITUMINOUS SHOULDERS	81500
863.00	TERMINAL FACILITY	86300
873.00	ELECTRIC CABLE CONDUIT NO. 18	87300
886.00	DETECTOR LOOP, SPECIAL FOR TRAFFIC COUNTERS	88600
886.00a	DETECTOR LOOPS, TYPE 1	88600a

# District Special Provisions

Standard Specifications

Item/Description

<u>Doc. #</u>

Standard		
Specifications	Item/Description	Doc. #
1004.02	CONCRETE SUPERSTRUCTURE AGGREGATE OPTIMIZATION	100402
1004.03b	COARSE AGGREGATE FOR BITUMINOUS COURSES, CLASS A	d100403b
1004.04	AGGREGATE QUALITY	d100404
1020.14	TEMPERATURE CONTROL FOR CONCRETE PLACEMENT	102014
1103.03	PCC AUTOMATIC BATCHING EQUIPMENT	110303

Designer Note:

Pay Item

\*STONE RIP CL B3 <u>SQ YARD (SQ METER)</u>
\*STONE RIP CL B3 TON (METRIC TON)

- \* Insert "CL B3" in both heading titles and how paid when requiring RR3 gradation; otherwise make pay item "SPECIAL" and use "SPL" in both areas.
- \*\* Insert either <u>3</u>, <u>4</u>, <u>or 5</u> depending on RR gradation requirement per Article 1005.01. Minimum thickness of RR layer is given in Article 281.04.
- \*\*\* Insert TON (METRIC TON) or SQ YARD (SQ METER) to agree with Pay Item Code.

Use only when you want a "B" quality aggregate and a gradation of RR3, 4, or 5.

This District Special Provision to be used as an erosion control material for backslopes, culvert outlets, etc. but <u>not</u> for river channels or locations with constant standing water. It reduces the aggregate quality requirement (Article 1005.01(b)) as well as requiring a fabric for all RR gradations. Check with Materials for concurrence. Check with the Design Estimator for Code No. when using "SPL" to be paid in <u>tons (metric tons)</u>.

### STONE RIPRAP

Effective November 5, 2010

This work shall be performed in accordance with <u>Section 281</u>. The aggregate shall meet an RR gradation and "B" Quality except that the sodium sulfate loss shall not exceed 35%.

This work will be paid for at the contract unit price per	for STONE RIPRAP	The
filter fabric will be measured and paid for separately.		