

SCOPE OF WORK

THE SCOPE OF THIS PROJECT INCLUDES:

1. REPAIR CRACKS ON AIRFIELD PAVEMENTS INCLUDING CLEANING AND SEALING AND PATCHING.
2. REMARK THE ENTIRE AIRFIELD INCLUDING, RUNWAY, TAXIWAY, APRON AND HANGAR TAXILANES.

GENERAL

1. THE JOLIET REGIONAL AIRPORT IS A NON-TOWER CONTROLLED GENERAL AVIATION AIRPORT COMPRISED OF ONE PAVED RUNWAY AND ONE TURF RUNWAY.
2. THE PROPOSED CONSTRUCTION WILL REQUIRE THE CLOSURE OF AIRFIELD PAVEMENTS.

AIRFIELD SAFETY

1. AIRFIELD SAFETY SHALL BE HELD PARAMOUNT AT ALL TIMES. ANY INDIVIDUALS RESPONSIBLE FOR INCURSIONS OR POTENTIAL INCURSIONS WITH AIR TRAFFIC DUE TO NON-COMPLIANCE WITH REQUIREMENTS SET FORTH IN THESE PLANS, SPECIFICATIONS, SPECIAL PROVISIONS, AND FAA ADVISORY CIRCULAR 150/5370-2 (CURRENT EDITION) WILL BE SUBJECT TO AN IMMEDIATE SUSPENSION OF DRIVING PRIVILEGES ON THE AIRPORT OR A COMPLETE RESTRICTION FROM ENTERING THE AIR OPERATIONS AREA ALTOGETHER. THE AIRPORT MANAGER OR RESIDENT ENGINEER/TECHNICIAN MAY STOP THE WORK AT ANY TIME THEY BELIEVE AIRFIELD SAFETY IS BEING COMPROMISED.
2. AIRPORT SECURITY WILL BE MAINTAINED AT ALL TIMES. ONLY CONTRACTOR EMPLOYEES SHALL BE ALLOWED WITHIN THE PROJECT LIMITS. GATES SHALL BE CLOSED AT ALL TIMES UNLESS THE CONTRACTOR IS IN A CONTINUOUS HAULING OPERATION.
3. RADIO CONTROL - THE CONTRACTOR WILL BE REQUIRED TO BE IN TWO-WAY RADIO CONTACT WITH THE AIRPORT UNICOM (122.70 MHz) ANY TIME THERE ARE WORKERS OR EQUIPMENT ON THE AIRFIELD.

AIRFIELD MARKING AND MAINTENANCE


IDA No: JOT-5154
SBGP No: 3-17-SBGP-TBD

CONTRACT No. JO028

EXISTING	PROPOSED	LEGEND
— RSA —		RUNWAY SAFETY AREA (RSA)
— ROFA —		RUNWAY OBJECT FREE AREA (ROFA)
		PROJECT LIMITS
		STAGING AREA
		TEMPORARY HAUL ROUTE / ACCESS ROUTE (AR150540)

NO.	DATE	DESCRIPTION


ISSUE: SEPTEMBER 13, 2024
PROJECT NO: 23A1030
CAD FILE: C-101-SOW.DWG
DESIGN BY: JAP 7/24/2024
DRAWN BY: JAP 7/24/2024
REVIEWED BY: LDH 8/12/2024
SHEET TITLE



SCOPE OF WORK

CRITICAL POINTS					
POINT #	DESCRIPTION	LATITUDE	LONGITUDE	GROUND ELEVATION	EQUIP HEIGHT
1	STAGING AREA	041° 25' 40.84"	-094° 47' 31.27"	578	20
2	HAUL ROUTE	041° 25' 42.59"	-094° 47' 31.45"	578	20
3	EQUIP/BARRICADE	041° 25' 34.69"	-094° 47' 43.20"	578	20
4	EQUIP/BARRICADE	041° 25' 37.63"	-094° 47' 49.15"	581	20
5	EQUIP/BARRICADE	041° 25' 30.41"	-094° 47' 40.61"	579	20
6	EQUIP/BARRICADE	041° 25' 31.73"	-094° 47' 39.09"	579	20
7	EQUIP/BARRICADE	041° 25' 29.04"	-094° 47' 37.85"	581	20
8	EQUIP/BARRICADE	041° 25' 30.36"	-094° 47' 36.32"	580	20
9	EQUIP/BARRICADE	041° 25' 39.21"	-094° 47' 48.47"	581	20
10	EQUIP/BARRICADE	041° 25' 36.96"	-094° 47' 42.83"	579	20

EXISTING	PROPOSED	LEGEND
		PROPOSED WORK AREA
		STAGING AREA (AR150520)
		LOW PROFILE BARRICADE (AR150530)
		TEMPORARY HAUL ROUTE / ACCESS ROUTE
		SAFETY CRITICAL POINT




PHASE 1

WORK TO BE COMPLETED

- CLEAN AND SEAL CRACKS
- PAVEMENT MARKING

AIRFIELD CLOSURES AND CHANGES

- RUNWAY 13/31 AND TAXIWAY A TO BE CLOSED DURING THIS PHASE. RUNWAY 4/22 TO REMAIN OPEN.
- LOW PROFILE BARRICADES SHALL BE IN PLACE AT:
 - APRON CONNECTORS TO TAXIWAY A.
 - ON RUNWAY 13/31 AT RUNWAY 4/22 OBJECT FREE AREA LIMIT.
 - ON TAXIWAY A AT RUNWAY 4/22 OBJECT FREE AREA LIMIT.




PHASE 2

WORK TO BE COMPLETED

- CLEAN AND SEAL CRACKS
- PAVEMENT MARKING

AIRFIELD CLOSURES AND CHANGES

- RUNWAY 13/31, RUNWAY 4/22 AND TAXIWAY A TO BE CLOSED DURING THIS PHASE
- LOW PROFILE BARRICADES SHALL BE IN PLACE AT APRON CONNECTORS TO TAXIWAY A.



AIRFIELD MARKING AND MAINTENANCE

IDA No: JOT-5154
SBGP No: 3-17-SBGP-TBD

CONTRACT No. JO028


NO.	DATE	DESCRIPTION		
		DES	DWN	REV

ISSUE: SEPTEMBER 13, 2024
PROJECT NO: 23A1030
CAD FILE: G-104-CSPP.DWG
DESIGN BY: JAP 7/24/2024
DRAWN BY: JAP 7/24/2024
REVIEWED BY: LDH 8/12/2024

SHEET TITLE

SAFETY PLAN - PHASE 1 AND 2

EXISTING	PROPOSED	LEGEND
		PROPOSED WORK AREA
		STAGING AREA (AR150520)
		LOW PROFILE BARRICADE (AR150530)
		TEMPORARY HAUL ROUTE / ACCESS ROUTE
		SAFETY CRITICAL POINT




PHASE 3

WORK TO BE COMPLETED

- CLEAN AND SEAL CRACKS
- PAVEMENT MARKING

AIRFIELD CLOSURES AND CHANGES

- APRON TO BE CLOSED DURING THIS PHASE
- LOW PROFILE BARRICADES SHALL BE IN PLACE AT:
 - APRON CONNECTORS TO TAXIWAY A.
 - APRON CONNECTORS TO T-HANGAR ACCESS TAXIWAYS




PHASE 4

WORK TO BE COMPLETED

- CLEAN AND SEAL CRACKS
- PAVEMENT MARKING
- REMOVE AND REPLACE BITMINOUS PAVEMENT TYPE B

AIRFIELD CLOSURES AND CHANGES

- T-HANAGR ACCESS PAVEMENTS TO BE CLOSED DURING THIS PHASE.
- LOW PROFILE BARRICADES SHALL BE IN PLACE AT:
 - APRON CONNECTORS TO T-HANGAR ACCESS TAXIWAYS



AIRFIELD MARKING AND MAINTENANCE

IDA No: JOT-5154
SBGP No: 3-17-SBGP-TBD

CONTRACT No. JO028

NO.	DATE	DESCRIPTION		
		DES	DWN	REV

ISSUE: SEPTEMBER 13, 2024
PROJECT NO: 23A1030
CAD FILE: G-104-CSPP.DWG
DESIGN BY: JAP 7/24/2024
DRAWN BY: JAP 7/24/2024
REVIEWED BY: LDH 8/12/2024

SHEET TITLE

SAFETY PLAN - PHASE 3 AND 4

SAFETY NOTES

- ALL PROVISIONS OF THE LATEST EDITION OF FAA ADVISORY CIRCULAR AC 150/5370-2 (CURRENT EDITION), "OPERATIONAL SAFETY ON AIRPORTS DURING CONSTRUCTION", APPLY TO THIS CONTRACT, EXCEPT AS MODIFIED BY THIS SAFETY PLAN. ANY MODIFICATION TO THIS PLAN MUST BE APPROVED BY THE FAA, THE OWNER AND THE RESIDENT ENGINEER/TECHNICIAN.
- THE CONTRACTORS SHALL MINIMIZE DISRUPTION OF STANDARD OPERATING PROCEDURES FOR AERONAUTICAL ACTIVITY BY REMAINING WITHIN THE PRESCRIBED STAGING, CONSTRUCTION, AND PHASING AREAS PRESENTED ON THE CONSTRUCTION SAFETY AND PHASING PLAN SHEETS.
- NO UNAUTHORIZED PERSONNEL SHALL ENTER ANY AREA OF THE AIRPORT THAT COULD POTENTIALLY BE HAZARDOUS. THE AIRPORT MANAGER RESERVES THE RIGHT TO SUSPEND OPERATIONS IN ORDER TO MAINTAIN SAFETY AT THE AIRPORT.
- CONSTRUCTION EQUIPMENT OR CONSTRUCTION ACTIVITY WILL NOT BE PERMITTED WITHIN 250' OF RWY 13/31 (DISTANCES MEASURED FROM ACTIVE CENTERLINES) UNLESS CLOSED OR OTHERWISE NOTED. CONSTRUCTION EQUIPMENT OR CONSTRUCTION ACTIVITY WILL ALSO NOT BE PERMITTED WITHIN 65.5' OF ANY ACTIVE AIRPORT TAXIWAY CENTERLINE OR APRON UNLESS OTHERWISE NOTED.
- CONTRACTOR EQUIPMENT, VEHICLES, AND PROJECT MATERIALS SHALL BE STORED AT THE STAGING AREA SHOWN ON THE PLAN VIEW, EXCEPT AS OTHERWISE PROVIDED FOR AT THE PRE-CONSTRUCTION CONFERENCE.
- ALL CONSTRUCTION EQUIPMENT OPERATING IN THE PRESCRIBED CONSTRUCTION AREA IS REQUIRED TO DISPLAY A CHECKERBOARD FLAG PROPERLY LOCATED OR A ROTATING BEACON (STROBE) AS SPECIFIED IN AC 150/5210-5, "PAINTING, MARKING, AND LIGHTING OF VEHICLES USED ON AN AIRPORT" LATEST EDITION.
- NO CONSTRUCTION MATERIAL STOCKPILES SHALL BE LOCATED WITHIN 250' OF ANY ACTIVE RUNWAY, WITHIN 65.5' OF ANY OTHER ACTIVE AIRPORT OPERATIONS AREA, OR PENETRATE A PART 77 IMAGINARY SURFACE (PROVIDED BY THE RESIDENT ENGINEER/TECHNICIAN) EXTENDING OUT AND UPWARDS FROM ALL SIDES OF AN ACTIVE RUNWAY.
- OPEN TRENCHES, EXCAVATIONS, AND STOCKPILED MATERIALS AT THE CONSTRUCTION SITE SHOULD BE PROMINENTLY MARKED WITH ORANGE FLAGS AND LIGHTED WITH FLASHING RED LIGHTS DURING HOURS OF RESTRICTED VISIBILITY AND/OR DARKNESS.
- NO OPEN FLAME WELDING OR TORCH CUTTING OPERATION IS PERMITTED UNLESS ADEQUATE FIRE AND SAFETY PRECAUTIONS ARE PROVIDED AND HAVE BEEN APPROVED BY THE AIRPORT MANAGER NO FLARE POTS ARE ALLOWED ON THE PROJECT.
- SOIL, DEBRIS, AND LOOSE MATERIAL DROPPED OR TRUCKED ONTO AIRPORT ROADS, TAXIWAYS, AND SOD SURFACES, OR WHICH CAN BE BLOWN ONTO SUCH SURFACES, SHALL BE IMMEDIATELY SWEEPED, PICKED UP AND REMOVED, OR PLACED INTO CLOSED CONTAINERS. ANY DAMAGE TO AIRPORT PROPERTY SHALL BE REPAIRED IMMEDIATELY AT NO COST TO THE OWNER.
- CONTRACTOR SHALL TAKE MEASURES TO AVOID TRACKING BITUMINOUS TACK COAT ASSOCIATED WITH PAVING PROJECTS ONTO ADJACENT PAVEMENT AREAS, ESPECIALLY GROOVED RUNWAY PAVEMENTS, UNLESS SUFFICIENT PROTECTION HAS BEEN APPLIED. HEAVY TRACKING OR DAMAGE TO ADJACENT PAVEMENTS AND GROOVED SURFACES MAY BE CAUSE FOR STOPPING THE WORK UNTIL ACCEPTABLE PROTECTION OR CHANGE IN WORK METHODS HAS BEEN PROVIDED.
- EACH CONTRACTOR SHALL BE RESPONSIBLE FOR LOCATING AND MAINTAINING AIRPORT LIGHTING AND NAVIGATIONAL ELECTRICAL SYSTEMS DURING CONSTRUCTION. A CONTACT PERSON AND TELEPHONE NUMBER FOR 24 HOUR EMERGENCY IMMEDIATE REPAIR SHALL BE SUBMITTED TO THE AIRPORT MANAGER AND RESIDENT ENGINEER/TECHNICIAN. HAUL ROUTES CROSSING PAVEMENT, DRAINAGE, MISCELLANEOUS. STRUCTURES AND/OR AIRFIELD CABLES SHALL BE PROTECTED FROM DAMAGE.
- ALL AIRCRAFT AND AIRPORT OPERATIONS HAVE THE RIGHT-OF-WAY. CONTRACTOR TO YIELD TO VEHICLES AND REMAIN CLEAR AT ALL TIMES.
- CONTRACTOR SHALL MARK HAZARDOUS AREA WITH STEADY-BURNING OR FLASHING RED LIGHTS DURING PERIODS OF LOW VISIBILITY AS REQUIRED.
- THE CONTRACTOR SHALL PERIODICALLY PERFORM ONSITE INSPECTIONS THROUGHOUT THE DURATION OF THE PROJECT WITH THE IMMEDIATE REMEDY OF ANY DIFFERENCES, WHETHER CAUSED BY NEGLIGENCE, OVERSIGHT, OR PROJECT SCOPE CHANGE.
- CONTRACTOR SHALL MOVE MAINTENANCE OF TRAFFIC COMPONENTS AT THE WRITTEN DIRECTION OF THE RESIDENT ENGINEER/TECHNICIAN AT NO ADDITIONAL COST.
- CONTRACTOR SHALL MAINTAIN FLASHERS, SIGNS AND/OR BARRICADES AS REQUIRED BY THE PLANS, CITY OR COUNTY REGULATIONS OR CONTRACTOR ACTIVITIES. CONTRACTOR SHALL OBTAIN ANY AND ALL REQUIRED LOCAL PERMITS UNLESS SPECIFIED OTHERWISE.
- THE CONTRACTOR SHALL UTILIZE WATER AND/OR CHEMICALS APPROVED BY THE RESIDENT ENGINEER/TECHNICIAN AS NECESSARY TO CONTROL DUST.
- THE CONTRACTOR WILL BE RESPONSIBLE FOR IMPLEMENTING MEASURES TO CONTROL OR AVOID CREATING ATTRACTANTS TO WILDLIFE. MEASURES MAY INCLUDE CONTINUOUSLY REMOVING ANY WASTE OR LOOSE MATERIALS, PLACEMENT OF MATERIALS IN APPROPRIATE STORAGE CONTAINERS, PROPERLY MAINTAINING FENCES AND GATES TO PREVENT ACCESS, AND PREVENTING PONDING OF WATER THROUGHOUT THE SITE.
- UNLESS SPECIFIED OTHERWISE, COST FOR SAFETY, STAGING, AND TRAFFIC MAINTENANCE ITEMS IS TO BE CONSIDERED INCIDENTAL TO THE PROJECT. SEPARATE PAYMENT SHALL NOT BE MADE.
- THE CONTRACTOR SHALL HAVE THE SAFETY PLAN COMPLIANCE DOCUMENT (SPCD), AS DETAILED IN THE SPECIAL PROVISIONS, SUBMITTED AND APPROVED PRIOR TO BEING ISSUED "NOTICE TO PROCEED".

EROSION CONTROL

THIS PROJECT WILL DISTURB LESS THAN 1 ACRE OF LAND, THEREFORE NO N.P.D.E.S. PERMIT WILL BE REQUIRED.

CERTIFIED PAYROLLS

THE RESIDENT ENGINEER CANNOT FORWARD CONSTRUCTION REPORTS TO THE ILLINOIS DIVISION OF AERONAUTICS FOR PROCESSING UNTIL ALL CERTIFIED PAYROLLS FOR THE PERIOD HAVE BEEN RECEIVED.

MATERIAL CERTIFICATION

COMPLETED WORK CANNOT BE PLACED ON A CONSTRUCTION REPORT UNTIL ALL MATERIAL CERTIFICATIONS FOR THAT PAY ITEM HAVE BEEN RECEIVED, REVIEWED AND ACCEPTED BY THE RESIDENT ENGINEER.

AIRPORT SECURITY NOTE

AIRPORT SECURITY WILL BE MAINTAINED AT ALL TIMES. THE CONTRACTOR WILL CLOSE AND LOCK GATES AT THE END OF EACH WORKING DAY.

BARRICADES AND TRAFFIC CONES


IT WILL BE THE CONTRACTOR'S RESPONSIBILITY TO PLACE AND MAINTAIN BARRICADES AND TRAFFIC CONES AS DIRECTED BY THE AIRPORT MANAGER. THE BARRICADES WILL BE EQUIPPED WITH RED STEADY-BURN OR FLASHING LIGHTS. THE BARRICADES, THEIR MAINTENANCE, PLACEMENT AND REMOVAL WILL BE CONSIDERED AS AN INCIDENTAL ITEM TO THE CONTRACT AND NO ADDITIONAL COMPENSATION WILL BE ALLOWED.

UTILITY NOTE

THE CONTRACTOR SHALL CONTACT ALL UTILITY COMPANIES AND AGENCIES WHICH HAVE LINES OR CONDUITS IN THE WORK AREA. ALL LINES AND CONDUITS SHALL BE LOCATED AND IDENTIFIED FOR DEPTH BEFORE ANY EXCAVATION BEGINS. THE CONTRACTOR WILL CALL J.U.L.I.E. (1-800-892-0123) TO ACCOMPLISH THE ABOVE. IT IS THE CONTRACTOR'S RESPONSIBILITY TO IDENTIFY ALL UNDERGROUND NON-JULIE UTILITIES LOCATED WITHIN THE CONSTRUCTION LIMITS. THESE UNDERGROUND IMPROVEMENTS WILL BE LOCATED AT THE CONTRACTOR'S OWN EXPENSE PRIOR TO THE START OF CONSTRUCTION ACTIVITIES.



PROJECT IS LOCATED IN NORTHWEST 1/4 OF SECTION 14, TROY TOWNSHIP, WILL COUNTY



LOW PROFILE AIRCRAFT BARRICADE DETAIL

BARRICADE NOTES

- ALL CONSTRUCTION SIGNS AND TRAFFIC CONTROL DEVICES SHALL CONFORM TO THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES INCLUDING THE ILLINOIS SUPPLEMENT (LATEST EDITION) AND THE FAA ADVISORY CIRCULARS (LATEST EDITION) UNLESS NOTED OTHERWISE. THE FAA OR MORE STRINGENT SPECIFICATIONS SHALL GOVERN.
- BARRICADES SHALL BE INTERLOCKED END TO END OVER THE LENGTH OF THE PAVEMENT WHERE PROTECTING OPEN RUNWAYS, AND SPACED END TO END A MAXIMUM OF 4 FEET IN OTHER ALL OTHER AREAS. BARRICADES ARE TO BE SET BACK FROM THE ACTIVE RUNWAY OR TAXIWAY CENTERLINE THE DISTANCE AS SHOWN ON THE PLANS.
- CONSTRUCTION RED WARNING LIGHT: THESE ARE PORTABLE, LENS DIRECTED, ENCLOSED LIGHTS. THE COLOR OF THE LIGHT EMITTED SHALL BE RED. THEY MAY BE USED IN EITHER A STEADY BURN (TYPE C) OR LOW INTENSITY FLASHING MODE (TYPE A) UNLESS NOTED OTHERWISE.
- THE LIGHTING SHALL BE MAINTAINED IN OPERATION DURING THE HOURS OF DARKNESS BETWEEN 1/2 HOUR AFTER SUNSET AND 1/2 HOUR BEFORE SUNRISE AND WHEN CONDITIONS EXIST WHICH TEND TO OBSCURE VISION.
- BARRICADES SHALL BE SECURED TO THE GROUND BY APPROVED METHODS TO PREVENT MOVEMENT BY PROP WASH, JET BLAST OR OTHER WIND CURRENTS.
- THE ONLY COLOR COMBINATION ON BARRICADES IS ORANGE AND WHITE. THE ORANGE STRIPES SHALL BE ENCAPSULATED LENS REFLECTIVE SHEETING. THE WHITE STRIPES SHALL BE EITHER ENCAPSULATED OR ENCLOSED LENS REFLECTIVE SHEETING AND MUST BE IN ACCEPTABLE CONDITION.
- COST FOR PROVIDING, PLACING, MAINTAINING, RELOCATING AND REMOVING BARRICADES SHALL BE PAID UNDER ITEM AR150530.

RUNWAY END COORDINATES			
DESCRIPTION	LATITUDE	LONGITUDE	RUNWAY ELEVATION
RUNWAY 13 END	41°31'11.11" N	88°10'45.63" W	580.5
RUNWAY 31 END	41°30'54.47" N	88°10'15.87" W	577.4
RUNWAY 4 END	41°30'56.02" N	88°10'43.87" W	575.3
RUNWAY 22 END	41°31'14.10" N	88°10'20.49" W	578.4

NOTES

- VERTICAL COORDINATES ARE IN NGVD 29. HORIZONTAL COORDINATES ARE IN STATE PLANE NAD 83 ILLINOIS EAST.
- STATIONS, OFFSETS AND ELEVATIONS SHOWN ARE IN FEET.
- THE AIRPORT REFERENCE CODE FOR RUNWAY 13-31 IS B-II. RUNWAY 13 HAS A NON-PRECISION APPROACH WITH VISIBILITY MINIMUM OF GREATER THAN 3/4 MILE WHILE RUNWAY 31 HAS A VISUAL APPROACH.



Offices Nationwide
www.hanson-inc.com

Hanson Professional Services Inc.
1525 S. Sixth Street
Springfield, IL 62703
phone: 217.788.2450
fax: 217.788.2503

Illinois Licensed
Professional Service Corporation
#184-001084

JOLIET REGIONAL AIRPORT
JOLIET PARK DISTRICT
4000 W. Jefferson Street
Joliet, Illinois 60431
phone: 815.741.7267

AIRFIELD MARKING AND MAINTENANCE

IDA No: JOT-5154
SBGP No: 3-17-SBGP-TBD


CONTRACT No. JO028

NO.	DATE	DESCRIPTION		
		DES	DWN	REV

ISSUE: SEPTEMBER 13, 2024
PROJECT NO: 23A1030
CAD FILE: G-104-CSPP.DWG
DESIGN BY: JAP 7/24/2024
DRAWN BY: JAP 7/24/2024
REVIEWED BY: LDH 8/12/2024

SHEET TITLE

SAFETY PLAN NOTES & DETAILS



LEGEND

2 PROPOSED BITUMINOUS PAVEMENT REMOVAL / REPLACEMENT
SEE PAVEMENT REMOVAL / REPLACEMENT SCHEDULE

DEMOLITION NOTES

- PRIOR TO THE INITIATION OF ANY SITE WORK, CONTRACTOR SHALL LAYOUT LIMITS FOR ALL PROPOSED WORK ITEMS AND LOCATE ALL EXISTING UTILITIES WITHIN THE PROJECT VICINITY. ANY POTENTIAL AREAS OF CONFLICT SHALL BE POT-HOLED BY THE CONTRACTOR FOR VERIFICATION AND REPORTED TO THE OWNER'S REPRESENTATIVE. CONTRACTOR SHALL MAKE MINOR ADJUSTMENTS TO THE PROPOSED LAYOUT AS REQUIRED TO AVOID CONFLICTS AT NO ADDITIONAL COST. CONFLICTS THAT CANNOT BE MITIGATED BY ADJUSTMENTS TO THE LAYOUT WILL REQUIRE FURTHER EVALUATION.
- REMOVED CONCRETE, ASPHALT, MILLED MATERIAL, EXCAVATION, ABANDONED UTILITIES AND OTHER MATERIALS SHALL BE DISPOSED OF OFFSITE. UNLESS OTHERWISE DIRECTED BY THE RESIDENT ENGINEER/TECHNICIAN.
- PAVEMENT SAWING INCIDENTAL TO REMOVE & REPLACE BITUMINOUS PAVEMENT.

REMOVE & REPLACE BITUMINOUS PAVEMENT

- SEE DETAILS SHEET FOR PATCHING. PATCHING LOCATIONS ARE APPROXIMATE AND WILL BE CONFIRMED AND LAID OUT BY THE RESIDENT ENGINEER/TECHNICIAN.

AIRFIELD MARKING AND MAINTENANCE

IDA No: JOT-5154
SBGP No: 3-17-SBGP-TBD


CONTRACT No. JO028

NO.	DATE	DESCRIPTION		
		DES	DWN	REV

ISSUE: SEPTEMBER 13, 2024
PROJECT NO: 23A1030
CAD FILE: C-121-CON.DWG
DESIGN BY: JAP 7/24/2024
DRAWN BY: JAP 7/24/2024
REVIEWED BY: LDH 8/12/2024


SHEET TITLE

PAVEMENT REMOVAL & REPLACEMENT PLAN



OCT 03, 2024 3:49 PM HALJSM0682
I:\23\JOBS\23A1030_00\CAD\AIRPORT\SHHEETC-121-CON.DWG

- WATERBORNE PAVEMENT MARKING NOTES**
1. ALL DIMENSIONS SHOWN ARE APPROXIMATE. THE SCOPE OF THIS WORK IS TO REMARK THE RUNWAY AND TAXIWAY MARKING THAT EXISTS.
 2. ALL PAINT SHALL BE WATERBORNE.
 3. GLASS BEADS SHALL BE USED ON ALL YELLOW AND WHITE MARKINGS. GLASS BEADS SHALL NOT BE APPLIED TO BLACK MARKINGS.
 4. A 6 INCH BORDER OF BLACK PAINT SHALL BE UTILIZED TO OUTLINE ALL NEW MARKINGS REGARDLESS OF WHETHER THAT BORDER EXISTS CURRENTLY.



AIRFIELD MARKING AND MAINTENANCE

IDA No: JOT-5154
SBGP No: 3-17-SBGP-TBD


CONTRACT No. JO028


NO.	DATE	DESCRIPTION		
		DES	DWN	REV

ISSUE: SEPTEMBER 13, 2024
PROJECT NO: 23A1030
CAD FILE: C-151-MRK.DWG
DESIGN BY: JAP 7/24/2024
DRAWN BY: JAP 7/24/2024
REVIEWED BY: LDH 8/12/2024

SHEET TITLE

PROPOSED MARKING PLAN - SHEET 1





AIRFIELD MARKING AND MAINTENANCE

IDA No: JOT-5154
SBGP No: 3-17-SBGP-TBD

CONTRACT No. J0028

NO.	DATE	DESCRIPTION		
		DES	DWN	REV

ISSUE: SEPTEMBER 13, 2024

PROJECT NO: 23A1030

CAD FILE: C-151-MRK.DWG

DESIGN BY: JAP 7/24/2024


DRAWN BY: JAP 7/24/2024

REVIEWED BY: LDH 8/12/2024

SHEET TITLE

PROPOSED MARKING PLAN - SHEET 2

OCT 03, 2024 3:50 PM HALJSM00682
I:\23\JOBS\23A1030_00\CAD\AIRPORT\151-MRK.DWG



MARKING SCHEDULE			
AR620520 - PAVEMENT MARKING - WATERBORNE (WHITE)			
DESCRIPTION	UNIT AREA (S.F.)	NO. REQUIRED	TOTAL AREA (S.F.)
DESIGNATION MARKING 1	317.8	2	636
DESIGNATION MARKING 3	633.3	2	1,267
THRESHOLD BAR	1000	2	2,000
THRESHOLD MARKING	862.5	8	6900
DISPLACED THRESHOLD MARKING	219.7	8	1758
CENTERLINE MARKING (120')	360	7	2520
CENTERLINE MARKING (110')	330	5	1650
		WHITE SUBTOTAL	16,730
AR620520 - PAVEMENT MARKING - WATERBORNE (YELLOW)			
DESCRIPTION	UNIT AREA (S.F.)	NO. REQUIRED	TOTAL AREA (S.F.)
PAINTED X'S	275	2	550
DEMARCATON MARKING	300	1	300
CHEVRON MARKING - LARGE	396.4	2	793
CHEVRON MARKING - SMALL	308.9	1	309
HOLDING POSITION - 1	106.77	1	107
HOLDING POSITION - 2	108.9	1	109
HOLDING POSITION - 3	90	1	90
HOLDING POSITION - 4	90	1	90
HOLDING POSITION - 5	101.2	1	101
TAXIWAY CENTERLINE - TAXIWAY	3989	1	3,989
TAXIWAY CENTERLINE - APRON	591.23	1	591
TAXIWAY CENTERLINE - T-HANGAR ACCESS	2576.5	1	2,577
TIE DOWN MARKING	59.5	13	774
		YELLOW SUBTOTAL	10,379
		WATERBORNE TOTAL	27,109

MARKING SCHEDULE			
AR620525 - PAVEMENT MARKING - BLACK BORDER			
DESCRIPTION	UNIT AREA (S.F.)	NO. REQUIRED	TOTAL AREA (S.F.)
PAINTED X'S	61	2	122
DESIGNATION MARKING 1	67.4	2	135
DESIGNATION MARKING 3	102.7	2	205
THRESHOLD BAR	111	2	222
THRESHOLD MARKING	156.75	8	1254
DISPLACED THRESHOLD MARKING	77.2	8	618
DEMARCATON MARKING	104	1	104
CHEVRON MARKING - LARGE	136.6	2	273
CHEVRON MARKING - SMALL	107.0	1	107
CENTERLINE MARKING (120')	124	7	868
CENTERLINE MARKING (110')	114	5	570
HOLDING POSITION - 1	171.0	1	171
HOLDING POSITION - 2	179.0	1	179
HOLDING POSITION - 3	150.0	1	150
HOLDING POSITION - 4	150.0	1	150
HOLDING POSITION - 5	159	1	159
TAXIWAY CENTERLINE - TAXIWAY	3989	1	3989
TAXIWAY CENTERLINE - APRON	591.23	1	591
TAXIWAY CENTERLINE - T-HANGAR ACCESS	2576.5	1	2577
TIE DOWN MARKING	61.5	13	800
		BLACK TOTAL	13,243

AIRFIELD MARKING AND MAINTENANCE

IDA No: JOT-5154
SBGP No: 3-17-SBGP-TBD

CONTRACT No. JO028

NO.	DATE	DESCRIPTION		
		DES	DWN	REV

ISSUE: SEPTEMBER 13, 2024

PROJECT NO: 23A1030

CAD FILE: C-151-MRK.DWG

DESIGN BY: JAP 7/24/2024

DRAWN BY: JAP 7/24/2024


REVIEWED BY: LDH 8/12/2024

SHEET TITLE


PROPOSED MARKING PLAN - SCHEDULES

WATERBORNE PAVEMENT MARKING NOTES


1. ALL DIMENSIONS SHOWN ARE APPROXIMATE. THE SCOPE OF THIS WORK IS TO REMARK THE RUNWAY AND TAXIWAY MARKING THAT EXISTS.




TIE DOWN DETAIL
"NOT TO SCALE"



CLOSURE MARKING DETAIL
"NOT TO SCALE"




RUNWAY END MARKING DETAIL
"NOT TO SCALE"




RUNWAY DESIGNATION MARKING NOTES:


1. DIMENSIONS PROVIDED ARE FOR WHITE MARKINGS.
2. NUMERALS ARE TO BE SOLID AND WHITE IN COLOR WITH A 6" BLACK BORDER.
3. ALL DIMENSIONS ARE EXPRESSED IN INCREMENTS OF FEET.
4. CUT-OFF SHEETS WILL BE REQUIRED TO INSURE STRAIGHT EDGES.




THRESHOLD STRIPE DETAIL
"NOT TO SCALE"



TAXIWAY CENTERLINE LEAD-IN DETAIL
"NOT TO SCALE"



TAXIWAY CENTERLINE DETAIL
NOT TO SCALE



RUNWAY HOLDING POSITION DETAIL
NOT TO SCALE

AIRFIELD MARKING AND MAINTENANCE

IDA No: JOT-5154
SBGP No: 3-17-SBGP-TBD

CONTRACT No. JO028

NO.	DATE	DESCRIPTION		
		DES	DWN	REV

ISSUE: SEPTEMBER 13, 2024
PROJECT NO: 23A1030
CAD FILE: C-151-MRK.DWG
DESIGN BY: JAP 7/24/2024
DRAWN BY: JAP 7/24/2024
REVIEWED BY: LDH 8/12/2024

SHEET TITLE

PROPOSED MARKING PLAN - DETAILS