





F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
338/IL 59	2011-035-1	DUPAGE		
FED.ROAD.DIST.NO.		ILLINOIS	CONTRACT 60P42	
		FED. AID PROJECT		



- NOTES:
1. CONCRETE 4500 PSI AT 28 DAYS
 2. EACH ADJUSTING RING SHALL COME WITH 14 FEET OF 1" INCH DIAMETER JOINT SEALANT TAPE.


**MANHOLE
ADJUSTING RING**





EAST JORDAN
IRON WORKS, INC.
P.O. BOX 439
EAST JORDAN, MI. 49727
1-800-874-4100
FAX 231-536-4458

EST. WT.
COVER: 295 LBS 134kg

✓ MACHINED SURFACE



COVER SECTION



EAST JORDAN
IRON WORKS, INC.
P.O. BOX 439
EAST JORDAN, MI. 49727
1-800-874-4100
FAX 231-536-4458

EST. WT.
FRAME: 295 LBS 134kg

✓ MACHINED SURFACE

FRAME SECTION

- NOTES:
- 1) CONTRACTOR IS ADVISED THE MANHOLE AS SUPPLIED FROM UTILITY CONCRETE PRODUCTS (UCP). IS SHIPPED WITH 4-12" ADJUSTING RING ONLY.
 - 2) CONTRACTOR IS ADVISED THAT 2" AND 6" ADJUSTING RINGS ARE AVAILABLE FROM THE CITY, IF REQUESTED BY THE CONTRACTOR. CONTRACTOR TO PICK UP AND IS INCIDENTAL TO THE CONTRACT.
 - 3) COVERS AND FRAME SECTIONS ARE TO BE PICKED UP AT THE CITY STORAGE YARD AND IS INCIDENTAL TO THE CONTRACT.

PROJECT TITLE				ROUTE 59 ROAD IMPROVEMENTS			
PROJECT DESCRIPTION				DETAILS AND STANDARDS			
ENGINEER	BCC	DRAFTING DATE	5-11-12	MAP #	4211,4212,4223	SCALE	N.T.S.
GIS DESIGN BY	DL	DRAFTED BY	PSM	REVISED DATE	N/A	PROJECT #	EU-12
CHECKED BY		APPROVED BY		CAD FILE	0060648001D125.DWG	SHEET #	25 OF 63
Naperville				Department of Public Utilities Electric Division		WORK REQUEST # 60468	