244

SUMMARY OF QUANTITIES

| | | | , | | 00% STATE 0014 |
|-----------------------|---|--------|----------------|-------|-------------------|
| Pay Item Number | Description | Units | Total Quantity | 10611 | WHITESIDE |
| 67100100 | MOBILIZATION | L SUM | 1 | | |
| 70100207 | TRAFFIC CONTROL AND PROTECTION STANDARD 701402 | EACH | 2 | - | 2 |
| 70100420 | TRAFFIC CONTROL AND PROTECTION STANDARD 701411 | EACH | 2 | | 2 |
| -70100150 | TRAFFIC CONTROL AND PROFECTION STANDARD 701201 | L-SUM | | + | |
| 70100800 | TRAFFIC CONTROL AND PROTECTION STANDARD 701401 | L. SUM | 1 | - | 1 |
| 70300220 | TEMPORARY PAVEMENT MARKING-LINE 4* | FOOT | 11.200 | | 11,200 |
| 70400100 | TEMPORARY CONCRETE BARRIER | FOOT | 375 | | 375 |
| 70400200 | RELOCATE TEMPORARY CONCRETE BARRIER | FOOT | I,125 | - | 1,125 |
| 78300100 | PAVEMENT MARKING REMOVAL | SO FT | 3,736 | | 3.736 |
| X5067501 | BRIDGE CLEANING AND PAINTING WARRANTY NUMBER I | LSUM | I | | 1 |
| 20007101 | CONTAINMENT AND DISPOSAL OF LEAD PAINT CLEANING RESIDUES NO. 1 | L SUM | | - | 1 |
| -20007114 | CONTAINMENT AND DISPOSAL OF NON-LEAD PAINT CLEANING RESIDUES | L-SU# | i | + | |
| 20010501 | CLEANING AND PAINTING STEEL BRIDGE NO. 1 | L SUM | 1 | | |
| - 20010502 | CLEANING AND PAINTING STEEL DRIDGE NO. 2 | L. SUN | | | 1 |
| 20030250 | IMPACT ATTENUATORS, TEMPORARY (NON - REDIRECTIVE), TEST LEVEL 3 | EACH | 1 | - | 1 |
| 20030350 | IMPACT ATTENUATORS, RELOCATE (NON- REDIRECTIVE), TEST LEVEL 3 | EACH | 1 | | 1 |
| | | | | | |
| | | | | | |
| l | | | | | |

GENERAL NOTES

A minimum of 2 oir monitors will be required to monitor abrasive blasting operations, see special provision for "Containment and Disposal of Lead Point Cleaning Residues".

The Contractor shall seed all disturbed areas within the project limits. Seeding Class 2A shall be used. This work will be included in the contract unit price per LUMP SUM for CLEANING AND PAINTING STEEL BRIDGE NO. 1 and CLEANING AND PAINTING STEEL BRIDGE NO. 2

Fertilizer shall be applied to all disturbed areas and incorporated into the seedbed prior to seeding or placement of sod at the rate specified in Sections 250 and 252 of the Standard Specifications This work shall be included in the cost of CLEANING AND PAINTING STEEL BRIDGE NO. 1 and in the cost of CLEANING AND PAINTING STEEL BRIDGE NO. 2.

Mulch Method II shall be applied over all seeded areas. This shall be included in the cost of the CLEANING AND PAINTING STEEL BRIDGE NO.1 AND CLEANING AND PAINTING STEEL BRIDGE NO. 2

All Borrow/Waste/Use sites must be approved by the Department prior to removing any material from the project or Initiating any earthmoving activities, including temporary stockpiling outside the limits of construction.

Temporary Impact Attenuators will be measured as each for each attenuator supplied on the job as specified in the plans, and shall include the cost of renting/owning the altenuator for the time required on the job plus hauling to and from the project site, as well as one placement and removal from the roadway. This shall be poid for at the contract unit price per Each for IMPACT ATTENUATORS, TEMPORARY of the type specified.

Relocate Temporary Impact Attenuators will be paid for as Each and will be paid for each time the attenuator is required by staging to be picked up and moved to a different location on the project, whether it is to another location on the roadway or to a storage/staging location for the project. This shall be paid for at the contract unit price per Each for IMPACT ATTENUATORS, RELOCATE of the type specified.

This work shall be done in accordance with Section 704 of the Standard Specifications. Temporary Concrete Barrier will be measured in feet along the centerline of the barrier and shall include the cost of renting/awning the barrier for the time required on the job plus hauling to and from the project site, as well as one placement and removal from the roadway in accordance with Section 704 of the Standard Specification. This shall be paid for at the contract unit price per Foot for TEMPORARY CONCRETE BARRIER.

Relocate Temporary Concrete Barrier will be paid for in Feet along the centerline of the barrier, and will be paid for each time the barrier is required by staging to be picked up and moved to a different location on the project, whether it is to another location on the roadway or to a storage/staging location for the project. This shall be paid for at the contract unit price per Foot for RELOCATE TEMPORARY CONCRETE BARRIER.

The Contractor shall be responsible for protecting utility property during construction operations as outlined in Article 107.31 of the Standard Specifications. A minimum of 48 hours advance notice is required for non-emergency work. The JULIE number is 800-892-0123.

The SSPC OP1 & OP2 Contract certifications will be Required for this Contract.

| FILE NAME : | USER NAME + bortese | DESIGNED - | REVISED - | | | | | | |
|---------------------------------------|--------------------------------------|------------|-----------|------------------------------|--------|-----------|---------|--------|---------|
| VICENTRAL Shored D2\08\CONSTANTIN\64H | 9 IL 25 US 38 Peinting\64498.dgn | ORAWN - | REVISED - | STATE OF ILLINOIS | | | Summary | of Ana | otities |
| | PLOT SCALE + 101.6273 1/ in. | CHECKED - | REVISED - | DEPARTMENT OF TRANSPORTATION | | | ,, | | |
| | PLOT DATE . Tue Aug 14 88:16:49 2012 | DATE - | REVISED - | | SCALE: | SHEET NO. | CF | SHEETS | STA. |

| es | • |
|--|-------|
| | SHEET |
| es pi6/119902 Bridge Pointing 2013-1 Opio/Whiteside / 14 | 2 |
| | 4198 |
| TO STA. FEO. ROAD DIST, NO. RELINDIS FEO. AID PROJECT | |