


NOTES:

- 1. USE 16 GAUGE STEEL FOR CABINET.
- 2. THE TOP SHELF SHALL SLIDE IN OR OUT WITH THE TOP DOOR OPEN.
- 3. ALL HINGES AND HASPS WILL BE WELDED TO THE CABINET.
- 4. ALL EDGES SHALL BE GROUND SMOOTH.
- 5. TWO (2" DIA.) ACCESS HOLES WILL BE REQUIRED FOR EACH SHELF.
- 6. CABINET SHALL BE PAINTED WITH TWO COATS OF FLAT PAINT.
- 7. 2 EACH MATCHING KEY PADLOCKS, WITH 3 KEYS PROVIDED, MASTER MODEL 3 T OR EQUIVALENT.
- 8. 4 EACH PLAIN STEEL, NON-REMOVABLE PIN, NO HOLE 4" x 4" SQUARE CORNER HINGES TO BE WELDED ON.
- 9. 2 EACH EXTRA HEAVY, PLAIN STEEL, FIXED STAPLE, NO HOLE, 71/4" HASPS TO BE WELDED ON.



2-1/c #10 XLP-USE

For each luminaire circuit (not shown)

SAW CUT (INCIDENTAL) -REMOVE BY UNIFORM CUT (REMOVAL INCIDENTAL TO-MILLING OPERATIONS) EXISTING SURFACE DIRECTION OF HMA SURF. REMOVAL ROUNDED FOGE FROM HMA SURFACE MILLING OPERATIONS REMOVAL

CONTRACT NO. 66625 COUNTY TOTAL SHEETS NO.

LIVINGSTON TO STA. FED. ROAD DIST. NO. | ILLINOIS | FED. AID PROJECT

SECTION 114 BR


681

NOTE:

WHEN MILLING OPERATIONS PRODUCE A ROUNDED EDGE, THEN A SAW CUT SHALL BE USED TO MANUFACTURE A PERPENDICULAR EDGE AS SHOWN IN THE DETAIL. THE ENGINEER SHALL BE THE SOLE JUDGE CONCERNING THE USE OF THIS DETAIL


HMA DETAIL AT BUTT JOINTS

VARIES - SEE STANDARD 606001



REINFORCEMENT SHALL NOT BE PAID FOR SEPARATELY BUT WILL BE INCLUDED IN THE CONTRACT UNIT PRICE FOR CC&G.

REINFORCEMENT DETAIL **FOR COMBINATION CONCRETE CURB AND GUTTER**



BARRIER WALL MARKER

ILLINOIS DEPARTMENT OF TRANSPORTATIO		REVISIONS	
ILLINOIS DEFARTMENT OF TRANSP	DATE	NAME	
		· · · · · · · · · · · · · · · · · · ·	
DETAILS			
DETAILS			
_ VERT.	+		
E: HORIZ. DRAW	5		
CHEC	D		

2" ACCESS HOLES IN REAR OF CABINET

FLAT STOCK DIMENSIONS VARY DEPENDING ON TYPE OF ROLLER ASSEMBLY

LOCKABLE COMPUTER CABINET

DATE = Aug 28, 2807 - 09;29;10 AM WAME = criprojects/ep84;103\topo.dg SCALE = 20,0008 / IN, NAME = fergusonse