825 (33) (12) (12) -STEEL PLATE BEAM (271/2) GUARD RAIL (21) 069 BITUMINOUS SHOULDER 150 (6) (SEE NOTE 1) COMB. CONC. CURB & GUTTER L SUB-BASE - PAVEMENT

> NOTES: 1. THE BITUMINOUS SHOULDER SHALL EXTEND UNDER THE TRAFFIC BARRIER TERMINAL


> > 2. GUARD RAIL MAY BE PLACED AT THE BACK OF CURB WHEN DIRECTED BY THE ENGINEER.

BASIS OF PAYMENT: BITUMINOUS SHOULDER 150 (6) WILL BE PAID FOR AT THE CONTRACT UNIT PRICE PER m² (sq. yd.) AS "BITUMINOUS SHOULDER 150 (6)."

> STEEL PLATE BEAM GUARD RAIL AND TRAFFIC BARRIER TERMINAL, OF THE TYPE SPECIFIED WILL BE PAID FOR SEPARATELY.

DETAILS FOR STEEL PLATE BEAM GUARD RAIL ADJACENT TO CURB AND GUTTER [FOR ROADWAY SPEED 60 kmh (35 MPH) TO 70 kmh (45 MPH)]

F.A. SECTION 1602 74 B-1 COUNTY COOK STA. TO STA. FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT



STABILIZATION AT TBT TY. 1 SPL.

ALL DIMENSIONS ARE IN MILLIMETERS (INCHES) UNLESS OTHERWISE SHOWN,

M. DE YONG R. SHAH

ILLINOIS DEPARTMENT OF TRANSPORTATION

DETAILS FOR STEEL PLATE BEAM GUARD RAIL ADJACENT TO CURB AND GUTTER STABILIZATION AT TBT TY 1 SPL.

SCALE: VERT. HORIZ. DATE: 2/15/2006

DRAWN BY IIS CHECKED BY

BD600-10 (BD 34)

CONTRACT NO. 62418