
STATE CONTRACT NO. 72818


SYMBOL

* ITEM *



HAY OR STRAW BALE TEMPORARY DITCH CHECK

(TYPICAL & SEE GENERAL NOTES FOR SUBSTITUTION TO FLUSH RIPRAP DITCH CHECK)



NOTE 1: BALES SHALL EXTEND FAR ENOUGH UP THE SLOPES TO ALLOW O. 3m (1') OVERTOPPING TO AVOID ERODING AROUND THE EDGES OF THE BALES.

0.450 m

HAY OR STRAW BALE (TYPICAL ELEVATION)

> NOTE 2: RIPRAP SHALL EXTEND FAR ENOUGH UP THE SLOPES TO ALLOW O. 3m (1') OVERTOPPING TO AVOID ERODING AROUND THE EDGES OF THE RIPRAP.

NOTE 3: ENDS SHALL BE TIED INTO SLOPES.

LEGEND FOR STORM WATER POLLUTION PREVENTION PLAN

AGGREGATE (EROSION CONTROL) [STONE DUMPED RIPRAP DITCH CHECKS: Height = 0.6m (2')]

TEMPORARY DITCH CHECKS (HAY OR STRAW BALE DITCH CHECKS OR APPROVED SUBSTITUTION)

INLET PIPE PROTECTION (I&PP) (HAY OR STRAW BALE DITCH CHECKS OR APPROVED SUBSTITUTION)

EARTH EXCAVATION FOR EROSION CONTROL (SEDIMENT BASINS)

PRESERVE EXISTING TREES. WOODLANDS, AND UNDERSTORY (OUTSIDE CONSTRUCTION LIMITS)

ITEM PLACED AT BEGINNING OF CONSTRUCTION (Requirement)

EROSION CONTROL BARRIER

ITEM PLACED AS DIRECTED BY ENGINEER (When required by situation)

DIRECTION OF OVERLAND FLOW

EROSION CONTROL BLANKET

GENERAL NOTES:

ITEM

All items shall be constructed as shown on this sheet, on Standard 280001, and as directed by the Engineer.

The symbology on the STORM WATER POLLUTION PREVENTION PLAN sheets does not represent the size or quantity of bales, for number of bales refer to details and notes shown on this sheet and/or as directed by the Engineer.

THE CONTRACTOR SHALL INSTALL DITCH CHECKS AS DIRECTED BY THE ENGINEER. IF THE ENGINEER ELECTS TO UTILIZE FLUSH RIPRAP DITCH CHECKS IN LIEU OF TEMPORARY DITCH CHECKS AS SHOWN ON THE FOLLOWING PLAN SHEETS, THE SPACING SHOULD BE DOUBLED.

REVISIONS	
NAME	DATE
CAD Symbol	2AUG99
	<u> </u>

ILLINOIS DEPARTMENT OF TRANSPORTATION

STORM WATER POLLUTION PREVENTION PLAN

F.A.P. ROUTE 562 (IL 100) SCOTT COUNTY

SCALE: VERT. NONE DATE 04/27/2005

DRAWN BY AJP CHECKED BY JDJ

SWPPLAN

STRINGS OR

WIRES