

STORM SEWERS, CLASS A, TYPE 2, 12"				
PIPE #	STRUCTURE FROM	STRUCTURE TO	LINEAR FEET	QUANTITY (FOOT)
1	1	2	29	29
23	23	25	52	52
24	24	25	9	9
27	27	29	6	6
28	27	28	5	5
30	30	31	6	6
31	EX	27	15	15
32	EX	31	6	6
33	31	32	13	13
TOTAL:				141

STORM SEWER, CLASS A, TYPE 2, 15"				
PIPE #	STRUCTURE FROM	STRUCTURE TO	LINEAR FEET	QUANTITY (FOOT)
3	3	7	185	185
7	7	EX.	11	11
9	9	8	35	35
15A	15A	15	9	9
17	16	17	11	11
18	17	18	14	14
21	20	21	28	28
22	21	22	56	56
25	25	29	128	128
TOTAL:				477

STORM SEWER, CLASS A, TYPE 2, 18"				
PIPE #	STRUCTURE FROM	STRUCTURE TO	LINEAR FEET	QUANTITY (FOOT)
10	11	12	20	20
14	13	14	22	22
16	15	16	151	151
19	16	19	91	91
20	19	20	15	15
29	29	32	161	161
TOTAL:				460

STORM SEWER (WATER MAIN REQUIREMENTS) 12"				
PIPE #	STRUCTURE FROM	STRUCTURE TO	LINEAR FEET	QUANTITY (FOOT)
2	2	3	102	102
26	26	24	67	67
TOTAL:				169

STORM SEWER (WATER MAIN REQUIREMENTS) 18"				
PIPE #	STRUCTURE FROM	STRUCTURE TO	LINEAR FEET	QUANTITY (FOOT)
15	15	14	73	73
TOTAL:				73

PRECAST REINFORCED CONCRETE FLARED END SECTIONS 18"				
STRUCTURE#	STATION	OFFSET	QUANTITY (FOOT)	QUANTITY (EACH)
13	181+69.23	64.78' R	1	1
TOTAL:				1

INLETS, TYPE A, TYPE 1, OPEN LID			
STRUCTURE#	STATION	OFFSET	QUANTITY (EACH)
1	177+00.00	15.68' R	1
6	178+61.34	23.54' R	1
9	181+04.24	29.55' L	1
11	181+04.24	35.44' R	1
26	249+00.00	31.00' L	1
28	247+56.44	23.44' L	1
30	245+96.71	20.94' L	1
TOTAL:			7

CATCH BASINS, TYPE A, 4' DIAMETER, TYPE 1 FRAME, OPEN LID				
STRUCTURE#	STATION	OFFSET	QUANTITY (FOOT)	QUANTITY (EACH)
2	177+00.00	13.00' L	1	1
14	181+69.23	37.06' R	1	1
19	250+35.89	53.70' R	1	1
21	250+60.00	32.07' R	1	1
23	249+31.80	42.00' R	1	1
24	248+80.00	33.00' R	1	1
27	247+56.37	33.00' R	1	1
31	245+97.51	24.79' R	1	1
TOTAL:				8

CATCH BASINS, TYPE C, TYPE 8 FRAME & GRATE				
STRUCTURE#	STATION	OFFSET	QUANTITY (FOOT)	QUANTITY (EACH)
18	183+06.70	49.35' L	1	1
22	251+15.08	21.93' R	1	1
TOTAL:				2

CATCH BASINS, TYPE A, 4' DIAMETER, TYPE 8 GRATE				
STRUCTURE#	STATION	OFFSET	QUANTITY (FOOT)	QUANTITY (EACH)
20	250+49.90	57.71' R	1	1
TOTAL:				1

MANHOLES, TYPE A, 4' DIAMETER, TYPE 1 FRAME, OPEN LID				
STRUCTURE#	STATION	OFFSET	QUANTITY (FOOT)	QUANTITY (EACH)
3	178+00.00	32.75' L	1	1
7	179+84.96	36.48' L	1	1
15	181+69.23	32.65' L	1	1
15A	181+76.30	40.07' L	1	1
17	183+20.21	45.99' L	1	1
TOTAL:				5

MANHOLES, TYPE A, 5' DIAMETER, TYPE 1 FRAME, OPEN LID				
STRUCTURE#	STATION	OFFSET	QUANTITY (FOOT)	QUANTITY (EACH)
8	180+69.09	27.87' L	1	1
12	180+68.62	34.52' R	1	1
TOTAL:				2

MANHOLES, TYPE A, 4' DIAMETER, TYPE 1 FRAME, CLOSED LID				
STRUCTURE#	STATION	OFFSET	QUANTITY (FOOT)	QUANTITY (EACH)
16	183+20.00	36.56' L	1	1
25	248+80.00	41.50' R	1	1
29	247+51.39	40.50' R	1	1
32	245+98.51	41.15' R	1	1
TOTAL:				4

COMBINATION CONCRETE CURB & GUTTER, TYPE B-6.12		
LOCATION STATION-STATION	LENGTH	QUANTITY (FOOT)
CONGRESS PARKWAY NORTH SIDE		
243+40.11-249+31.95	573.19	573
CONGRESS PARKWAY SOUTH SIDE		
243+39.03-249+00.55	580.17	580
RICKERT ROAD NORTH SIDE		
250+92.01-251+88.31	196.40	196
RICKERT ROAD SOUTH SIDE		
250+59.77-250+58.72 DRIVEWAY	18.20	18
250+86.87-252+88.31	237.43	237
DRIVEWAYS ON PINGREE ROAD		
175+62.91	43.60	44
178+55.90	56.28	56
180+28.64	42.28	42
TOTAL:		1746

HOT-MIX ASPHALT BINDER COURSE, 1L-19.0, N70			
LOCATION STATION-STATION	LENGTH	WIDTH	SQ YD
HOT-MIX ASPHALT BINDER COURSE, 2.25"			
PINGREE ROAD	404.48	VARIES	7252
CONGRESS PARKWAY	833.40	VARIES	3694
RICKERT ROAD	609.85	VARIES	1090
ROADWAY WIDENING	238.31	VARIES	250
DRIVEWAYS	238.31	VARIES	747
TOTAL (SQ.YD):			14226
TONNAGE=			1157

HOT-MIX ASPHALT BASE COURSE, 6"				
LOCATION STATION-STATION	LENGTH	WIDTH	AREA	AREA (SQ.YD)
HOT-MIX ASPHALT BASE COURSE, 6"				
243+40.15-249+50.00	609.85	8	4878	544
243+40.15-249+50.00	609.85	10	6098.5	680
250+50.00-252+88.31	238.31	4	953.24	110
250+50.00-252+88.31	238.31	4	953.24	110
TOTAL:				1444

HOT-MIX ASPHALT BASE COURSE, 7"				
LOCATION STATION-STATION	LENGTH	WIDTH	AREA	AREA (SQ.YD)
HOT-MIX ASPHALT BASE COURSE, 7"				
174+57.37-178+61.85	404.48	42	7362	818
178+61.85-186+95.25	833.40	70	58338	6482
TOTAL:				7300

COMBINATION CONCRETE CURB & GUTTER, TYPE B-6.24		
LOCATION STATION-STATION	LENGTH	QUANTITY (FOOT)
PINGREE ROAD WEST SIDE		
175+11.63-177+71.95	260.36	260
177+71.95-179+62.00	190.70	191
179+62.00-183+27.15	380.16	380
184+03.23-186+95.98	304.02	304
PINGREE ROAD EAST SIDE		
175+30.38-177+37.00	206.63	207
177+37.00-181+87.00	450.51	451
181+87.00-183+41.98	189.21	189
184+02.66-186+95.98	362.01	362
TOTAL:		2344

PORTLAND CEMENT CONCRETE SIDEWALK, 4"			
LOCATION STATION-STATION	LENGTH	WIDTH	AREA (SQ.FT)
PCC SIDEWALK, 6'			
PINGREE RD, SE CNR	6	6	1819
PINGREE RD, SW CNR	6	6	1795
TOTAL:			3614
PCC SIDEWALK, 8'			
PINGREE RD, NORTH OF TRACKS, WEST SIDE ONLY	8	8	1414
PINGREE RD, FROM INTX TO TRACKS, WEST SIDE ONLY	8	8	7266
CONGRESS PARKWAY, NORTH SIDE	8	8	8353
TOTAL:			17033
TOTAL:			20647

HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70			
LOCATION STATION-STATION	LENGTH	WIDTH	SQ YD
HOT-MIX ASPHALT SURFACE COURSE, 2"			
PINGREE ROAD	404.48	42	7442
CONGRESS PARKWAY	833.40	70	3694
RICKERT ROAD	609.85	52	1090
DRIVEWAYS	238.31	35	747
TOTAL (SQ.YD):			12973
TONNAGE=			1453