



TABULATION OF QUANTITIES		UNIT	QUANTITY
PAY CODE	ITEM		
85000200	MAINTENANCE OF EXISTING TRAFFIC SIGNAL INSTALLATION	EACH	1
81028320	UNDERGROUND CONDUIT, PVC, 1" DIA.	FOOT	2
87301255	ELECTRIC CABLE IN CONDUIT, SIGNAL NO. 147C	FOOT	125
87301515	ELECTRIC CABLE IN CONDUIT, LEAD-IN NO 18 3PR	FOOT	65
87900200	DRILL EXISTING HANDHOLE	EACH	1
88600100	DETECTOR LOOP, TYPE I	FOOT	72
88040150	SIGNAL HEAD, POLYCARBONATE, LED, 1-FACE, 5-SECTION, BRACKET MOUNTED	EACH	1
88040160	SIGNAL HEAD, POLYCARBONATE, LED, 1-FACE, 5-SECTION, MAST ARM MOUNTED	EACH	1
88102845	PEDESTRIAN SIGNAL HEAD, POLYCARBONATE, LED, 1-FACE BRACKET MOUNTED WITH COUNTDOWN TIMER	EACH	8
88200100	TRAFFIC SIGNAL BACK PLATE	EACH	1
89502210	MODIFY EXISITNG CONTROLLER CABINET	EACH	1
89502375	REMOVE EXISTING TRAFFIC SIGNAL EQUIPMENT	EACH	1
X0322951	CABLE SPLICE SPECIAL	EACH	1
X0656300	PAVEMENT REMOVAL AND REPLACEMENT	SQ YD	1

- GENERAL NOTES:
1. MODIFY EXISTING CONTROLLER CABINET SHALL INCLUDE ALL PARTS AND LABOR TO ACCOMADATE THE NEW LEFT TURN PHASE.
 2. REMOVE EXISTING TRAFFIC SIGNAL EQUIPMENT SHALL INCLUDE:
8 - EACH - PEDESTRIAN SIGNAL HEAD
1 - EACH - 3 SECTION MAST ARM MOUNTED SIGNAL HEAD
THE CONTRACTOR SHALL RETAIN THE REMOVED EQUIPMENT FOR SALVAGE.
 3. PAVEMENT REMOVAL AND REPLACEMENT SHALL INCLUDE ALL LABOR AND MATERIAL TO RESTORE THE PAVEMENT TO ORGINAL CONDITION.
 4. THE PROPOSED MAST ARM MOUNTED 5-SECTION SIGNAL HEAD SHALL BE SPLICED AT THE BASE OF THE MAST ARM.