





INSTALLATION AND SETTING METHODS

"A": Set bar splicer assembly by means of a template bolt.
"B": Set bar splicer assembly by nailing to wood forms or cementing to steel forms.
(E): Indicates epoxy coating.



6'-0''

Splicer bars yield strength. All reinforce Bar splicer for reinforcem See special See approve alternatives.

Reinforcement bar

## STANDARD MECHANICAL SPLICER

Location	Bar size	No. assemblies required	
Pier	#6	28	

NOTES

Splicer bars shall be deformed with threaded ends and have a minimum 60 ksi eld strength.

All reinforcement shall be lapped and tied to the splicer bars. Bar splicer assemblies shall be epoxy coated according to the requirements for reinforcement bars. See Section 508 of the Standard Specifications. See special provision for Mechanical Splicers.

See approved list of bar splicer assemblies and mechanical splicers for

BAR SPLICER	ASSEMBLY AND
MECHANICAL SH	PLICER DETAILS
STRUCTURE	NO. 082-0326

NO. 528	F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.		
1101 020	64	82-1-3HB, 82-2N, 82-1-12RS	ST. CLAIR	352	230		
SHEETS	F.A.L	J. 9166 / F.A.U. 9180	CONTRACT	NO. 76	C51		
	FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT						