



- NOTE:
1. INVERT ELEVATION FOR PIPE UNDERDRAIN SHALL BE 2.5' BELOW RIM ELEVATION.
 2. INVERT LOCATIONS SHALL BE AS NOTED ON STORM SEWER & UTILITY PLANS.

**LONGITUDINAL PIPE UNDERDRAIN OUTLET
AT MEDIAN INLET DETAIL**

FILE NAME = V:\3195\66884 (North Section)\CADD Sheets\ND366884-shd-details-7.dgn	USER NAME = bdecreene	DESIGNED - LDZ	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	IL. RTE. 47 DETAIL		F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	PLOT SCALE = 2.0000' / in.	CHECKED - DJD	REVISED -				326	(109, 110R-1)	KENDALL	619	411
PLOT DATE = 7/14/2014	DATE - 7/01/2014	REVISED -		SCALE: N/A	SHEET NO. 7 OF 15 SHEETS	STA. N/A TO STA. N/A	FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT				
							CONTRACT NO. 66884				