## GENERAL NOTES

- () WHERE SECTION OR SUBSECTION MONUMENTS ARE ENCOUNTERED, THE ENGINEER SHALL BE NOTIFIED BEFORE SUCH MONUMENTS ARE REMOVED. THE CONTRACTOR SHALL PROTECT AND CAREFULLY PRESERVE ALL PROPERTY MARKS AND MONUMENTS UNTIL THE OWNER, AND AUTHORIZED SURVEYOR OR AGENT HAS WITNESSES OR OTHERWISE REFERENCED THEIR LOCATION.
- (2) THE NOMINAL THICKNESS FOR BASE AND SURFACE COURSES ARE SHOWN ON THE TYPICAL SECTIONS, STANDARDS, SCHEDULES, OR SPECIAL DETAILS. THE CONSTRUCTED THICKNESS OF THE ABOVE ITEM SHALL NOT BE LESS THAN 90 PERCENT OF THE NOMINAL THICKNESS AT ANY LOCATION.
- (3) THE THICKNESS OF THE HMA MIXTURE SHOWN ON THE PLANS IS THE NOMINAL THICKNESS. DEVIATIONS FROM THE NOMINAL THICKNESS WILL BE PERMITTED WHEN SUCH DEVIATION OCCUR DUE TO IRREGULARITIES IN THE EXISTING SURFACE OR BASE ON WHICH THE BITUMINOUS MIXTURE IS PLACED.
- (4) ANY REFERENCE TO A STANDARD IN THE PLANS SHALL BE INTERPRETED TO MEAN THE EDITION, AS INDICATED BY THE SUB-NUMBER LISTED IN THE INDEX OF SHEETS, OR THE COPY OF THE STANDARD INCLUDED IN THE PLANS.
- (5) THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROTECTING UTILITY PROPERTY FROM CONSTRUCTION OPERATIONS AS OUTLINED IN ARTICLE 107.31 OF THE STANDARD SPECIFICATIONS. THE JULIE NUMBER IS 800-892-0123. A MINIMUM OF FORTY-EIGHT HOURS ADVANCED NOTICE IS REQUIRED. ANY DAMAGE TO THE UNDERCROUND FACILITIES CAUSED BY THE CONTRACTOR SHALL BE REPAIRED TO THE SATISFACTION OF THE DEPARTMENT AT THE CONTRACTORS EXPENSE, INCLUDING TEMPORARY REPAIRS WHICH MAY BE REQUIRED TO KEEP THE FACILITY OPERATIONAL WHILE MATERIAL IS BEING OBTAINED TO MAKE PERMANENT REPAIRS.
- (6) THE LOCATIONS OF THOSE BURIED AND ABOVECROUND UTILITIES SHOWN ARE APPROXIMATE, ARE SHOWN FOR CONTRACTOR INFORMATIONAL USE ONLY, AND ARE NOT TO BE REFERENCED FOR CONSTRUCTION PURPOSES. THE IMPLIED PRESENCE OR ABSENCE OF UTILITIES IS NOT TO BE CONSTRUCT BY THE OWNER, ENGINEER, CONTRACTOR OR SUBCONTRACTORS TO BE AN ACCURATE AND COMPLETE REPRESENTATION OF UTILITIES THAT MAY OR MAY NOT EXIST ON THE CONSTRUCTION SITE. BURIED AND ABOVE GROUND UTILITY LOCATIONS, IDENTIFICATION, AND MARKING ARE THE SOLE RESPONSIBILITY OF THE CONTRACTOR, REROUTING, DISCONNECTION, PROTECTION, ...ETC OF ANY UTILITIES MUST BE COORDINATED BETWEEN CONTRACTOR, UTILITY COMPANY, AND OWNER. SITE SAFETY, INCLUDING THE AVOIDANCE OF HAZARDOUS ASSOCIATED WITH BURIED AND ABOVE GROUND UTILITIES REMAIN THE SOLE RESPONSIBILITY OF THE CONTRACTOR.
- (7) THE FOLLOWING MIXTURE REQUIREMENTS ARE APPLICABLE:

| LOCATION(S):                            | IL 9/IL 96                       | Side Rds. & Entr.   |  |  |
|---|---------------------|---------------------|---------------------|---------------------|----------------------------------|---------------------|--|--|
| MIXTURE USE(S):                         | HMA CONC SURF CSE   | LEV BIND MM N50     | HMA BINDER CSE.     | TOP LIFT OF SHLD    | PATCHING & LOWER<br>LIFT OF SHLD | INCIDENTAL HMA SURF |  |  |
| AC/PG:                                  | • PG 64-22          | • PG 64-22          | • PG 64~22          | • PG 64-22          | • PG 64-22                       | • PG 64-22          |  |  |
| DESIGN AIR VOIDS                        | 4.0 o N design = 50 | 4.0 0 N design = 50 | 4.0 @ N design = 50 | 4.0 @ N design = 50 | 4.0 0 N design = 50              | 4.0 a N design = 50 |  |  |
| MIXTURE COMPOSITION (Gradation Mixture) | IL 9.5              | IL 9.5              | IL 19.0             | IL 9.5              | 11 19.0 OR 11.19.0CB             | IL 9.5              |  |  |
| FRICTION AGGREGATE                      | MIX "C"             | N/Á                 | N/A                 | MIX "C"             | N/A                              | MIX "C"             |  |  |
| QUALITY MANAGEMENT                      | QCP                 | QCP                 | QC/QA               | OC/QA               | QC/QA                            | QC/QA               |  |  |

NOTE: OCP APPLIES TO MAINLINE ONLY.

- (8) IN ADDITION TO FIELD AND AERIAL SURVEYS, PLAN DIMENSIONS AND DETAILS RELATIVE TO THE EXISTING FACILITIES HAVE BEEN TAKEN FROM EXISTING PLANS AND ARE SUBJECT TO CONSTRUCTION VARIATIONS. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO VERIFY SUCH DIMENSIONS AND DETAILS IN THE FIELD. SUCH VARIATIONS SHALL NOT BE A CAUSE FOR ADDITIONAL COMPENSATION DUE TO A CHANGE IN THE SCOPE OF WORK. HOWEVER, THE CONTRACTOR WILL BE PAID FOR THE QUANTITY ACTUALLY FURNISHED AT THE UNIT PRICE BID FOR THE WORK.
- (9) THE EXACT LOCATIONS AND SIZES OF PAVEMENT PATCHES SHALL BE DETERMINED BY THE ENGINEER IN THE FIELD.
- (0) THE APPROXIMATE AVERAGE THICKNESS OF 2" IS USED FOR CALCULATING THE QUANTITY FOR AGGREGATE SHOULDERS, TYPE B.
- (I) SEEDING INVOLVED IN THE INSTALLATION OF TRAFFIC BARRIER TERMINAL TYPE I (SPECIAL) TANGENT TERMINALS SHALL BE

  DONE TO THE SATISFACTION OF THE ENGINEER AND BE INCLUDED IN THE CONTRACT UNIT PRICE PER EACH FOR TRAFFIC BARRIER TERMINAL, TYPE I,

  (SPECIAL) TANGENT.
- ② NO PASSING ZONES TO BE FIELD VERIFIED BY THE BUREAU OF OPERATIONS. THE RESIDENT ENGINEER SHALL NOTIFY THE BUREAU OF OPERATIONS AT LEAST 14 DAYS PRIOR TO PLACEMENT OF FINAL PERMANENT PAVEMENT MARKING. (PH: 217-785-5312)
- (3) GUARDRAIL BEING BENT AROUND THE GIRDER END PLATE ON THE FORT MADISON BRIDGE ON IL 9 SHALL NOT TOUCH NOR BE CONNECTED TO THE BRIDGE. ANY GUARDRAIL BEING INSTALLED ON THE EAST END OF THE BRIDGE SHALL NOT INFRINGE ON THE EXISTING CLEARANCES ON THE BAIL ROAD TRACES.
- (A) EXISTING ROAD SIGNS THAT INTERFERE WITH CONSTRUCTION WILL BE REMOVED OR RELOCATED AS DIRECTED BY THE ENGINEER. AFTER CONSTRUCTION IS COMPLETED, THE CONTRACTOR WILL REPLACE THE SIGNS AS DIRECTED BY THE ENGINEER. THIS WORK WILL NOT BE PAID FOR SEPARATELY BUT SHALL BE INCLUDED IN THE CONTRACT AND NO COMPENSATION WILL BE ALLOWED.

## RATES OF APPLICATION TABLES

THE FOLLOWING RATES OF APPLICATION HAVE BEEN ASSUMED IN CALCULATING PLAN QUANTITIES.

STONE RIPRAP: 1.75 TONS / CU YD.

BITUMINOUS MATERIALS (PRIME COAT): 0.00038 TON / SO YO (ON PAVEMENT) 0.001425 TON / SO YO (ON AGGREGATE)

AGGREGATE MATERIALS (PRIME CDAT): 0.002 TON / 50 YD
HMA SURFACE MIX C / BINDER (112 LBS): 0.056 TON / 50 YD • In
AGGREGATE SHOULDER MATERIALS: 1.90 TON / CU YD
NITROGEN FERTILIZER NUTRIENT: 90 LBS / ACRE
PHOSPHOROUS FERTILIZER NUTRIENT: 90 LBS / ACRE
POTASSIUM FERTILIZER NUTRIENT: 90 LBS / ACRE
AGRICUL TURE GROUND LIMESTONE: 2 TON / ACRE
MULCH: 2 TONS / ACRE
EMBANKMENT SHRINKAGE FACTOR: 1.28

## COMMITMENTS

- () CONTACT ANGELLA MOOREHOUSE OF THE INPC AT 309-259-0231 BEFORE THE START OF THE PROJECT AND AFTER THE END OF THE PROJECT.
- (2) IF RATTLESNAKES ARE ENCOUNTERED (DEAD OR ALIVE) IMMEDIATELY CONTACT DISTRICT 6
  ENVIRONMENTAL COORDINATOR DENNIS O'CONNELL AT 217-785-9727.
- 3 BURR OAK TREE AND ITS SURROUNDING ROOT SYSTEM AT APPROXIMATELY STA. 157+32,00 OFFSET 40.21' RT. SHALL NOT BE DISTURBED IN ANY WAY.
- THE RESIDENT ENGINEER SHALL CONTACT STUDIES AND PLANS CONCERNING ANY MAJOR PLAN CHANGE, TO MAKE SURE NO PREVIOUS COMMENTS (NOT LISTED) WERE MADE AFFECTING THE DESIGN AND ALLOW AN IMPROVED DESIGN FOR FUTURE PROJECTS.

## STANDARDS

| 000001-06 | STANDARD SYMBOLS, ABBREVIATIONS, AND PATTERNS                               |
|-----------|---|
| 001001-02 | AREA OF REINFORCEMENT BARS  |
| 280001-07 | TEMPORARY EROSION CONTROL SYSTEMS   |
| 442201-03 | CLASS C & D PATCHES   |
| 542006-01 | MULTIPLE CONCRETE END SECTIONS FOR PIPE CULVERTS 15" THRU 84" DIA.          |
| 542401-01 | METAL END SECTION FOR PIPE CULVERTS   |
| 602306-03 | INLET - TYPE B  |
| 604036-02 | GRATE TYPE 8  |
| 630001-10 | STEEL PLATE BEAM GUARDRAIL  |
| 630101-09 | CUARDRAIL MOUNTED ON EXISTING CULVERTS                                      |
| 630301-06 | SHOULDER WIDENING FOR TYPE I (SPECIAL) GUARDRAIL TERMINALS                  |
| 631031-12 | TRAFFIC BARRIER TERMINAL, TYPE 6  |
| 635006-03 | REFLECTOR AND TERMINAL MARKER PLACEMENT                                     |
| 635011-02 | REFLECTOR MARKER AND MOUNTING DETAILS                                       |
| 701011-04 | OFF ROAD MOVING OPERATIONS 2L, 2W DAY ONLY (SHOULDER WORK)                  |
| 701201-04 | LANE CLOSURE 2L. 2W DAY ONLY. FOR SPEEDS > 45MPH (PATCHING, & CULVT.)       |
| 701301-04 | LANE CLOSURE 2L, 2W SHORT TIME OPERATIONS (MARKING PATCHES & CLEAR-UP)      |
| 701306-03 | LANE CLOSURE 2L. 2W SLOW MOVING OPERATIONS - DAY ONLY FOR SPEEDS > 45MPH    |
|           | (HMA SURF, SHDR OPS. & MILLING)   |
| 701311-03 | LANE CLOSURE 2L, 2W MOVING OPERATIONS - DAY ONLY (PAVEMENT MARKING & CLEANU |
| 701326-04 | LANE CLOSURE, 2L, 2W PAVEMENT WIDENING, FOR SPEEDS > 45 MPH                 |
| 701501-06 | URBAN LANE CLOSURE, 2L, 2W, UNDIVIDED                                       |
| 701901-03 | TRAFFIC CONTROL DEVICES   |
| 780001-04 | TYPICAL PAVEMENT MARKING  |
| 781001-03 | TYPICAL APPLICATIONS OF RAISED REFLECTIVE PAVEMENT MARKERS                  |
| 701001-02 | OFF-RD OPERATIONS, 2L, 2W, MORE THAN 15' (4.5 m) AWAY                       |
| 701006-05 | OFF-RD OPERATIONS, 2L, 2W, 15' (4.5 m) TO 24" (600 mm) FROM PAVEMENT EDGE   |
|           |   |

THE ITALICIZED TEXT DESCRIBING STANDARDS ARE GENERAL USES FOR THE APPLICATION SPECIFIED AND NOT LIMITED TO THEM.

| and the second of the second of the second | DISTRICT SIX    |               |
|--|-----------------|---------------|
| EXAMINED _                                 | 12.1 //         | 20 / 7        |
| William                                    | Burgh           | 20 <u>/</u> Z |
| OPERATIONS                                 | ENGINEER        |               |
| EXAMINED                                   | DEC 10          | 20 【2         |
| /M   | m / Li          |               |
| PROJECTIM                                  | LEMENTATION EN  | GINEER        |
| EXAMINED _                                 | Dec. 12         | 20 12         |
| <u> </u>                                   | RULI            |               |
| PROGRAM DE                                 | VELOPMENT ENGIN | TEER          |

REV.

| FILE NAME >                             | USER NAME + coxix                  | DESIGNED ~ | JWC | REVISEO - |                              | GENERAL NOTES & COMMITMENTS |                          |         | F.A.P. | SECTION              | COUNTY     | TOTAL SHEET |
|---|------------------------------------|------------|-----|-----------|------------------------------|-----------------------------|--------------------------|---------|--------|----------------------|------------|-------------|
| c3\px.work\px1dpt\caxjw\d8296728\B672F3 | 2rahtrgannote-dgn                  | DRAWN -    | 1#C | REVISEO - | STATE OF ILLINOIS            |                             |                          |         |        | (119)RS-1),(113)RS-6 | HANCOCK    | 95 2        |
|   | PLOT SCALE * 40,0000 '/ in.        | CHECKED ~  | MSD | REVISED - | DEPARTMENT OF TRANSPORTATION |                             |                          |         |        |                      | CONTRACT   | NO. 72F32   |
|   | PLOT DATE = Jun-05-2014 02:49:59PM | DATE -     |     | REVISED - |                              | SCALE: 20                   | SHEET 1 OF 1 SHEETS STA. | TO STA. |        | ILLINOIS FED. A      | NO PROJECT |             |

\*\* 685 & 510