

SECTION CORNER MARKERS			
STATION	OFFSET	CORNER DESCRIPTION	SECTION CORNER MARKERS EACH
141+27.84	11.96' RT	N 1/4 COR SEC 2-6-12	1
159+10.42	11.39' RT	SE COR SEC 34-7-12	1
167+76.94	10.84' RT	NW COR SEC 1-6-12	1
185+61.38	11.14' RT	S 1/4 COR SEC 35-7-12	1
194+29.23	13.35' RT	N 1/4 COR SEC 1-6-12	1
212+20.33	10.21' RT	SE COR SEC 35-7-12	1
220+40.74	8.21' RT	NW COR SEC 6-6-11	1
238+78.53	8.10' RT	S 1/4 COR SEC 36-7-12	1
247+33.38	8.10' RT	N 1/4 COR SEC 6-6-11	1
265+33.22	9.00' RT	SW COR SEC 31-7-11	1
273+72.64	8.40' RT	NE COR SEC 6-6-11	1
291+57.13	0.64' RT	S 1/4 COR SEC 31-7-11	1
300+40.33	4.24' RT	N 1/4 COR SEC 5-6-11	1
318+42.51	10.02' RT	SE COR SEC 31-7-11	1
327+08.11	10.47' RT	NE COR SEC 5-6-11	1
344+84.26	9.76' RT	S 1/4 COR SEC 32-7-11	1
353+57.80	9.20' RT	N 1/4 COR SEC 4-6-11	1
371+26.00	8.06' RT	SW COR SEC 33-7-11	1
379+98.19	7.51' RT	NE COR SEC 4-6-11	1
397+94.57	0.15' RT	S 1/4 COR SEC 33-7-11	1
411+01.40	0.57' RT	SE COR W 1/2 SE 1/4 SEC 33-7-11	1
406+46.29	0.32' RT	N 1/4 COR SEC 3-6-11	1
424+50.09	4.06' RT	SE COR SEC 33-7-11	1
TOTAL			23

DRAINAGE MARKERS		
STATION	OFFSET	FURNISHING AND ERECTING DRAINAGE MARKERS EACH
170+50.01	59.83' LT	1
170+50.01	94.33' LT	1
171+65.01	94.41' LT	1
171+65.01	56.88' LT	1
343+35.00	44.94' LT	1
343+35.00	60.15' LT	1
343+85.00	60.18' LT	1
343+85.00	44.96' LT	1
343+80.00	59.82' RT	1
343+80.00	84.82' RT	1
344+50.00	84.78' RT	1
411+40.00	79.33' LT	1
412+39.21	79.04' LT	1
174+30.00	55.00' LT	1
174+30.00	64.58' LT	1
TOTAL		15

RIGHT OF WAY & PROPERTY CORNERS		
STATION	OFFSET	RIGHT OF WAY AND PROPERTY CORNERS EACH
104+90.90	30.00' RT	1
106+49.92	30.00' RT	1
110+03.19	55.00' RT	1
121+00.00	30.00' LT	1
122+44.36	30.00' RT	1
124+24.06	30.00' LT	1
127+00.00	35.00' RT	1
127+35.00	35.00' RT	1
159+00.00	30.00' RT	1
159+95.00	30.00' RT	1
179+73.16	39.92' RT	1
179+73.18	30.00' LT	1
181+07.40	30.00' LT	1
181+98.52	30.00' LT	1
184+00.00	30.00' LT	1
213+88.20	54.80' RT	1
340+31.76	60.05' RT	1
340+78.67	44.84' LT	1
343+54.70	44.95' LT	1
344+84.29	45.00' LT	1
415+93.65	61.85' LT	1
416+88.00	53.01' LT	1
TOTAL		21

PERMANENT SURVEY MARKERS		
STATION	OFFSET	PERMANENT SURVEY MARKERS, TYPE I EACH
101+66.42	PT	1
104+09.90	PC	1
107+06.82	PI	1
110+03.20	PT	1
116+04.48	PC	1
119+24.51	PI	1
122+44.37	PT	1
126+45.05	PC	1
132+53.06	PI	1
134+48.81	PI	1
140+01.15	PT	1
152+94.25	PI	1
181+07.35	PI	1
196+73.12	PI	1
247+42.54	PI	1
260+48.91	PI	1
260+75.18	PI	1
273+71.59	PI	1
292+74.21	PI	1
310+71.78	PI	1
329+71.78	PI	1
340+31.72	PI	1
354+74.98	PI	1
354+76.66	PI	1
383+51.91	PI	1
413+94.91	PI	1
424+63.55	PI	1
TOTAL		27

CENTERLINE POINTS TO BE DETERMINED BY PROJECT ENGINEER

FILE NAME = S:\Projects\809-002B-VHJ_IL_3_Greafon\ dgn\CADD_Sheets\0876789-sh-t-schedule.dgn



USER NAME = ljackson	DESIGNED - ACM	REVISED -
MODEL NAME = Schedule 21	DRAWN - EDW	REVISED -
PLOT SCALE = 2.0000' / in.	CHECKED - LWJ	REVISED -
PLOT DATE = 8/22/2014	DATE - 8-11-14	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SCHEDULE OF QUANTITIES	
FAS ROUTE 749/752 (IL RTE 3)	
SCALE:	SHEET 21 OF 26 SHEETS

F.A.S. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
•	101-2RS-1	JERSEY	438	42
• 749/752			CONTRACT NO. 76789	
ILLINOIS FED. AID PROJECT				