

GENERAL NOTES

INDEX OF SHEETS

| SHEET NO. | DESCRIPTION |
|-----------|---|
| 1 | COVER SHEET |
| 2 | INDEX OF SHEETS, HIGHWAY STANDARDS, GENERAL NOTES |
| 3, 4 | SUMMARY OF QUANTITIES |
| 5 | PORTABLE TEMPORARY BARRIER SYSTEM |
| 6-9 | SN 028-0034 STRUCTURE INFORMATION |
| 10-12 | SN 041-0062 STRUCTURE INFORMATION |
| 13-17 | SN 097-0038 & SN 097-0039 STRUCTURE INFORMATION |
| 18-20 | SN 097-0001 & SN 097-0002 STRUCTURE INFORMATION |
| 21-23 | SN 002-0029 STRUCTURE INFORMATION |

ADDITIONAL TRAFFIC CONTROL DEVICES MAY BE REQUIRED TO CHANNEL TRAFFIC AT COMMERCIAL AND/OR PRIVATE ENTRANCE AS DIRECTED BY THE ENGINEER. ALL TRAFFIC CONTROL DEVICES ARE INCLUDED IN THE COST OF THE TRAFFIC CONTROL AND PROTECTION STANDARD USED AT THE SITE, AND WILL NOT BE PAID FOR SEPARATELY.

THE EXISTING STEEL COATINGS CONTAIN LEAD. THE CONTRACTOR SHOULD TAKE APPROPRIATE PRECAUTIONS TO DEAL WITH THE PRESENCE OF LEAD ON THIS PRODUCT.

THE CONTRACTOR IS REQUIRED TO BE SSPC OP1 AND SSPC OP2 CERTIFIED.

PLAN DIMENSIONS AND DETAILS RELATIVE TO EXISTING PLANS ARE SUBJECT TO ROUTINE VARIATIONS. THE CONTRACTOR SHALL FIELD VERIFY EXISTING DIMENSIONS AND DETAILS AFFECTING NEW CONSTRUCTION AND MAKE NECESSARY APPROVED ADJUSTMENTS PRIOR TO CONSTRUCTION OR ORDERING OF MATERIALS. SUCH VARIATIONS SHALL NOT BE CAUSE FOR ADDITIONAL COMPENSATION FOR A CHANGE IN SCOPE OF THE WORK. HOWEVER, THE CONTRACTOR WILL BE PAID FOR THE QUANTITY ACTUALLY FURNISHED AT THE UNIT PRICE BID FOR THE WORK.

TRAFFIC CONTROL SIGNS SHALL BE PLACED SO THAT THEY DO NOT INTERFERE WITH EXISTING SIGNS OR FLASHING BEACONS. THE DIMENSIONS BETWEEN SIGNS MAY BE MODIFIED SLIGHTLY SO AS TO AVOID CONFLICTS WITH EXISTING SIDE ROADS, COMMERCIAL ENTRANCES, AND PRIVATE ENTRANCES. THE BUREAU OF OPERATIONS SHOULD APPROVE FINAL PLACEMENT OF TRAFFIC CONTROL SIGNING.

IN ADDITION TO THE REQUIREMENTS OF ARTICLE 107.16 THE CONTRACTOR SHALL PROTECT THE SURFACE OF ALL BRIDGE DECKS AND BRIDGE APPROACH PAVEMENTS IN A MANNER SATISFACTORY TO THE ENGINEER BEFORE ANY EQUIPMENT IS ALLOWED TO CROSS THE STRUCTURE. PROTECTION SHALL BE PROVIDED FOR ALL EQUIPMENT AS DEFINED IN ARTICLE 101.16 REGARDLESS IF TRACK MOUNTED OR WHEELED.

THE QUANTITY FOR RELOCATE PORTABLE TEMPORARY BARRIER SYSTEM IS BASED ON RELOCATING THE BARRIER THREE TIMES AT EACH STRUCTURE WHERE THEY ARE NEEDED. ANY PAYMENT FOR ADDITIONAL RELOCATION WILL BE MADE ACCORDING TO ARTICLE 104.02 OF THE STANDARD SPECIFICATION.

FOR STRUCTURES 041-0062, 097-0001, 097-0002, 097-0038, AND 097-0039 CLEANING AND PAINTING OF EXISTING STRUCTURAL STEEL SHALL BE AS SPECIFIED IN THE SPECIAL PROVISIONS FOR "CLEANING AND PAINTING EXISTING STEEL STRUCTURES" AND "CONTAINMENT AND DISPOSAL OF LEAD PAINT CLEANING RESIDUES." ALL BEAMS, BEARINGS, AND OTHER STRUCTURAL STEEL WITHIN 5 FT. (MEASURED ALONG THE BEAM) OF EITHER SIDE OF SPECIFIED DECK JOINTS AND FULL LENGTH EXTERIOR FASCIA AND BOTTOM FLANGE SHALL BE CLEANED PER NEAR WHITE BLAST CLEANING - SSPC-SPI0 AND PAINTED ACCORDING TO THE REQUIREMENTS OF PAINT SYSTEM 1 - OZ/E/U. THE COLOR OF THE FINAL FINISH COAT FOR THE BEAMS SHALL BE INTERSTATE GREEN, MUNSELL NO. 7.5G 4/8.

FOR STRUCTURES 028-0034 AND 002-0029, CLEANING AND PAINTING OF EXISTING STRUCTURAL STEEL SHALL BE AS SPECIFIED IN THE SPECIAL PROVISIONS FOR "CLEANING AND PAINTING EXISTING STEEL STRUCTURES", "CONTAINMENT AND DISPOSAL OF LEAD PAINT CLEANING RESIDUES", AND "CONTAINMENT AND DISPOSAL OF NON-LEAD PAINT CLEANING RESIDUES." ALL BEAMS, BEARINGS, AND OTHER STRUCTURAL STEEL WITHIN 5 FT. (MEASURED ALONG THE BEAM) OF EITHER SIDE OF SPECIFIED DECK JOINTS SHALL BE CLEANED PER NEAR WHITE BLAST CLEANING - SSPC-SPI0 AND PAINTED ACCORDING TO THE REQUIREMENTS OF PAINT SYSTEM 1 - OZ/E/U. THE COLOR OF THE FINAL FINISH COAT FOR SN 028-0034 INTERIOR AND EXTERIOR SURFACES SHALL BE INTERSTATE GREEN, MUNSELL NO. 7.5G 4/8 AND REDDISH BROWN, MUNSELL NO. 2.5YR 3/4 FOR SN 002-0029.

TOTAL, FOUR AIR MONITORS ARE REQUIRED TO MONITOR ABRASIVE BLASTING OPERATIONS AT THREE LOCATIONS, 2 AT BRIDGE NO. 2 (SN 041-0062), 1 AT BRIDGE NO. 5 (SN 097-0001), AND 1 AT BRIDGE NO. 6 (SN 097-0002), ACCORDING TO SPECIAL PROVISION "CONTAINMENT AND DISPOSAL OF LEAD PAINT CLEANING RESIDUES."

STANDARDS

- 701101-04 OFF-RD OPERATIONS, MULTILANE, 15' (4.5 m) TO 24" (600mm) FROM PAVEMENT EDGE
- 701106-02 OFF-RD OPERATIONS, MULTILANE, MORE THAN 15' (4.5 m) AWAY
- 701201-04 LANE CLOSURE, 2L, 2W, DAY-ONLY
- 701400-07 APPROACH TO LANE CLOSURE, FREEWAY/EXPRESSWAY
- 701402-09 LANE CLOSURE, FREEWAY/EXPRESSWAY, WITH BARRIER
- 701406-08 LANE CLOSURE, FREEWAY/EXPRESSWAY, DAY OPERATIONS ONLY
- 701901-03 TRAFFIC CONTROL DEVICES
- 701428 TRAFFIC CONTROL SETUP AND REMOVAL FREEWAY/EXPRESSWAY

| | |
|--------------|--|
| Prepared By: | <i>Joe J. Hufschwiler</i> DISTRICT STUDIES & PLANS ENGINEER |
| Examined By: | <i>Paul J. ...</i> DISTRICT LAND ACQUISITION ENGINEER |
| Examined By: | <i>Connie ...</i> DISTRICT PROGRAM DEVELOPMENT ENGINEER |
| Examined By: | <i>Kevin ...</i> DISTRICT OPERATIONS ENGINEER |
| Examined By: | <i>...</i> DISTRICT PROJECT IMPLEMENTATION ENGINEER |
| Examined By: | <i>Dan ...</i> DISTRICT CONSTRUCTION ENGINEER |
| Examined By: | <i>...</i> DISTRICT MATERIALS ENGINEER |

| | | | | | | | | | | | | | |
|-----------|-----------|----------|---------|---|---|--------|------------------------|---------|--------|------|--------------------|------|---------------------------|
| FILE NAME | USER NAME | DESIGNED | REVISED | STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION | INDEX OF SHEETS, STANDARDS, GENERAL NOTES | SCALE: | SHEET | OF | SHEETS | STA. | TO | STA. | ILLINOIS FED. AID PROJECT |
| ... | ... | DRAWN | REVISED | | | VAR. | 09 BRIDGE PAINT 2015-1 | VARIOUS | 23 | 2 | CONTRACT NO. 78428 | | |
| ... | ... | CHECKED | REVISED | | | | | | | | | | |
| ... | ... | DATE | REVISED | | | | | | | | | | |