

## SECTION 100

## District Special Provisions

| <u>Standard Specifications</u> | <u>Item/Description</u>                             | <u>Doc. #</u> |
|--------------------------------|-----------------------------------------------------|---------------|
| 105.00                         | CONSTRUCTION STATION LAYOUT                         | 10500         |
| 105.01                         | CONSTRUCTION LAYOUT RESPONSIBILITY                  | 10501         |
| 105.02                         | CONSTRUCTION LAYOUT UTILIZING GPS EQUIPMENT         | 10502         |
| 105.03                         | CONSTRUCTION LAYOUT EQUIPMENT                       | 10503         |
| 105.07                         | REMOVAL OF ABANDONED UNDERGROUND UTILITIES          | 10507         |
| 105.07a                        | STATUS OF UTILITIES/UTILITIES TO BE ADJUSTED        | 10507a        |
| 105.07b                        | UTILITIES – LOCATION/INFORMATION ON PLANS           | 10507b        |
| 107.12                         | REQUIREMENTS WHEN WORKING WITH THE RAILROAD         | 10712         |
| 107.13a                        | PROTECTION OF THE ILLINOIS RIVER                    | 10713a        |
| 107.13b                        | MAINTENANCE OF NAVIGATION                           | 10713b        |
| 107.31                         | LOCATION OF UNDERGROUND STATE MAINTAINED FACILITIES | 10731         |
| 107.32                         | RIGHT-OF-WAY RESTRICTIONS                           | 10732         |
| 108.05a                        | DATE OF COMPLETION                                  | 10805a        |
| 108.05b                        | DATE OF COMPLETION (PLUS WORKING DAYS)              | 10805b        |

## SECTION 200

## District Special Provisions

| <u>Standard Specifications</u> | <u>Item/Description</u>    | <u>Doc. #</u> |
|--------------------------------|----------------------------|---------------|
| 205.00                         | GEOTECHNICAL REINFORCEMENT | 20500         |
| 205.04                         | EMBANKMENT RESTRICTIONS    | 20504         |
| 250.00                         | SEEDING, MINOR AREAS       | 25000         |
| 250.06a                        | MOWING                     | 25006a        |
| 250.06b                        | MOWING                     | 250.06b       |
| 253.00b                        | SEEDLINGS                  | 25300b        |
| 281.00                         | GROUT FOR USE WITH RIPRAP  | 28100         |

## SECTION 300

## District Special Provisions

| <u>Standard Specifications</u> | <u>Item/Description</u>                                | <u>Doc. #</u> |
|--------------------------------|--------------------------------------------------------|---------------|
| 301.01                         | PROOF ROLLING                                          | 30101         |
| 301.03                         | SUBGRADE TREATMENT                                     | 30103         |
| 302.00                         | SOIL MODIFICATION                                      | 30200         |
| 311.00                         | ROCKFILL                                               | 31100         |
| 353.00                         | SAWCUTTING OF PCC BASE COURSE AND BASE COURSE WIDENING | 35300         |
| 355.00                         | TEMPORARY PAVEMENT                                     | 35500         |
| 356.00                         | TEMPORARY BASE COURSE WIDENING                         | 35600         |

## SECTION 400

## District Special Provisions

| <u>Standard Specifications</u> | <u>Item/Description</u>                                                                             | <u>Doc. #</u> |
|--------------------------------|-----------------------------------------------------------------------------------------------------|---------------|
| 406.00                         | CLEAN EXISTING PAVEMENT EDGE JOINT                                                                  | 40600         |
| 406.04a                        | HOT-MIX ASPHALT SURFACE COURSE SURFACE TESTS                                                        | 40604a        |
| 406.07                         | HOT-MIX ASPHALT – TACK COAT (SPECIAL) OPTIONS                                                       | 40607         |
| 407.13                         | GROOVED-IN RUMBLE STRIP                                                                             | 40713         |
| 424.01                         | SIDEWALK DRAINS                                                                                     | 42401         |
| 424.02                         | TEMPORARY SIDEWALKS                                                                                 | 42402         |
| 440.00                         | PARTIAL DEPTH PATCHING                                                                              | 44000         |
| 440.02                         | LONGITUDINAL JOINT REPAIR                                                                           | 44002         |
| 440.03                         | PROTECTION OF FRAMES AND LIDS OF UTILITY STRUCTURES                                                 | 44003         |
| 440.03a                        | HOT-MIX ASPHALT SURFACE REMOVAL, *** (** MM)                                                        | 44003a        |
| 440.03b                        | HOT-MIX ASPHALT SURFACE REMOVAL, *** (** MM)                                                        | 44003b        |
| 440.03d                        | PAVEMENT DRAINAGE AFTER COLD MILLING                                                                | 44003d        |
| 440.03e                        | PAVEMENT PATCHING WITH HOT-MIX ASPHALT SURFACE REMOVAL                                              | 44003e        |
| 440.04                         | HOT-MIX ASPHALT JOINT TRIMMING                                                                      | 44004         |
| 482.05                         | HOT-MIX ASPHALT SHOULDER RESURFACING REQUIRED TO BE CONSTRUCTED SIMULTANEOUSLY WITH MAINLINE PAVING | 48205         |
| 482.06                         | HOT-MIX ASPHALT SHOULDER RESURFACING CONSTRUCTED SIMULTANEOUSLY WITH MAINLINE PAVING                | 48206         |

## SECTION 500

## District Special Provisions

| <u>Standard Specifications</u> | <u>Item/Description</u>                                | <u>Doc. #</u> |
|--------------------------------|--------------------------------------------------------|---------------|
| 501.03                         | CONCRETE HEADWALL REMOVAL                              | 50103         |
| 501.04                         | CONCRETE HANDRAIL REMOVAL                              | 50104         |
| 503.01                         | GRANULAR BACKFILL FOR STRUCTURES                       | 50301         |
| 503.02                         | SURFACE FILLER (SPECIAL)                               | 50302         |
| 503.07                         | PCC PLACEMENT BY PUMP REQUIREMENTS                     | 50307         |
| 503.12a                        | FLOOR DRAIN EXTENSIONS                                 | 50312a        |
| 503.12                         | PLUG EXISTING DECK DRAINS                              | 50312         |
| 503.19                         | PROTECTIVE COAT (SPECIAL)                              | 50319         |
| 542.00                         | SEEPAGE COLLAR                                         | 54200         |
| 542.01                         | REMOVE AND RELAY PIPE CULVERT (SPECIAL)                | 54201         |
| 542.02                         | PIPE CULVERTS (JACKED)                                 | 54202         |
| 542.04e                        | BACKFILL - PIPE CULVERTS                               | 54204e        |
| 550.00                         | STORM SEWER (WATER MAIN QUALITY PIPE)                  | 55000         |
| 550.07                         | BACKFILL, BUILDING REMOVAL                             | 55007         |
| 552.00                         | STEEL PIPE CULVERT, SPECIAL (JACKED) *" (* MM)         | 55200         |
| 552.01                         | (*STORM SEWER/PIPE CULVERT) JACKED IN PLACE, *" (* MM) | 55201         |
| 561.00                         | STEEL CASINGS (*") INCHES                              | 56100         |
| 561.01                         | STEEL CASINGS (*") INCHES                              | 56101         |
| 593.00                         | SLOPE WALL SLURRY PUMPING                              | 59300         |

## SECTION 600

## District Special Provisions

| <u>Standard Specifications</u> | <u>Item/Description</u>                                                 | <u>Doc. #</u> |
|--------------------------------|-------------------------------------------------------------------------|---------------|
| 602.00a                        | INLETS, TYPE G-1                                                        | 60200a        |
| 602.00b                        | INLETS, TYPE G-1, SPECIAL                                               | 60200b        |
| 602.00c                        | INLETS, TYPE G-1, DOUBLE, SPECIAL                                       | 60200c        |
| 602.00d                        | INLET-MANHOLE, TYPE G-1, 4' (1.2 M) DIAMETER                            | 60200d        |
| 602.00e                        | INLET-MANHOLE, TYPE G-1, 4' (1.2 M) DIAMETER, SPECIAL                   | 60200e        |
| 602.00f                        | INLET-MANHOLE, TYPE G-1, 5' (1.5 M) DIAMETER                            | 60200f        |
| 602.00g                        | INLET-MANHOLE, TYPE G-1, 5' (1.5 M) DIAMETER, SPECIAL                   | 60200g        |
| 602.00h                        | INLET-MANHOLE, TYPE G-1, 5' (1.5 M) DIAMETER, DOUBLE, SPECIAL           | 60200h        |
| 602.00i                        | INLET-MANHOLE, TYPE G-1, 8' (2.4 M) DIAMETER, DOUBLE, SPECIAL           | 60200i        |
| 602.00j                        | MANHOLE TO BE ADJUSTED WITH NEW TYPE G-1 FRAME AND GRATE                | 60200j        |
| 602.00k                        | TEMPORARY INLET DRAINAGE TREATMENT                                      | 60200k        |
| 602.00l                        | INLETS, TYPE G-2                                                        | 60200l        |
| 602.00m                        | INLETS, TYPE G-1, DOUBLE                                                | 60200m        |
| 602.00n                        | INLETS, TYPE "G-1", WITH SPECIAL FRAME AND GRATE                        | 60200n        |
| 602.00o                        | MANHOLE, TYPE A, OF THE DIAMETER SPECIFIED WITH SPECIAL FRAME AND GRATE | 60200o        |
| 605.04                         | FILLING EXISTING INLETS                                                 | 60504         |
| 605.04a                        | FILLING EXISTING CULVERTS                                               | 60504a        |
| 605.04b                        | FILLING DRAINAGE STRUCTURES                                             | 60504b        |
| 606.08                         | ISLAND PAVEMENT CONSTRUCTED ON EXISTING PAVEMENT                        | 60608         |
| 606.12                         | DRAINAGE HOLES                                                          | 60612         |

## SECTION 600

## District Special Provisions

| <u>Standard Specifications</u> | <u>Item/Description</u>                           | <u>Doc. #</u> |
|--------------------------------|---------------------------------------------------|---------------|
| 630.01                         | GUARDRAIL AGGREGATE EROSION CONTROL               | 63001         |
| 631.11c                        | TRAFFIC BARRIER TERMINALS                         | 63111c        |
| 632.00                         | GUARD POST REMOVAL                                | 63200         |
| 635.00                         | FLEXIBLE DELINEATOR MAINTENANCE                   | 63500         |
| 635.01                         | FLEXIBLE DELINEATORS                              | 63501         |
| 635.02                         | RECOVERABLE DELINEATORS                           | 63502         |
| 667.04                         | PERMANENT SURVEY MARKER, TYPE I, BRIDGE PLACEMENT | 66704         |
| 668.02                         | PERMANENT SURVEY TIES                             | 66802         |
| 670.05                         | EQUIPMENT VAULT FOR NUCLEAR TESTING EQUIPMENT     | 67005         |
| 680.00a                        | RAILROAD TIES REMOVAL AND DISPOSAL                | 68000a        |
| 680.00                         | RAILROAD TRACK REMOVAL                            | 68000         |
| 683.00                         | MORTARED STONE WALL                               | 68300         |

## SECTION 700

## District Special Provisions

| <u>Standard Specifications</u> | <u>Item/Description</u>                                                                               | <u>Doc. #</u> |
|--------------------------------|-------------------------------------------------------------------------------------------------------|---------------|
| 701.00                         | TRAFFIC CONTROL PLAN                                                                                  | 70100         |
| 701.01                         | FLAGGERS                                                                                              | 70101         |
| 701.08b                        | TRAFFIC CONTROL AND PROTECTION STANDARD 701331 (SPECIAL)                                              | 70108b        |
| 701.14                         | WIDTH RESTRICTION SIGNING                                                                             | 70114         |
| 701.20                         | TRAFFIC CONTROL AND PROTECTION BLR 21                                                                 | 70120         |
| 701.21                         | TRAFFIC CONTROL AND PROTECTION BLR 22                                                                 | 70121         |
| 704.00a                        | TEMPORARY CONCRETE BARRIER REFLECTORS                                                                 | 70400a        |
| 704.00                         | TEMPORARY CONCRETE BARRIER, STATE OWNED AND TEMPORARY CONCRETE BARRIER TERMINAL SECTIONS, STATE OWNED | 70400         |
| 733.00                         | RE-TIGHTENING ANCHOR BOLTS FOR CANTILEVER SIGN STRUCTURES                                             | 73300         |
| 782.01                         | LINEAR DELINEATOR PANELS, 4 INCH                                                                      | 78201         |



## SECTION 800

## District Special Provisions

| <u>Standard Specifications</u> | <u>Item/Description</u>                                                          | <u>Doc. #</u> |
|--------------------------------|----------------------------------------------------------------------------------|---------------|
| 815.00                         | TRENCH & BACKFILL, SPECIAL FOR CONDUIT INSTALLATION BENEATH BITUMINOUS SHOULDERS | 81500         |
| 886.00a                        | DETECTOR LOOPS, TYPE 1                                                           | 88600a        |
| 886.01                         | ADJUST EXISTING DETECTOR LOOP RISER                                              | 88601         |
| 886.02                         | MISCELLANEOUS ELECTRICAL WORK                                                    | 88602         |

SECTION 900

District Special Provisions

Standard  
Specifications

Item/Description

Doc. #

## SECTION 1000

## District Special Provisions

| <u>Standard Specifications</u> | <u>Item/Description</u>                          | <u>Doc. #</u> |
|--------------------------------|--------------------------------------------------|---------------|
| 1004.00                        | PCC SLIPFORM PAVING AGGREGATE OPTIMIZATION       | 100400        |
| 1004.02                        | PCC SUPERSTRUCTURE AGGREGATE OPTIMIZATION        | 100402        |
| 1004.03b                       | COARSE AGGREGATE FOR BITUMINOUS COURSES, CLASS A | d100403b      |
| 1004.04                        | AGGREGATE QUALITY                                | d100404       |
| 1020.13                        | MEMBRANE CURING METHOD                           | 102013        |
| 1103.00                        | PCC QMP ELECTRONIC REPORTS SUBMITTAL             | 110300        |
| 1103.03                        | PCC AUTOMATIC BATCHING EQUIPMENT                 | 110303        |