

NOTES:


THE ROCK OUTLETS SHALL BE CONSTRUCTED USING CA7 AND WILL BE PAID FOR AT THE CONTRACT UNIT PRICE PER SQ YD FOR DRAIN FOR AGGREGATE BASE COURSE.

THE THICKNESS SHALL BE THE SAME AS THE ADJACENT SUB-BASE MATERIAL AS NOTED ON THE PLANS AND SHALL INCLUDE THE COST OF THE FILTER FABRIC.

THE ROCK OUTLETS WILL BE MEASURED IN SQ YD, THE WIDTH BEING 3' BY THE LENGTH SHOWN ABOVE

THE COST OF THE CA6 OR CA10 UNDER THE SHOULDER SHALL BE INCLUDED IN THE CONTRACT UNIT PRICE PER SQ YD FOR SUB-BASE GRANULAR MATERIAL, TYPE A OF THE THICKNESS SPECIFIED.

THE FILTER FABRIC TO BE USED SHALL CONFORM TO THE FILTER FABRIC USED FOR RIPRAP.



SECTION A-A

NOTE: SLOPE SAME AS SHOULDER WITH 2% MIN

DRAIN FOR AGGREGATE BASE COURSE

601-6

MODEL: det_3_dct.tbl
 FILE: \\mhc-pw\illinois\share\benley.com\PI\DOT\Documents\DOT_Offices\Dir\dr_3\Projects-Carcy_Detail\03_Detail\Revisions_2023\601-609_INCIDENTAL_CONSTRUCTION.dgn

USER NAME = anthony.grunstad	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 100,000 ' / in.	CHECKED -	REVISED -
PLOT DATE = 10/3/23	DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

SCALE: SHEET OF SHEETS STA. TO STA.

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
CONTRACT NO.				
ILLINOIS FED. AID PROJECT				