



# Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

January 6, 2026

**SUBJECT** FAU Route 3578 (IL 7(Southwest Highway))  
Project HSIP-STP-04KG (724)  
Section 2023-925-N-TS(L)  
Cook County  
Contract No. 62W47

Item No. 028, January 16, 2026 Letting  
Addendum B

## NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Revised the Schedule of Prices
2. Revised page iv of the Table of Contents to the Special Provision
3. Revised pages 4-11 of the Special Provisions
4. Added sheets 247-250 to the Special Provisions
5. Revised sheets 3 & 9 of the Plans

Prime contractors must utilize the enclosed material when preparing their bid and must include any changes to the Schedule of Prices in their bid.

Very truly yours,

A handwritten signature in black ink, appearing to read "Jack A. Elston".

Jack A. Elston, P.E.  
Bureau Chief, Design and Environment

MTS

FAU Route 3578 (IL 7(Southwest Highway))  
Project HSIP-STP-04KG (724)  
Section 2023-925-N-TS(L)  
Cook County  
Contract No. 62W47

VEHICLE AND EQUIPMENT WARNING LIGHTS (BDE) .....	244
WORK ZONE TRAFFIC CONTROL DEVICES (BDE) .....	244
REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (PROJECT SPECIFIC) .....	247

Revised 1/6/2026

## **STATUS OF UTILITIES (D1)**

Effective: June 1, 2016  
Revised: January 1, 2020

Utility companies and/or municipal owners located within the construction limits of this project have provided the following information regarding their facilities and the proposed improvements. The tables below contain a description of specific conflicts to be resolved and/or facilities which will require some action on the part of the Department's contractor to proceed with work. Each table entry includes an identification of the action necessary and, if applicable, the estimated duration required for the resolution.

### **UTILITIES TO BE ADJUSTED**

Conflicts noted below have been identified by following the suggested staging plan included in the contract. The company has been notified of all conflicts and will be required to obtain the necessary permits to complete their work; in some instances, resolution will be a function of the construction staging. The responsible agency must relocate, or complete new installations as noted below; this work has been deemed necessary to be complete for the Department's contractor to then work in the stage under which the item has been listed.

#### **Stage 1**

STAGE / LOCATION	TYPE	DESCRIPTION	RESPONSIBLE AGENCY	DURATION OF TIME
STA 46+47.65, OS 46.5' RT	GAS	EXISTING GAS VALVE IS IN CONFLICT WITH PROPOSED PAVEMENT. THE VALVE WILL NEED TO BE ADJUSTED.	NICOR	2 days

FAU Route 3578 (IL 7(Southwest Highway))  
 Project HSIP-STP-04KG (724)  
 Section 2023-925-N-TS(L)  
 Cook County  
 Contract No. 62W47

STA 49+08.69, OS 49.4' RT	GAS	EXISTING GAS VALVE IS IN CONFLICT WITH PROPOSED MULTI-USE PATH. THE VALVE WILL NEED TO BE ADJUSTED.	NICOR	2 days
STA 53+66.62, OS 40.9' RT	GAS	EXISTING GAS VALVE IS IN CONFLICT WITH PROPOSED MULTI-USE PATH. THE VALVE WILL NEED TO BE ADJUSTED.	NICOR	2 days
STA 22+57.26, OS 43.7' LT	GAS	EXISTING GAS VALVE IS IN CONFLICT WITH PROPOSED SIDEWALK. THE VALVE WILL NEED TO BE ADJUSTED.	NICOR	2 days
STA 22+57.26, OS 43.7' LT	GAS	EXISTING GAS VALVE IS IN CONFLICT WITH PROPOSED SIDEWALK. THE VALVE WILL NEED TO BE ADJUSTED.	NICOR	2 days
STA 46+77.61, OS 49.9' RT	ELECTRIC	EXISTING POLE IS IN CONFLICT WITH PROPOSED SIDEWALK. THE POLE WILL NEED TO BE ADJUSTED.	COMED	10 days
STA 47+55.00, OS 51.0' RT	ELECTRIC	EXISTING POLE IS IN CONFLICT WITH PROPOSED SIDEWALK. THE POLE WILL NEED TO BE ADJUSTED.	COMED	10 days

FAU Route 3578 (IL 7(Southwest Highway))  
 Project HSIP-STP-04KG (724)  
 Section 2023-925-N-TS(L)  
 Cook County  
 Contract No. 62W47

STA 47+67.00, OS 54.0' RT	ELECTRIC	EXISTING POLE IS IN CONFLICT WITH PROPOSED SIDEWALK. THE POLE WILL NEED TO BE ADJUSTED.	COMED	10 days
STA 47+86.00, OS 52.0' RT	ELECTRIC	EXISTING POLE IS IN CONFLICT WITH PROPOSED SIDEWALK. THE POLE WILL NEED TO BE ADJUSTED.	COMED	10 days
STA 49+50.00, OS 56.0' RT	ELECTRIC	EXISTING POLE IS IN CONFLICT WITH PROPOSED SIDEWALK. THE POLE WILL NEED TO BE ADJUSTED.	COMED	10 days
STA 53+54.00, OS 41.0' RT	ELECTRIC	EXISTING POLE IS IN CONFLICT WITH PROPOSED SIDEWALK. THE POLE WILL NEED TO BE ADJUSTED.	COMED	10 days
STA 54+84.00, OS 42.0' RT	ELECTRIC	EXISTING POLE IS IN CONFLICT WITH PROPOSED SIDEWALK. THE POLE WILL NEED TO BE ADJUSTED.	COMED	10 days
STA 24+74.00, OS 44.0' RT	ELECTRIC	EXISTING POLE IS IN CONFLICT WITH PROPOSED SIDEWALK. THE POLE WILL NEED TO BE ADJUSTED.	COMED	10 days
STA 53+54.00, OS 41.0' RT	TELECOMMUNICATIONS	EXISTING POLE IS IN CONFLICT WITH PROPOSED SIDEWALK. THE POLE WILL NEED TO BE ADJUSTED.	ATT	10 days
STA 54+84.00, OS 42.0' RT	TELECOMMUNICATIONS	EXISTING POLE IS IN CONFLICT WITH PROPOSED SIDEWALK. THE POLE WILL NEED TO BE ADJUSTED.	ATT	10 days

**Stage 2**

STAGE / LOCATION	TYPE	DESCRIPTION	RESPONSIBLE AGENCY	DURATION OF TIME
STA 45+44.57, OS 46.26' LT	GAS	EXISTING GAS VALVE IS IN CONFLICT WITH PROPOSED SIDEWALK. THE VALVE WILL NEED TO BE ADJUSTED.	NICOR	2 days
STA 46+47.06, OS 35.60' LT	GAS	EXISTING GAS VALVE IS IN CONFLICT WITH PROPOSED DECORATIVE ASPHALT PARKWAY. THE VALVE WILL NEED TO BE ADJUSTED.	NICOR	2 days
STA 53+75.73, OS 46.9' LT	GAS	EXISTING GAS VALVE IS IN CONFLICT WITH PROPOSED SIDEWALK. THE VALVE WILL NEED TO BE ADJUSTED.	NICOR	2 days
STA 15+46.70, OS 24.9' RT	GAS	EXISTING GAS VALVE IS IN CONFLICT WITH PROPOSED PAVEMENT. THE VALVE WILL NEED TO BE ADJUSTED.	NICOR	2 days
STA 17+40.79, OS 28.8' RT	GAS	EXISTING GAS VALVE IS IN CONFLICT WITH PROPOSED PAVEMENT. THE VALVE WILL NEED TO BE ADJUSTED.	NICOR	2 days

FAU Route 3578 (IL 7(Southwest Highway))  
 Project HSIP-STP-04KG (724)  
 Section 2023-925-N-TS(L)  
 Cook County  
 Contract No. 62W47

STA 51+96.00, OS 46.0' LT	ELECTRIC	EXISTING POLE IS IN CONFLICT WITH PROPOSED SIDEWALK. THE POLE WILL NEED TO BE ADJUSTED.	COMED	10 days
STA 21+16.00, OS 41.0' RT	ELECTRIC	EXISTING POLE IS IN CONFLICT WITH PROPOSED SIDEWALK. THE POLE WILL NEED TO BE ADJUSTED.	COMED	10 days
STA 22+46.00, OS 41.0' RT	ELECTRIC	EXISTING POLE IS IN CONFLICT WITH PROPOSED SIDEWALK. THE POLE WILL NEED TO BE ADJUSTED.	COMED	10 days
STA 23+58.00, OS 45.0' RT	ELECTRIC	EXISTING POLE IS IN CONFLICT WITH PROPOSED SIDEWALK. THE POLE WILL NEED TO BE ADJUSTED.	COMED	10 days
STA 24+74.00, OS 44.0' RT	ELECTRIC	EXISTING POLE IS IN CONFLICT WITH PROPOSED SIDEWALK. THE POLE WILL NEED TO BE ADJUSTED.	COMED	10 days
STA 25+86.00, OS 41.0' RT	ELECTRIC	EXISTING POLE IS IN CONFLICT WITH PROPOSED SIDEWALK. THE POLE WILL NEED TO BE ADJUSTED.	COMED	10 days
STA 22+46.62, OS 43.55' RT	TELECOMMUNICATIONS	EXISTING PEDESTIAL IS IN CONFLICT WITH PROPOSED SIDEWALK. THE PEDESTIAL WILL NEED TO BE ADJUSTED.	ATT	10 days

Stage 1: 12 Days Total Installation  
 Stage 2: 12 Days Total Installation

The following contact information is what was used during the preparation of the plans as provided by the Agency/Company responsible for resolution of the conflict.

Agency/Company Responsible to Resolve Conflict	Name of contact	Phone	E-mail address
COMED	CHRISTIAN CHAJON		<a href="mailto:Christian.Chajon@ComEd.com">Christian.Chajon@ComEd.com</a>
NICOR	KAREY JOHNSON	630-388-2923	karejohn@southernco.com
Note: Please contact Angeles Ramirez, Scheduler, if Nicor Gas valve boxes require adjustment or the test connection posts need to be relocated. Angeles can be contacted at 224-240-5783.			
ATT	JANET AHERN	630-573-6414	<a href="mailto:Ja1763@att.com">Ja1763@att.com</a>
VILLAGE OF CHICAGO RIDGE	STANLEY BARWOCK	708-425-7700	<a href="mailto:sbarwock@chicagoridge.org">sbarwock@chicagoridge.org</a>
VILLAGE OF WORTH		708-448-4256	

### **UTILITIES TO BE WATCHED AND PROTECTED**

The areas of concern noted below have been identified by following the suggested staging plan included for the contract. The information provided is not a comprehensive list of all remaining utilities, but those which during coordination were identified as ones which might require the Department's contractor to take into consideration when making the determination of the means and methods that would be required to construct the proposed improvement. In some instances, the contractor will be responsible to notify the owner in advance of the work to take place so necessary staffing on the owner's part can be secured.

**STAGE 1**

STAGE / LOCATION	TYPE	DESCRIPTION	RESPONSIBLE AGENCY
STA 14+81.57, OS 47.95' LT	TELECOMMUNICATIONS	EXISTING PEDESTAL TO BE WATCH AND PROTECTED.	ATT
STA 16+82.63, OS 46.82' LT	TELECOMMUNICATIONS	EXISTING PEDESTAL TO BE WATCH AND PROTECTED.	ATT
STA 22+36.56, OS 38.56' LT	LIGHTING	EXISTING LIGHTPOLE TO BE WATCH AND PROTECTED.	VILLAGE OF CHICAGO RIDGE
STA 24+94.18, OS 38.39' LT	LIGHTING	EXISTING LIGHTPOLE TO BE WATCH AND PROTECTED.	VILLAGE OF CHICAGO RIDGE
STA 46+50.00 TO STA 50+00.00 OS RT	GAS	EXISTING UNDERGROUND GAS LINE TO BE WATCH AND PROTECTED.	NICOR
STA 14+21.00 TO STA 18+75.00 OS LT	GAS	EXISTING UNDERGROUND GAS LINE TO BE WATCH AND PROTECTED.	NICOR

**STAGE 2**

STAGE / LOCATION	TYPE	DESCRIPTION	RESPONSIBLE AGENCY
STA 22+46.62, OS 43.55' RT	TELECOMMUNICATIONS	EXISTING PEDESTAL TO BE WATCH AND PROTECTED.	ATT
STA 43+74.00 TO STA 56+50.00 OS LT	GAS	EXISTING UNDERGROUND GAS LINE TO BE WATCH AND PROTECTED.	NICOR
STA 20+50.00 TO STA 25+97.00 OS RT	GAS	EXISTING UNDERGROUND GAS LINE TO BE WATCH AND PROTECTED.	NICOR

The following contact information is what was used during the preparation of the plans as provided by the owner of the facility.

Agency/Company Responsible to Resolve Conflict	Name of contact	Phone	E-mail address
COMED	CHRISTIAN CHAJON		<a href="mailto:Christian.Chajon@ComEd.com">Christian.Chajon@ComEd.com</a>
NICOR	KAREY JOHNSON	630-388-2923	<a href="mailto:karejohn@southernco.com">karejohn@southernco.com</a>
ATT	JANET AHERN	630-573-6414	<a href="mailto:Ja1763@att.com">Ja1763@att.com</a>
VILLAGE OF CHICAGO RIDGE	STANLEY BARWOCK	708-425-7700	<a href="mailto:sbarwock@chicagoridge.org">sbarwock@chicagoridge.org</a>
VILLAGE OF WORTH		708-448-4256	

The above represents the best information available to the Department and is included for the convenience of the bidder. The days required for conflict resolution should be considered in the bid as this information has also been factored into the timeline identified for the project when setting the completion date. The applicable portions of the Standard Specifications for Road and Bridge Construction shall apply.

## **REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (PROJECT SPECIFIC)**

**Description.** This work shall consist of the removal and disposal of regulated substances according to Section 669 of the Standard Specifications as revised below.

**Contract Specific Sites.** The excavated soil and groundwater within the areas listed below shall be managed as either "uncontaminated soil", hazardous waste, special waste or non-special waste. For stationing, the lateral distance is measured from centerline and the farthest distance is the offset distance or construction limit, whichever is less.

**Soil Disposal Analysis.** When the waste material requires sampling for landfill disposal acceptance, the Contractor shall secure a written list of the specific analytical parameters and analytical methods required by the landfill. The Contractor shall collect and analyze the required number of samples for the parameters required by the landfill using the appropriate analytical procedures. A copy of the required parameters and analytical methods (from landfill email or on landfill letterhead) shall be provided as Attachment 4A of the BDE 2733 (Regulated Substances Final Construction Report). The price shall include all sampling materials and effort necessary for collection and management of the samples, including transportation of samples from the job site to the laboratory. The Contractor shall be responsible for determining the specific disposal facilities to be utilized; and collect and analyze any samples required for disposal facility acceptance using a NELAP certified analytical laboratory registered with the State of Illinois.

### Site 3650V-4: DaVita Dialysis, 10511 S. Harlem Avenue, Chicago Ridge, Cook County

- Station 54+35 to Station 55+60 (CL IL 43), 0 to 50 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(3). Contaminants of concern sampling parameters: Benzo(a)pyrene and Manganese.

### Site 3650V-5: Palos Motel, 10600 S. Harlem Avenue, Worth, Cook County

- Station 18+25 to Station 20+00 (CL IL 7), 0 to 70 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(3). Contaminants of concern sampling parameters: Benzo(a)pyrene and Manganese.
- Station 50+00 to Station 51+35 (CL IL 43), 0 to 90 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(3). Contaminants of concern sampling parameters: Benzo(a)pyrene and Manganese.
- Station 51+35 to Station 55+30 (CL IL 43), 0 to 50 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(3). Contaminants of concern sampling parameters: Benzo(a)pyrene, Benzo(b)fluoranthene, Dibenzo(a,h)anthracene, Lead and Manganese.

Site 3650V-6: White Castle, 10555 S. Harlem Avenue, Chicago Ridge and Worth, Cook County

- Station 53+15 to Station 54+35 (CL IL 43), 0 to 55 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(5). Contaminants of concern sampling parameters: Benzo(a)anthracene, Benzo(a)pyrene, Benzo(b)fluoranthene, Dibenzo(a,h)anthracene, Indeno(1,2,3-cd)pyrene and Manganese.

Site 3650V-7: Thorntons Gasoline Station, 10559 S. Harlem Avenue, Chicago Ridge and Worth, Cook County

- Station 50+00 to Station 51+95 (CL IL 43), 0 to 80 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(5). Contaminants of concern sampling parameters: Benzo(a)pyrene, Arsenic, Lead and Manganese.
- Station 20+00 to Station 21+95 (CL IL 7), 0 to 85 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(5). Contaminants of concern sampling parameters: Benzo(a)pyrene, Arsenic, Lead and Manganese.
- Station 51+95 to Station 53+15 (CL IL 43), 0 to 55 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(3). Contaminants of concern sampling parameters: Benzo(a)pyrene and Manganese.
- Station 21+95 to Station 23+90 (CL IL 7), 0 to 50 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(2). Contaminant of concern sampling parameter: Manganese.

Site 3650V-9: Vacant Lot, 7234 Southwest Highway, Worth, Cook County

- Station 14+20 to Station 14+85 (CL IL 7), 0 to 50 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(3). Contaminant of concern sampling parameter: Benzo(a)pyrene.

Site 3650V-11: Vacant Lot, 7250 107th Street, Worth, Cook County

- Station 14+20 to Station 16+30 (CL IL 7), 0 to 50 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(2). Contaminants of concern sampling parameters: Lead and Manganese.

Site 3650V-12: Waters Edge Estates, 7200 Block of Southwest Highway, Worth, Cook County

- Station 14+85 to Station 15+40 (CL IL 7), 0 to 50 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(3). Contaminant of concern sampling parameter: Benzo(a)pyrene.

Site 3650V-13: Residential Building, 7230 Southwest Highway, Worth, Cook County

- Station 15+40 to Station 16+85 (CL IL 7), 0 to 50 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(2). Contaminants of concern sampling parameters: Lead and Manganese.

Site 3650V-14: Residential Building, 7240 W. 107th Street, Worth, Cook County

- Station 16+30 to Station 16+60 (CL IL 7), 0 to 50 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(2). Contaminants of concern sampling parameters: Lead and Manganese.

Site 3650V-15: Waters Edge Estates, 7225 Southwest Highway, Worth, Cook County

- Station 16+60 to Station 18+25 (CL IL 7), 0 to 50 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(2). Contaminant of concern sampling parameter: Manganese.

Site 3650V-16: Jiffy Lube, 7201 Southwest Highway, Worth, Cook County

- Station 47+65 to Station 50+00 (CL IL 43), 0 to 90 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(5). Contaminants of concern sampling parameters: Benzo(a)pyrene and Arsenic.
- Station 18+25 to Station 20+00 (CL IL 7), 0 to 80 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(5). Contaminants of concern sampling parameters: Benzo(a)pyrene and Arsenic.

Site 3650V-17: BP Gasoline Station, 10631 Southwest Highway, Worth, Cook County

- Station 48+40 to Station 50+00 (CL IL 43), 0 to 95 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(5). Contaminants of concern sampling parameters: Arsenic, Iron, Lead and Manganese.
- Station 20+00 to Station 21+30 (CL IL 7), 0 to 80 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(5). Contaminants of concern sampling parameters: Arsenic, Iron, Lead and Manganese.
- Station 21+30 to Station 23+20 (CL IL 7), 0 to 60 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(2). Contaminants of concern sampling parameters: Arsenic and Manganese.

Site 3650V-18: Vacant Lot, 10600 Block of Southwest Highway, Worth, Cook County

- Station 23+20 to Station 24+85 (CL IL 7), 0 to 55 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(5). Contaminants of concern sampling parameters: Arsenic and Manganese.
- Station 24+85 to Station 26+10 (CL IL 7), 0 to 55 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(3). Contaminants of concern sampling parameters: Benzo(a)pyrene and Manganese.

Site 3650V-19: Millennium Medical Center, 10604 Southwest Highway, Chicago Ridge, Cook County

- Station 23+90 to Station 27+10 (CL IL 7), 0 to 50 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: Benzo(a)pyrene and Lead.

Site 3650V-20: Residential Building, 10605 Southwest Highway, Worth, Cook County

- Station 26+10 to Station 27+10 (CL IL 7), 0 to 55 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(3). Contaminants of concern sampling parameters: Benzo(a)pyrene and Manganese.

Site 3650V-21: Harlem Plaza, 10607 S. Harlem Avenue, Worth, Cook County

- Station 46+20 to Station 48+40 (CL IL 43), 0 to 70 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: Iron, Lead and Manganese.

Site 3650V-22: Commercial Building, 10652-10662 S. Harlem Avenue, Worth, Cook County

- Station 45+50 to Station 47+65 (CL IL 43), 0 to 65 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(2). Contaminants of concern sampling parameters: Arsenic and Lead.

Site 3650V-24: Sandpiper Plaza, 10700-10730 S. Harlem Avenue, Worth, Cook County

- Station 43+70 to Station 45+50 (CL IL 43), 0 to 50 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(3). Contaminants of concern sampling parameters: Benzo(a)pyrene and Manganese.

**Work Zones**

Three distinct OSHA HAZWOPER work zones (exclusion, decontamination, and support) shall apply to projects adjacent to or within sites with documented leaking underground storage tank (LUST) incidents, or sites under management in accordance with the requirements of the Site Remediation Program (SRP), Resource Conservation and Recovery Act (RCRA), or Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), or as deemed necessary. For this project, the work zones apply for the following ISGS PESA Sites: **None**