



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

December 31, 2025

SUBJECT FAP Routes 586/586A/592 (IL 162/IL 157)
Project NHPP-STP-HSIP-6ATA(489)
Section 51-1R
Madison County
Contract No. 76A46

Item No. 125, January 16, 2026 Letting
Addendum A

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Revised pages i-iii of the Table of Contents of the Special Provisions.
2. Added pages 36A-C to the Special Provisions.

Prime contractors must utilize the enclosed material when preparing their bid and must include any changes to the Schedule of Prices in their bid.

Very truly yours,

A handwritten signature in black ink, appearing to read "Jack A. Elston".

Jack A. Elston, P.E.
Bureau Chief, Design and Environment

MTS

TABLE OF CONTENTS

LOCATION OF PROJECT	1
DESCRIPTION OF PROJECT	1
EMBANKMENT	4
SEEDING, CLASS 2	4
CONCRETE PAD REMOVAL	4
RETAINING WALL REMOVAL	5
BRIDGE APPROACH SHOULDER REMOVAL	5
HOT-MIX ASPHALT DRIVEWAY PAVEMENT REMOVAL	6
APPROACH SLAB REMOVAL	6
FENCE REMOVAL	6
STORM SEWER, (WATER MAIN QUALITY PIPE)	7
CONNECTING NEW/EXISTING PIPE DRAINS TO NEW/EXISTING INLETS OR STRUCTURES	9
RIGHT-OF-WAY AND PROPERTY CORNERS	9
REQUIRED SEQUENCE OF CONSTRUCTION	10
INTERIM COMPLETION DATE AND FINAL COMPLETION DATE	10
INTERIM COMPLETION DATE INCENTIVE/DISINCENTIVE	11
TRAFFIC CONTROL AND PROTECTION, (SPECIAL)	11
TRAFFIC CONTROL PLAN	12
DETOUR SIGNING	14
PAINT PAVEMENT MARKING CURB	14
ETHERNET SWITCH	15
VIDEO VEHICLE DETECTION SYSTEM	19
TRAFFIC SIGNAL TURN-ON AND FINAL INSPECTION	26
SEQUENCE OF TRAFFIC SIGNAL CONSTRUCTION	27
MAINTENANCE OF EXISTING ELECTRICAL DEVICES	28
REMOVE EXISTING HANDHOLE	28
REMOVE EXISTING CONCRETE FOUNDATION	29
TEMPORARY TRAFFIC SIGNAL TIMING	29
MODIFY EXISTING CONTROLLER CABINET	30
MAINTENANCE OF EXISTING TRAFFIC SIGNAL	30
REMOVE EXISTING TRAFFIC SIGNAL EQUIPMENT	32
BOLLARDS	33
FOLD DOWN BOLLARDS	33
WOOD RAIL	33
REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES	37

FAP ROUTES 586/586A/592 (IL 162/IL 157)
 PROJECT NHPP-STP-HSIP-6ATA(489)
 SECTION 51-1R
 MADISON COUNTY
 CONTRACT NO. 76A46

PEDESTRIAN TRUSS SUPERSTRUCTURE	37
BRIDGE DECK CONSTRUCTION	39
PREFORMED PAVEMENT JOINT SEAL.....	40
BAR SPLICERS, HEADED REINFORCEMENT	46
ACCESSIBLE PEDESTRIAN SIGNALS (APS) (BDE)	48
AGGREGATE SUBGRADE IMPROVEMENT (BDE)	49
BITUMINOUS MATERIALS COST ADJUSTMENTS (BDE)	51
BUILDING REMOVAL (BDE).....	53
CEMENT, FINELY DIVIDED MINERALS, ADMIXTURES, CONCRETE, AND MORTAR (BDE).....	54
COMPENSABLE DELAY COSTS (BDE).....	70
CONCRETE SEALER (BDE).....	73
CONSTRUCTION AIR QUALITY – DIESEL RETROFIT (BDE).....	73
FUEL COST ADJUSTMENT (BDE).....	75
HOT-MIX ASPHALT (BDE).....	77
HOT-MIX ASPHALT – LONGITUDINAL JOINT SEALANT (BDE)	80
PAVEMENT MARKING INSPECTION (BDE).....	81
PERFORMANCE GRADED ASPHALT BINDER (BDE).....	81
PREFORMED PLASTIC PAVEMENT MARKING (BDE)	87
REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (BDE)	88
SEEDING (BDE)	89
SHORT TERM AND TEMPORARY PAVEMENT MARKINGS (BDE).....	94
SIGN PANELS AND APPURTENANCES (BDE).....	97
SOURCE OF SUPPLY AND QUALITY REQUIREMENTS (BDE)	98
STEEL COST ADJUSTMENT (BDE).....	99
SUBCONTRACTOR AND DBE PAYMENT REPORTING (BDE)	103
SUBCONTRACTOR MOBILIZATION PAYMENTS (BDE)	103
SUBMISSION OF BIDDERS LIST INFORMATION (BDE).....	104
SUBMISSION OF PAYROLL RECORDS (BDE).....	104
SURFACE TESTING OF PAVEMENTS – IRI (BDE)	105
SURVEYING SERVICES (BDE).....	111
TRAFFIC SIGNAL BACKPLATE (BDE).....	111
TRAINING SPECIAL PROVISIONS (BDE)	111
IDOT TRAINING PROGRAM GRADUATE ON-THE-JOB TRAINING SPECIAL PROVISION.....	114
VEHICLE AND EQUIPMENT WARNING LIGHTS (BDE)	116
WOOD SIGN SUPPORT (BDE).....	116
WORK ZONE TRAFFIC CONTROL DEVICES (BDE)	116
PROJECT LABOR AGREEMENT	119

FAP ROUTES 586/586A/592 (IL 162/IL 157)
PROJECT NHPP-STP-HSIP-6ATA(489)
SECTION 51-1R
MADISON COUNTY
CONTRACT NO. 76A46

STORM WATER POLLUTION PREVENTION PLAN.....	137
404 PERMIT.....	147
IDNR PERMIT	173



REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES

Description. This work shall consist of the removal and disposal of regulated substances according to Section 669 of the Standard Specifications as revised below.

Contract Specific Work Areas. For stationing, the lateral distance is measured from centerline and the farthest distance is the offset distance or construction limit, whichever is less.

The following contract specific work areas shall be monitored by the Environmental Firm for soil contamination and workers protection.

ISGS Site 1707B/V-07 -The Garden Kingdom, 3711 N. Bluff Road, Glen Carbon, Madison County, Illinois

- Station 589+55 to Station 591+15 (IL 157), 0 to 60 feet LT: The Engineer has determined this material meets the criteria of, and shall be managed in accordance with Article 669.05(a)(5). COC sampling parameters: chromium, lead, manganese, benzo(a)pyrene, benzo(b)fluoranthene, vanadium.
- During due-diligence, the engineer determined that an Engineered Barrier may be required due to concentrations of manganese exceeding the construction worker ingestion site remediation objective.

ISGS Site 1707B/V-09 - Vacant Lot, 3700 block of N. Bluff Road, Glen Carbon, Madison County, Illinois

- Station 587+50 to Station 588+50 (IL 157), 0 to 50 feet RT: The Engineer has determined this material meets the criteria of, and shall be managed in accordance with Article 669.05(a)(3). COC sampling parameters: benzo(a)pyrene, benzo(b)fluoranthene, dibenzo(a,h)anthracene.

ISGS Site 1707B/V-15 - The Cabin at Judy Creek, 3730 N. Bluff Road, Glen Carbon, Madison County, Illinois

- Station 586+80 to Station 587+50 (IL 157), 0 to 50 feet RT: The Engineer has determined this material meets the criteria of, and shall be managed in accordance with Article 669.05(a)(3). COC sampling parameters: benzo(a)pyrene, lead.

ISGS Site 1707B/V-16 - Residential Building, 3734-3738B N. Bluff Road, Glen Carbon, Madison County, Illinois

- Station 585+35 to Station 586+80 (IL 157), 0 to 70 feet RT: The Engineer has determined this material meets the criteria of, and shall be managed in accordance with Article 669.05(a)(3). COC sampling parameters: benzo(a)pyrene.

ISGS Site 1707B/V-18 – Judy's Branch Creek, 3700 Block of N. Bluff Road, Glen Carbon, Madison County, Illinois

- Station 584+10 to Station 585+35 (IL 157), 0 to 180 feet RT: The Engineer has determined this material meets the criteria of, and shall be managed in accordance with Article 669.05(a)(3). COC sampling parameters: benzo(a)pyrene.



ISGS Site 1707B/V-21 - Vacant Lot, 5600 Block of IL 162, Glen Carbon, Madison County, Illinois

- Station 18+85 to Station 20+10 (IL 162), 0 to 70 feet LT: The Engineer has determined this material meets the criteria of, and shall be managed in accordance with Article 669.05(a)(3). COC sampling parameters: benzo(a)pyrene, lead.
- Station 20+10 to Station 21+15 (IL 162), 0 to 60 feet LT: The Engineer has determined this material meets the criteria of, and shall be managed in accordance with Article 669.05(a)(1). COC sampling parameters: manganese, benzo(a)pyrene.

ISGS Site 1707B/V-22 - Ameren Peters II Station, 5633 IL 162, Glen Carbon, Madison County, Illinois

- Station 21+15 to Station 23+00 (IL 162), 0 to 90 feet LT: The Engineer has determined this material meets the criteria of, and shall be managed in accordance with Article 669.05(a)(3). COC sampling parameters: benzo(a)pyrene, benzo(b)fluoranthene, dibenzo(a,h)anthracene, indeno(1,2,3-cd)pyrene.
- Station 25+50 to Station 26+75 (IL 162), 0 to 60 feet LT: The Engineer has determined this material meets the criteria of, and shall be managed in accordance with Article 669.05(a)(3). COC sampling parameters: benzo(a)pyrene.

ISGS Site 1707B/V-25 - Wheel Ranch Park, 1-36 Wheel Ranch Park, Glen Carbon, Madison County, Illinois

- Station 578+50 to Station 582+20 (IL 157), 0 to 100 feet RT: The Engineer has determined this material meets the criteria of, and shall be managed in accordance with Article 669.05(c). COC sampling parameters: manganese.
- Station 582+20 to Station 583+20 (IL 157), 0 to 120 feet RT: The Engineer has determined this material meets the criteria of, and shall be managed in accordance with Article 669.05(a)(5). COC sampling parameters: benzo(a)pyrene, benzo(b)fluoranthene, dibenzo(a,h)anthracene, indeno(1,2,3-cd)pyrene, manganese.
- Station 20+10 to Station 25+10 (IL 162), 0 to 80 feet RT: The Engineer has determined this material meets the criteria of, and shall be managed in accordance with Article 669.05(a)(3). COC sampling parameters: benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, dibenzo(a,h)anthracene, indeno(1,2,3-cd)pyrene.

ISGS Site 1707B/V-28 - Commercial Buildings, 2202 N Bluff Road, Glen Carbon, Madison County, Illinois

- Station 572+00 to Station 574+65 (IL 157), 0 to 100 feet RT: The Engineer has determined this material meets the criteria of, and shall be managed in accordance with Article 669.05(a)(5). COC sampling parameters: benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(k)fluoranthene, carbazole, dibenzo(a,h)anthracene, indeno(1,2,3-cd)pyrene, lead, manganese, antimony, pH.
- Station 574+65 to Station 575+50 (IL 157), 0 to 100 feet RT: The Engineer has determined this material meets the criteria of, and shall be managed in accordance with Article 669.05(c). COC sampling parameters: manganese
- Station 575+50 to Station 576+50 (IL 157), 0 to 100 feet RT: The Engineer has determined this material meets the criteria of, and shall be managed in accordance with Article 669.05(a)(3). COC sampling parameters: benzo(a)pyrene, dibenzo(a,h)anthracene.



- Station 576+50 to Station 578+50 (IL 157), 0 to 100 feet RT: The Engineer has determined this material meets the criteria of, and shall be managed in accordance with Article 669.05(c). COC sampling parameters: manganese.
- During due-diligence, the engineer determined that an Engineered Barrier may be required due to concentrations of benzo(a)pyrene exceeding the construction worker ingestion site remediation objective.

Work Zones. Three distinct OSHA HAZWOPER work zones (exclusion, decontamination, and support) shall apply to projects adjacent to or within sites with documented leaking underground storage tank (LUST) incidents, or sites under management in accordance with the requirements of the Site Remediation Program (SRP), Resource Conservation and Recovery Act (RCRA), or Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), or as deemed necessary. For this project, the work zones apply for the following ISGS PESA Sites: **None**

Additional information on the contract specific work areas listed above collected during the regulated substances due-diligence process is available through the District's Environmental Studies Unit (DESU).