
## STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

EXISTING DECK BEAM

cast in place inserts with a

certified min. proof load of

5,000 Lbs.



## NOTES

Detail I - With Bar Splicer or Couplers:

Connect one (1) 1"x7"x10" steel 1 to the
top layer of couplers with 2-58" \$\phi\$ bolts
screwed to coupler at approximate \$\mathbb{L}\$ of
each barrier panel.

\*\*\* Dimension shown is minimum required embedment into concrete.
If hot-mix asphalt wearing surface is present, minimum embedment

\*\*\*\* If existing deck beam is to remain in place after stage construction,

shall be in addition to wearing surface depth.

Detail II - With Extended Reinforcement Bars:

Connect one (1) I''x7''x 10'' steel ₱ to the concrete slab or concrete wearing surface with 2-5<sub>8</sub>'' \$

Expansion Anchors or cast in place inserts spaced between the top layer of reinforcement at approximate € of each barrier panel.

Cost of anchorage is included with Temporary Concrete Barrier.


The 1" x 7" x 10" plate shall not be removed until stage II construction forms and all reinforcement bars are in place and the concrete is ready to be placed.

## SECTIONS THRU SLAB OR DECK BEAM

- \*\* Wood blocks may be omitted when required to provide minimum stage traffic lane width. When the wood blocks are omitted, the concrete barrier shall be in direct contact with the steel retainer plate.

DETAIL II

"W" = Top bars spacing + 4"



## STEEL RETAINER P. 1" x 7" x 10"

\* Required only with Detail II

TEMPORARY CONCRETE BARRIER

FOR STAGE CONSTRUCTION

STRUCTURE NO. 016-0973

,	LIN ENGINEERING,LTD.  Consulting Engineers  Chatham, Illinois	SHEET NO. 3	F.A.I. RTE,	SECTION			COUNTY	TOTAL SHEETS	SHEET NO.
			290	(531-3.1,0305-302K)RS-5		COOK	314	140	
		11 SHEETS	,				CONTRACT NO. 60138		
Designed By: ESH	Checked By: MTH Drawn By: TBP		FED. ROAD DIST. NO.   ILLINOIS FED. A			FFD AT	D PROJECT		
late: 12/2009	File: 016-0973.dgn		1 66 110	MD D1011 1101	122111010	1 202 111	D I MODEO!		

DETAIL I

\*\*Wood blocks

-Top Layer Splicer

— ₱ 1" x 7" x "W"

2-5<sub>8"</sub> \$\phi\$ Bolts