

STANDARD BAR SPLICER ASSEMBLY

Minimum Lap Lengths								
Bar size to be spliced	Table 1	Table 2	Table 3	Table 4				
3, 4	1'-5''	1'-11''	2'-1"	2'-4"				
5	1'-9''	2'-5''	2'-7''	2'-11''				
6	2'-1''	2'-11''	3'-1''	3'-6"				
7	2'-9''	3′-10′′	4'-2"	4'-8''				
8	3'-8''	5′-1′′	5′-5′′	6'-2"				
9	4'-7''	6′-5′′	6'-10''	7′-9′′				

Table 1: Black bar, 0.8 Class C

Table 2: Black bar, Top bar lap, 0.8 Class C


Table 3: Epoxy bar, 0.8 Class C

Table 4: Epoxy bar, Top bar lap, 0.8 Class C

Threaded splicer bar length = min. lap length + $1_2''$ + thread length

* Epoxy not required on Bar Splicer Assembly components used in conjunction with black bars.


14 179		
#/	16	Table 4
#5	8	Table 4
	#5	#5 8



BAR SPLICER ASSEMBLY FOR #5 BAR ON INTEGRAL OR SEMI-INTEGRAL ABUTMENTS

No. required =


STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION




INSTALLATION AND SETTING METHODS

"A": Set bar splicer assembly by means of a template bolt.
"B": Set bar splicer assembly by nailing to wood forms or cementing to steel forms.

(E): Indicates epoxy coating.





STANDARD MECHANICAL SPLICER

Location	Bar size	No. assemblies required

NOTES

Splicer bars shall be deformed $\overline{\it with threaded}$ ends and have a minimum 60 ksl yield strength.

All reinforcement shall be lapped and tied to the splicer bars.

Bar splicer assemblies shall be epoxy coated according to the requirements for reinforcement bars. See Section 508 of the Standard Specifications. See special provision for Mechanical Splicers.

See approved list of bar splicer assemblies and mechanical splicers for alternatives.

BAR SPLICER ASSEMBLY AND MECHANICAL SPLICER DETAILS STRUCTURE NO. 016-0371

LIN ENGINEERING,LTD. Consulting Engineers Chatham, Illinois	SHEET NO. 11	F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
		290	(531-3.1,0305-302K)RS-5	COOK	314	159
	11 SHEETS			CONTRACT NO. 60138		
Designed By: ESH Checked By: MTH Drawn By: TBP Date: 12/2009 File: 016-0371.dgn	-	FED. RC	AD DIST. NO ILLINOIS FED. A	D PROJECT		