


NOTES:


- 1. DETAILS SHOWN ARE FOR INFORMATION ONLY AND DEPICT PLANS FOR THE CONSTRUCTION OF EXISTING ITEMS TO BE RELOCATED.
- 2. "RELOCATE WATER METER AND VALVE WITH CAGED ENCLOSURE, COMPLETE" INCLUDES ALL WORK AND MATERIALS NECESSARY TO RELOCATE THE EXISTING WATER METER, RPZ VALVE, AND CAGED ENCLOSURE TO THE LOCATION SHOWN ON THE PLANS, INCLUDING ALL WATER AND DRAIN CONNECTIONS.
- 3. "RELOCATE FLOOR DRAIN, COMPLETE" INCLUDES ALL WORK AND MATERIALS NECESSARY TO RELOCATE THE FLOOR DRAIN TO THE LOCATION SHOWN ON THE PLANS, INCLUDING ALL DRAIN CONNECTIONS AND RECONSTRUCTION OF THE DRYWELL.
- 4. "RELOCATE WATER FOUNTAIN, COMPLETE" INCLUDES ALL WORK AND MATERIALS NECESSARY TO RELOCATE THE EXISTING WATER FOUNTAIN SYSTEM TO THE LOCATION SHOWN ON THE PLAN, INCLUDING CONCRETE FOUNDATION AND ALL WATER AND DRAIN CONNECTIONS.
- 5. THE CONTRACTOR MUST OBTAIN A LOCAL BUILDING PERMIT THROUGH THE CITY OF EVANSTON DEPARTMENT OF COMMUNITY DEVELOPMENT FOR THIS WORK.



BASE BID PLUMBING SYSTEM
FOR INFORMATION ONLY


WATER METER, RPZ VALVE, WATER FOUNTAIN, AND DRY WELL DETAILS

DRY WELL FOR INFORMATION ONLY



NOTES:

- 1. THE CONTRACTOR MUST FOLLOW REQUIREMENTS OF ARTICLE 201.05 OF THE IDOT STANDARD SPECIFICATIONS FOR PROTECTION OF EXISTING PLANT MATERIAL.
- 2. NO PARKING, MANEUVERING OF MACHINERY, STOCKPILING
 OF MATERIALS, OR ANY OTHER USE ALLOWED ON UNPAVED
 AREAS WITHIN 10FT OF THE ROOT ZONE OF TREES OR PLANTS
 DESIGNATED TO BE PROTECTED.
- 3. TEMPORARY FENCING MAY BE USED IN PLACE OF BANDED BOARDS FOR MULTISTEM TREES, SAPLINGS, SHRUBS, AND AS DIRECTED BY THE ENGINEER.
- 4. THE TREE ROOT ZONE (DRIP LINE) IS IDENTIFIED AS THE AREA DIRECTLY LOCATED UNDER THE OUTER CIRCUMFERENCE OF THE TREE BRANCHES.



PLAN

NOTES:

- 1. THE CONTRACTOR MUST FOLLOW REQUIREMENTS OF ARTICLE 201.06 OF THE IDOT STANDARD SPECIFICATIONS FOR CARE OF EXISTING PLANT MATERIAL.
- 2. ALL PRUNING MUST BE PERFORMED BY A PROFESSIONAL ARBORIST IN THE PRESENCE OF THE ENGINEER.
- ROOT PRUNING USING AN APPROVED MECHANICAL ROOT PRUNING SAW SHALL BE PERFORMED PRIOR TO DIGGING.
- 4. THE CONTRACTOR MUST ROOT PRUNE ALONG THE EXCAVATION LINE WHERE IT INTERSECTS THE TREE ROOT ZONE.

C-91-338-0

ROOT PRUNING

A ECOM	USER NAME = czosnykab	DESIGNED - BMC	REVISED -
		DRAWN - LM	REVISED -
	PLOT SCALE =	CHECKED - SLW	REVISED -
	PLOT DATE = 12/01/2029	DATE - 12/01/2009	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

	CRUI RETAILC					F.A. SECTION		COUNTY	TOTAL SHEETS	SHEET NO.	
CIVIL DETAILS						ITEP	07-00246-00-BT	COOK	81	42	
								NO. 102121	CONTRACT NO. 63423		
	SCALE: NONE	SHEET NO.	OF	SHEETS	STA.	TO STA.	FED. RO	FED. ROAD DIST, NO. ILLINOIS FED. AID PROJECT			