F.A.S. RTE.	A.S. SECTION				COUNTY			TO SHE	TAL ETS	SHEE NO.
317	3	6	BR		I	ROQU	OIS.		21	2
STA. 1248+00					TO STA.1254+50					
rrn no	AD DICT	AIO.		71 / 78	OTC	rrn	410	000	IFOT	

CONTRACT NO. 66171

GENERAL NOTES
(Revised May 13, 2009)

THE THICKNESS OF HMA SHOWN ON THE PLANS IS THE NOMINAL THICKNESS. DEVIATIONS FROM THE NOMINAL THICKNESS WILL BE PERMITTED WHEN SUCH DEVIATIONS OCCUR DUE TO IRREGULARITIES IN THE EXISTING SURFACE OR BASE ON WHICH THE HMA IS PLACED.

EXCEPT AS NOTED ON THE PLANS, PAVEMENT GRADES SHOWN ARE AT THE TOP OF PAVEMENT SURFACES.

THE ENGINEER WILL BE THE SOLE JUDGE CONCERNING CURING TIME FOR THE VARIOUS HMA LIFTS.

FOR STABILIZATION, ALL TYPE III BARRICADES SHALL REQUIRE A MINIMUM OF FOUR SAND BAGS PER BARRICADE.

SEEDING SHALL NOT BE PERMITTED AT ANY TIME WHEN THE GROUND IS FROZEN, WET, OR IN AN UNTILLABLE CONDITION. LOCATIONS TO BE SEEDED WILL BE DETERMINED BY THE ENGINEER.

THE FINISHED EARTHWORK SHALL HAVE A VEGETATION SUSTAINING SOIL COVERING THE TOP FOUR INCHES IN AREAS TO BE SEEDED OR SODDED. THE VEGETATION SUSTAINING SOIL REQUIRED WILL NOT BE PAID FOR SEPARATELY BUT SHALL BE INCLUDED IN THE COSTOSTI OF EARTH EXCAVATION.

ON EXISTING PAVEMENT WHICH MAY BE SUPERELEVATED, THE NEW HMA PAVEMENT SHALL BE BUILT WITH THE SAME SUPERELEVATION UNLESS NEW SUPERELEVATION RATES ARE GIVEN ON THE PLANS.

ALL ELEVATIONS REFERRING TO U.S.G.S. MEAN SEA LEVEL DATUM.

ABANDONED UNDERGROUND UTILITIES THAT CONFLICT WITH CONSTRUCTION SHALL BE DISPOSED OF OUTSIDE THE LIMITS OF THE RIGHT OF WAY ACCORDING TO ARTICLE 202.03 OF THE STANDARD SPECIFICATIONS AND AS DIRECTED BY THE ENGINEER. THIS WORK WILL NOT BE PAID FOR SEPARATELY, BUT SHALL BE INCLUDED IN THE COST OF EARTH EXCAVATION.

ANY REFERENCE TO A STANDARD IN THESE PLANS SHALL BE INTERPRETED TO MEAN THE EDITION AS INDICATED BY THE SUBNUMBER SHOWN IN THE LIST OF STANDARDS OR THE COPY INCLUDED IN THESE PLANS.

THE FOLLOWING RATES OF APPLICATION HAVE BEEN USED IN CALCULATING PLAN QUANTITIES:

2.05	TONS / CU YD	٦
0.08	GAL / SQ YD	
0.05	GAL / SQ YD	
		1
0.002	TONS / SQ YD	٦
112	LBS / SQ YD / IN	٦
10	FT /100 FT OF APPLICATION	٦
0.0003	TONS / SQ YD	٦
0.0005	TONS / SQ YD	٦
5	TONS AGGREGATE	٦
	0.08 0.05 0.002 112 10 0.0003 0.0005	0.08 GAL / SQ YD  0.05 GAL / SQ YD  0.002 TONS / SQ YD  112 LBS / SQ YD / IN  10 FT /100 FT OF APPLICATION 0.0003 TONS / SQ YD  0.0005 TONS / SQ YD

MEMBERS OF JULIE KNOWN TO BE WITHIN THE LIMITS OF THE IMPROVEMENT ARE:

AMEREN CIPS NICOR GAS COMCAST CABLE PAXTON, IL NAPERVILLE, IL SOUTH HOLLAND, IL

THE CONTRACTOR SHALL CONTACT JULIE AT LEAST 48 HOURS PRIOR TO EXCAVATION TO DETERMINE WHICH UTILITIES ARE IN THE AREA.

		*		
REVIEWED BY:	***********	Din Zustrict studies	mu Z & PLANS	ENGINEER
DATE:				<u>i</u> :
EXAMINED BY:		Serbust DISTRICT CONST	RUC ZON EN	GINFFR
	_	/1/2 - 2	1 7/1/6	
		DISTRICTOMATE	RIALS ENG	NEER Hay
		Same of	Muchan	
		DISTRICT OPER	ATIONS ENG	INEER
		ILLINOIS DEPA	RTMENT OF TRA	ANSPORTATION
REVISIONS				
NAME	DATE	GE	NERAL NO	TES

SCALE: VERT. NONE

DATE 01/14/05

DRAWN BY LLQ

CHECKED BY MEB

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
DISTRICT THREE