

SIDEROAD AND ENTRANCE SCHEDULE

STATION	LOCATION	DESCRIPTION	ROADWAY	AREA	INC. BIT. SURF.	HMA SURFACE CSE. N70	BIT. MAT'L (PR. CT.)	AGG. (PR. CT.)	PCC SURF. REM BUTT JT.	BIT. SURF. REM. BUTT JT.	FURNISHED EXCAVATION	AGG. SURF. TY. B
					TON	TON	GAL	TON	SQ YD	SQ YD	CU YD	TON
491+67		BEGIN PROJECT WCL										
492+46	RT	CONC.		88	7.4		7	0.2	35.2		10	
494+04	RT	CONC.		88	7.4		7	0.2	35.2		10	
496+53	RT	BIT. & GRAVEL		27.7	2.3		2.2	0.1		6.7	10	0.5
497+38	RT	BIT. & GRAVEL		27.7	2.3		2.2	0.1		6.7	10	0.5
497+75	LT	BIT. & GRAVEL		27.7	2.3		2.2	0.1		6.7	10	0.5
498+85	RT	BIT. & GRAVEL		27.7	2.3		2.2	0.1		6.7	10	0.5
499+65	RT	BIT. & GRAVEL		27.7	2.3		2.2	0.1		6.7	10	0.5
501+25	RT	BIT. & GRAVEL		27.7	2.3		2.2	0.1		6.7	10	0.5
502+63	LT	BIT. & GRAVEL		27.7	2.3		2.2	0.1		6.7	10	0.5
503+90	LT	BIT.		27.7	2.3		2.2	0.1		6.7	10	
505+20	LT	BIT.		27.7	2.3		2.2	0.1		6.7	10	
507+85	LT	BIT.		27.7	2.3		2.2	0.1		6.7	10	
510+65	LT	BIT.		27.7	2.3		2.2	0.1		6.7	10	
512+55	RT	BIT. & GRAVEL		27.7	2.3		2.2	0.1		6.7	10	0.5
515+07	RT	CONC.		27.7	2.3		2.2	0.1		6.7	10	
515+25	LT	BIT.		27.7	2.3		2.2	0.1		6.7	10	
517+05	LT	BIT.	CRYSTAL LN.				0	0.0		53.3	95	
518+20	RT	CONC.	JAN ST.				0	0.0	53.3		95	
518+45	LT	BIT. & GRAVEL		27.7	2.3		2.2	0.1		6.7	10	0.5
518+90	RT	BIT.		27.7	2.3		2.2	0.1		6.7	10	
519+75	RT	BIT.		27.7	2.3		2.2	0.1		6.7	10	
520+35	LT	BIT.		27.7	2.3		2.2	0.1		6.7	10	
522+65	LT	CONC.	WALCREST DR.				0	0.0	53.3		95	
522+90	RT	CONC.	METZ LN.				0	0.0	53.3		95	
523+67	LT	BIT.		27.7	2.3		2.2	0.1		6.7	10	
524+15	RT	BIT.	WITH MBTO	27.7	4		2.2	0.1		6.7	10	
526+90	LT	CONC.		27.7	2.3		2.2	0.1		6.7	10	
527+20	RT	BIT. & GRAVEL		27.7	2.3		2.2	0.1		6.7	10	0.5
528+10	RT	BIT. & GRAVEL		27.7	2.3		2.2	0.1		6.7	10	0.5
529+10	LT	CONC.	ASPEN RD.				0	0.0	53.3		95	
529+90	RT	BIT. & GRAVEL		27.7	2.3		2.2	0.1		6.7	10	0.5
530+10	LT	CONC.		27.7	2.3		2.2	0.1		6.7	10	
531+60	LT	BIT.	C.E.	27.7	2.3		2.2	0.1		6.7	10	
532+80	LT	BIT.	C.E.	27.7	2.3		2.2	0.1		6.7	10	
533+50	LT	BIT.	CALHOUN ST.	107.7			8.6	0.2			95	
533+50	RT	BIT.		27.7	2.3		2.2	0.1		6.7	10	
534+10	RT	CONC.		27.7	2.3		2.2	0.1		6.7	10	
535+60	LT	BIT. & CONC.		27.7	2.3		2.2	0.1		6.7	10	
535+90	RT	BIT. & CONC.		27.7	2.3		2.2	0.1		6.7	10	
536+10	RT	BIT.		27.7	2.3		2.2	0.1		6.7	10	
537+00	RT & LT	BIT AND CONC.		55.4	4.7		4.4	0.1		6.7	10	
537+67	RT & LT	BIT.	CLAY ST	284.8			23.9	0.6				
541+95	RT & LT	BIT.	JACKSON ST.	256.4			21.5	0.5				
547+01	RT & LT	BIT.	WEBSTER ST.	220			18.5	0.4				
550+18	RT & LT	BIT.	FIRST ST.	979			82.2	2.0				
555+30	RT & LT	BIT.	SECOND ST.	226			19	0.5				
559+85	RT & LT	BIT.	THIRD ST.	262			22	0.5				
564+39	RT & LT	BIT.	FOURTH ST.	262			22	0.5				
569+46	RT & LT	BIT.	FIFTH ST.	276			23.2	0.6				
573+52	RT & LT	BIT.	SIXTH ST.	262			22	0.5				
576+77	RT & LT	BIT.	SEVENTH ST.	251			21.1	0.5				
580+97	LT	BIT.	EIGHTH ST.	169			14.2	0.3				
585+16	LT	BIT.	NINTH ST.	109			9.2	0.2				
589+37	LT	BIT.	TENTH ST.	102			8.6	0.2				
591+57		END PROJECT ECL										
TOTAL					94.8	366.4	390.3	11.2	283.6	274.4	920	6

CLASS D PATCHING SCHEDULE

STATION	SIDE	SIZE	TYPE II SQ YD
494+15	EB	6' X 12'	8
495+54	EB & WB	6' X 12'	8
497+53	EB & WB	6' X 12'	8
497+79	EB	6' X 12'	8
501+64	EB & WB	6' X 12'	8
502+23	EB & WB	6' X 12'	8
504+39	EB	6' X 12'	8
505+92	EB & WB	6' X 12'	8
506+61	EB & WB	6' X 12'	8
507+14	EB & WB	6' X 12'	8
507+66	EB & WB	6' X 12'	8
509+83	EB & WB	6' X 12'	8
510+83	EB & WB	8' X 12'	11
511+62	EB	6' X 12'	8
512+47	EB & WB	6' X 12'	8
513+21	EB & WB	6' X 12'	8
515+21	EB & WB	6' X 12'	8
515+95	EB & WB	6' X 12'	8
517+33	EB & WB	6' X 12'	8
518+07	EB & WB	6' X 12'	8
518+86	EB & WB	6' X 12'	8
519+12	EB	6' X 12'	8
519+75	EB & WB	6' X 12'	8
520+28	EB & WB	6' X 12'	8
520+81	EB & WB	6' X 12'	8
524+19	EB & WB	6' X 12'	8
524+98	EB & WB	6' X 12'	8
526+20	EB & WB	6' X 12'	8
531+05	EB & WB	6' X 12'	8
531+79	EB & WB	6' X 12'	8
534+59	EB & WB	8' X 12'	11
542+51	EB	10' X 12'	13
	WB	8' X 12'	11
544+04	EB	10' X 12'	13
	WB	8' X 12'	11
545+26	WB	8' X 12'	11
551+59	EB	6' X 12'	8
571+82	EB	6' X 12'	8
576+51	EB	6' X 12'	8
TOTAL			336

SUBGRADE REPAIR SCHEDULE

LOCATION AT 1ST STREET	SUB-BASE GRANULAR MATERIAL	GEOTECHNICAL FABRIC FOR GROUND STABILIZATION
	12" SQ YD	SQ YD
542+51 EB	13	13
542+51 WB	11	11
544+04 EB	13	13
544+04 WB	11	11
545+26 WB	11	11
551+59 EB	8	8
TOTAL	67	67

(SEE DETAIL)