


## DETAIL OF IMPACT ATTENUATORS (NON-REDIRECTIVE) TEST LEVEL 3

88' MEDIAN





SECTION A-A
GRADING AND SHAPING DETAIL



BASE DETAIL

## GENERAL NOTES

- 1. ALL 10:1 SLOPES SHOWN ON THIS DETAIL SHALL BE CONSTRUCTED 10:1 OR FLATTER.
- 2. THE SLOPES AS SHOWN ON THIS DETAIL SHALL APPLY TO BOTH ENDS OF THE BRIDGE PIERS.
- 3. THE LENGTH X WIDTH OF MODULE LAYOUT IS 41.0' x 7.0': 19 MODULES 14,400 LBS.
- 4. IN AREAS OF 10:1 SLOPES PRECEDING THE ATTENUATOR IN THE MEDIAN INSTALLATION, FOUR OR MORE WOOD POSTS SHALL BE PLACED AT 5' INTERVALS IN THE MEDIAN . SEE SPECIAL PROVISIONS AND SCHEDULES.

ALL DIMENSIONS ARE IN FEET UNLESS OTHERWISE SHOWN.

FILE NAME =	USER NAME = teasleyck	DESIGNED -	REVISED -	Γ
c:\projects\74250d\shtdetails_74250.dgn		DRAWN -	REVISED -	
	PLOT SCALE = 20.00000 '/ IN.	CHECKED -	REVISED -	
	PLOT DATE = 3/21/2008	DATE -	REVISED -	

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

							F.A.I RTE.	SECTION	COUNTY	TOTAL	SHEET NO.
1	DETAILS					72	D7 SAFETY 2008-3	MACON	70	21	
									CONTRACT	NO.	74250
	SCALE:	SHEET	NO.	OF	SHEETS	STA.	TO STA.	FED. ROAD DIST. NO. 7 ILLINOIS FED. AID PROJECT			