

F.A.I.	SECTION	COUNTY	SHEETS	NO.
94	\*	COOK	907	393
STA.	TO STA.			
FED. ROAD DIST. NO.	ILLINOIS	FED. AID	PROJECT	
\* (1516.1, 1717 & 1818) R-9	62695			

## NOTES

- 1. FOUR (4) EXISTING 31/2" DIAMETER STEEL CONDUITS SHALL BE REMOVED THAT SPAN I-94.
- 2. FOUR EXISTING  $31\!/_2$  DIAMETER ASBESTOS CEMENT DUCTS SHALL BE REMOVED BACK TO STATE ST. AND LAFAYETTE ST.
- 3. TWO (2) EXISTING  $3/\sqrt{2}$  DIAMETER ASBESTOS CEMENT DUCTS (2 LOCATIONS) SHALL BE REMOVED THAT SPAN 75TH STREET FROM MANHOLE TO MANHOLE.
- 4. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO VERIFY THE ACTIVE CONTENTS OF THE BANK OF FOUR (4) EXISTING  $3\frac{1}{2}$ " DIAMETER ASBESTOS CEMENT DUCTS/STEEL CONDUITS SPANNING I-94 AND TWO (2) EXISTING  $3\frac{1}{2}$ " DIAMETER ASBESTOS CEMENT DUCTS (2 LOCATIONS) SPANNING 76TH ST..
- 5. THE CONTRACTOR SHALL COORDINATE WITH THE CITY OF CHICAGO, BOE TO MAINTAIN THE SERVICE PROVIDED BY THE CABLES IN THESE DUCTS. PROVIDE MATERIALS AND LABOR FOR THE CITY OF CHICAGO, BOE THAT MAY BE REQUIRED FOR THE RE-INSTALLATION OF THE RACEWAYS AND CABLES AND FOR ANY TEMPORARY SERVICE. THIS WORK SHALL BE CONSIDERED INCLUDED IN THE CONTRACT UNIT PRICE FOR MAINTENANCE OF STREET LIGHTING SYSTEM (CITY OF CHICAGO).
- WHERE REQUIRED, THE CONTRACTOR SHALL PROVIDE TEMPORARY EQUIPMENT FOR MAINTAINING THE SERVICE AS SHOWN ON THE TEMPORARY TRAFFIC SIGNAL DRAWINGS.
- 7. WHERE REQUIRED, THE CONTRACTOR SHALL PROVIDE EXPANSION FITTINGS
- 8. PROPOSED MANHOLES AND CONDUITS SPANNING I-94 FROM INTERSECTION TO INTERSECTION IS TO BE INSTALLED AS SHOWN ON THE TRAFFIC SIGNAL PLANS.

LEGEND
PROPOSED EXISTING

MANHOLE

ASBESTOS CEMENT DUCTS TO REMAIN

ASBESTOS CEMENT DUCTS TO BE REMOVED

RIGID GALVANIZED STEEL CONDUIT (RGS)

RIGID PVC COATED GALVANIZED STEEL
CONDUIT OR PVC CONDUIT
AS SHOWN ON PLANS

WOOD POLE (TEMPORARY)

NAME DATE

REVISED 05/06/05

- ABS CEMENT DUCTS

SCALE: 1" = 20'-0"

SEE NOTE 8

ILLINOIS DEPARTMENT OF TRANSPORTATION
F.A.I. 94 (DAN RYAN EXPRESSWAY)

76TH STREET
CONDUIT
REMOVAL - INSTALLATION

SCALE: AS SHOWN
DATE: MARCH 25, 2005

DRAWN BY: RC CHECKED BY: ASN

INSTALLATION OF PROPOSED CITY OF CHICAGO CONDUIT

SEE NOTE 8

KNIGHT

Engineers & Architects

EXISTING

IN TRENCH (74'-0")

ABS CEMENT DUCTS -

墨172+00 -

SEE NOTE 8