
F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
90/94	2004-094 I	COOK	40	32
STA.		TO STA.		
FED. ROA	ND DIST. NO. 1 ILL1	VOIS FED. AID	PROJECT	

62835


DETAILS OF P.C.C. COMBINED CURB & GUTTER AND MODIFIED CURB & GUTTER

NOTE: H = VARIABLE (SEE PLAN)
Y = ONE HALF THE THICKNESS OF CONCRETE PAVEMENT OR CONCRETE BASE,
Z = 10" OR THICKNESS OF PAVEMENT - WHICHEVER IS GREATER


TYPE B-V.12



TYPE B-6.12 MOD



TYPE B OR TYPE 4 CURB



DEPRESSED CURB BARRIER CURB


JOINTS IN COMBINED CURB & GUTTER

TRANSVERSE JOINTS OF A TYPE SIMILAR TO THAT USED IN THE ADJACENT PAVEMENT SHALL BE INSTALLED IN THE COMBINED CURB & GUTTER IN PROLONGATION WITH THE JOINTS IN THE PAVEMENT. THE DETAILS OF THE TRANSVERSE JOINTS IN THE COMBINED CURB & GUTTER SHALL BE APPROVED BY THE ENGINEER. IF COMBINED CURB & GUTTER IS CONSTRUCTED ADJACENT TO A FLEXIBLE BASE PAVEMENT, 1" THICK EXPANSION JOINTS COMPOSED OF BITUMINOUS PREFORMED JOINT FILLER SHALL BE INSTALLED IN THE CURB AND/OR GUTTER AT POINTS OF CURVATURE AND AT CONSTRUCTION JOINTS. CONTRACTION JOINTS SHALL ALSO BE PLACED BETWEEN THESE EXPANSION JOINTS AT DISTANCES NOT EXCEEDING 20 FEET. ALL TIE BARS SHALL BE CORRUGATED - ALL DOWEL BARS SHALL BE SMOOTH.

BASIS OF PAYMENT


THE COST OF ALL JOINTS, INCLUDING LABOR, FURNISHING AND PLACING OF STEEL, FILLER AND ALL OTHER INCIDENTALS SHALL BE INCLUDED IN THE UNIT PRICES BID FOR TYPE B-V.12 COMBINATION CURB & GUTTER, TYPE B-6.12 (MODIFIED) COMBINATION CURB & GUTTER, OR TYPE B CURB.

DEPRESSED CURB & GUTTER



IF NO ITEM IS PROVIDED FOR DEPRESSED CURB AND GUTTER, IT SHALL BE PAID FOR AS TYPE B-V.12 COMBINATION CONCRETE CURB AND GUTTER.

CONCRETE CURB TYPE B (SPECIAL)



NO. 6 TIE BAR, EPOXY COATED 1 12" LONG @ 24" CENTERS

DATE

ILLINOIS DEPARTMENT OF TRANSPORTATION F.A.I. 90/94 (DAN RYAN EXPRESSWAY) 63rd ST TO 59th ST (SIDEWALKS & DRIVEWAYS)

> CITY STANDARD DETAILS CURB AND GUTTER DETAILS GUARDRAIL DETAIL

SCALE: NONE DATE: MARCH 04, 2005 DRAWN BY: JB CHECKED BY:

CTE ENGINEERS CONSOER TOWNSEND ENVIRODANE ENGINEERS, INC. 303 EAST WACKER DRIVE, SUITE 600 CHICAGO ILLWOIS 60601-5212, PHONE: (312) 938-0300