

TREE REMOVAL (6 TO 15 UNITS DIAMETER)					
STRUCTURE NO. 050-W001			STRUCTURE NO. 050-C803		
STATION	OFFSET	DIA	STATION	OFFSET	DIA
399+69	33' LT	13	401+55	33' LT	8
399+90	28' LT	8	401+77	33' RT	10
399+94	28' LT	7	401+82	35' LT	8
399+98	40' LT	7	401+83	37' LT	12
401+10	25' LT	6	401+88	33' LT	11
			401+97	38' LT	8
			401+98	48' LT	8
			402+00	24' LT	6
			402+01	51' RT	15
			402+18	23' LT	10
			402+18	69' RT	6
			402+19	25' LT	7
			402+20	77' RT	11
			402+20	36' RT	6
			402+27	29' RT	8
			402+60	29' RT	10
			402+65	65' RT	7
			402+72	35' LT	11
			402+74	29' RT	14
			402+74	38' RT	7
			402+80	61' RT	7
			402+81	48' LT	9
			402+87	27' LT	11
			402+89	39' LT	6
			402+91	25' LT	7
			402+96	30' LT	6
			402+99	24' LT	8
			403+12	32' LT	10
TOTAL		41			247
TOTAL TREE REMOVAL (6 TO 15 UNITS DIAMETER) = 288					
10% GROWTH RATE BASED ON SURVEY IN 2001 TOTAL = 317					

TREE REMOVAL (OVER 15 UNITS DIAMETER)		
STRUCTURE NO. 050-C803		
STATION	OFFSET	DIA
401+64	39' RT	16
401+64	30' RT	19
401+83	47' RT	19
402+10	48' RT	17
402+46	54' RT	16
402+60	42' RT	24
TOTAL		111
TOTAL TREE REMOVAL (OVER 15 UNITS DIAMETER) = 111		
10% GROWTH RATE BASED ON SURVEY IN 2001 TOTAL = 122		

TRENCH BACKFILL	
LOCATION	CU. YD.
STRUCTURE NO. 050-C803	
STA. 402+00	9
STA. 402+00 LT TO STA. 402+22 LT	2
TOTAL	11

CONCRETE REMOVAL	
LOCATION	CU. YD.
STRUCTURE NO. 050-C803	
STA. 402+22 LT	0.5
TOTAL	0.5

INLETS			
LOCATION	REMOVAL EACH	INLETS TY. A	INLETS TY. B
		TY. 3 FR & GR EACH	TY. 3 FR & GR EACH
STRUCTURE NO. 050-C803			
STA. 402+00 LT			1
STA. 402+22 LT	1	1	
TOTAL	1	1	1

GUARDRAIL			
LOCATION	REMOVAL	SPBGR-TY B	REFLECTORS
	FOOT	FOOT	EACH
STRUCTURE NO. 050-W001			
STA. 399+50 LT TO STA. 401+35 LT	175	175	8
STRUCTURE NO. 050-C803			
STA. 401+37 LT TO STA. 403+12 LT	175	175	8
STA. 401+37 RT TO STA. 403+12 RT	175	175	8
STRUCTURE NO. 050-W002			
STA. 403+70 LT TO STA. 405+44 LT	175	175	8
TOTAL	700	700	32

STORM SEWERS							
LOCATION	REMOVAL 12"	CLASS A, TY 1, 15"	PIPE DRAINS 4"	PIPE ELBOW 15"	PIPE DRAINS 15"	END SECTIONS 15"	MH. TY A, 6' DIA TY 1 FRAME, CLOSED LID
	FOOT	FOOT	FOOT	EACH	FOOT	EACH	EACH
STRUCTURE NO. 050-W001							
STA. 400+35 LT TO STA. 400+36 LT			35				
STRUCTURE NO. 050-C803							
STA. 402+00 LT TO STA. 402+00 RT		26					
STA. 402+00 RT				2	45	1	1
STA. 402+00 LT TO STA. 402+22 LT		22					
STA. 402+22 LT	25						
STRUCTURE NO. 050-W002							
STA. 404+39 LT			24				
TOTAL	25	48	59	2	45	1	1

BITUMINOUS MATERIALS					
LOCATION	BIT. MATLS. PRIME COAT	BIT. CONC. SURF. CSE. SUPERPAVE MIX "C" N50	BIT. SURFACE REMOVAL 1 1/2"	BIT. SHLDRS. SUPERPAVE 4 1/2"	BITUMINOUS STABILIZATION 6"
	GAL	TON	SQ. YD.	SQ. YD.	SQ. YD.
STRUCTURE NO. 050-C803					
STA. 401+52 TO STA. 403+12	46	40	421		
STA. 401+52 RT TO STA. 403+12 RT				40	
STA. 401+52 LT TO STA. 403+12 LT					30
TOTAL	46	40	421	40	30

PATCHES					
LOCATION	CLASS B PATCHES TYPE III, 7 INCH	PAVEMENT FABRIC	STRIP REFLECTIVE CRACK CONTROL TREATMENT	SAW CUTS	DOWEL BARS 1/4"
	SQ. YD.	SQ. YD.	FOOT	FOOT	EACH
STRUCTURE NO. 050-C803					
STA. 402+00	16	16	50	48	44
TOTAL	16	16	50	48	44

CURB AND GUTTER				
LOCATION	REMOVAL (SPECIAL)	TYPE B6.24	GUTTER, TY B	PROTECTIVE COAT
	FOOT	FOOT	FOOT	SQ. YD.
STRUCTURE NO. 050-W001				
STA. 399+90 LT TO STA. 400+89 LT			88	20
STRUCTURE NO. 050-C803				
STA. 401+52 LT TO STA. 403+12 LT		160		
STA. 401+60 LT TO STA. 403+10 LT	150			55
TOTAL	150	160	88	75

PAINT PAVEMENT MARKING-LINE		
LOCATION	SOLID EDGES WHITE, 4 INCH	SOLID NO PASS YELLOW, 4 INCH
	FOOT	FOOT
STRUCTURE NO. 050-C803		
STA. 401+52 TO STA. 403+12	320	320
TOTAL	320	320

RAISED REFLECTIVE PAVEMENT MARKER		
LOCATION	REMOVAL	RAISED REFLECTIVE PAVEMENT MARKER
	EACH	EACH
STRUCTURE NO. 050-C803		
STA. 401+52 TO STA. 403+12	5	5
TOTAL	5	5

SCHEDULE OF QUANTITIES
IL ROUTE 71 OVER TRIBUTARY TO ILLINOIS RIVER F.A.P. ROUTE 627 - SEC. (1-111-1) LA SALLE COUNTY