

DRAINAGE STRUCTURES

LOCATION STATION	OFFSET DISTANCE	INLETS, TYPE B, TYPE 3 FRAME AND GRATE	INLETS, TYPE B, TYPE 8 GRATE	INLETS, TYPE B, TYPE 1 FRAME, OPEN LID	INLET AND PIPE PROTECTION	REMOVING INLETS	STORM SEWER (WATER MAIN REQUIREMENTS) 12 INCH	STORM SEWER (WATER MAIN REQUIREMENTS) 15 INCH	CONCRETE COLLAR	PLUG EXISTING STORM SEWERS	STORM SEWER REMOVAL 15"	TRENCH BACKFILL
	FEET	EACH	EACH	EACH	EACH	EACH	FOOT	FOOT	EACH	EACH	FOOT	CU YD
10+41.91 GROVE ST	29.9 LT					1					61	
10+43.74 GROVE ST	34.1 LT		1		1			21				4
10+60.29 GROVE ST	16.4 LT	1						27				6
10+89.95 GROVE ST	14.5 LT	1					4		1			1
10+94.67 GROVE ST	14.0 LT					1						
10+99.73 GROVE ST	21.8 RT	1						36				6
59+08.67 US 54	60.7 RT			1		1		57			47	10
59+08.67 - 59+33.88 US 54										2		
59+76.52 - 60+11.59 US 54										2		
TOTALS		3	1	1	1	3	4	141	1	4	108	27

SODDING & TEMPORARY SEEDING

LOCATION STATION TO STATION	SODDING	SUPPLEMENTAL WATERING	NITROGEN FERTILIZER NUTRIENT	PHOSPHORUS FERTILIZER NUTRIENT	POTASSIUM FERTILIZER NUTRIENT	AGRICULTURAL GROUND LIMESTONE	TEMPORARY EROSION CONTROL SEEDING
	SQ YD	UNIT	POUND	POUND	POUND	TON	POUND
59+94.76 - 61+41.67 US 54	172	1.5	3	1	1	1	4
TOTALS	172	1.5	3	1	1	1	4

REVISIONS	
NAME	DATE

ILLINOIS DEPARTMENT OF TRANSPORTATION

SCHEDULE OF QUANTITIES
DRAINAGE STRUCTURES & SODDING

SCALE: NONE
DATE 12/16/03

DRAWN BY AJP
CHECKED BY SRD

Plot Date: 1/3/2005
 Plotted By: sdrachuk
 Pen Table: ddt.tbl
 Filename: I:\0203\Work\0-der-12\Construction\Plans\06-03_Schedule.dgn