

PIPE UNDERDRAINS 4" SCHEDULE

PIPE UNDERDRAINS 4" SCHEDULE

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
322	11-10	CHRISTIAN	310	18
STA.		TO STA.		
FED. ROAD DIST. NO.	ILLINOIS	FED. AID PROJECT		

LEFT OUTSIDE EDGE OF PAVEMENT										
PIPE UNDERDRAINS 4"					PIPE UNDERDRAINS 4" (SPECIAL)			CONNECT TO	CONCRETE HEADWALL	PREFORMED PLASTIC TYPE B, 5"
BEGIN STATION	END STATION	LENGTH FOOT	OUTLET STATION	LENGTH FOOT	CONNECT TO STR. NO.	CONCRETE HEADWALL EACH	PREFORMED PLASTIC TYPE B, 5" FOOT			
734+78.3	627.57	739+75.0	625.19	496.7	739+75.0	624.76	21.6	1	2.0	
739+75.0	625.19	741+01.6	625.70	126.6	739+75.0	624.76	21.6	1		
743+10.4	624.83	749+00.4	622.47	590.0	749+00.4	622.05	21.2	1	2.0	
778+00.0	619.55	781+00.0	618.35	300.0	781+00.0	617.81	26.9	1	2.0	
781+00.0	618.35	785+23.0	620.52	423.0	781+00.0	617.81	26.9	1		
785+23.0	620.52	787+10.5	619.77	187.5	787+10.5	619.33	22.0	1	2.0	
787+10.5	619.77	790+23.0	621.02	312.5	787+10.5	619.33	22.0	1		
790+23.0	621.02	792+10.5	620.27	187.5	792+10.5	619.83	22.0	1	2.0	
792+10.5	620.27	794+80.3	621.48	269.8	792+10.5	619.83	22.0	1		
796+80.6	621.44	798+50.0	620.59	169.4	798+50.0	620.24	17.3	1	2.0	
798+50.0	620.59	802+75.0	622.28	425.0	798+50.0	620.24	17.3	1		
802+75.0	622.28	804+62.0	621.52	187.0	804+62.0	621.08	22.0	1	2.0	
804+62.0	621.52	807+75.0	622.78	313.0	804+62.0	621.08	22.0	1		
807+75.0	622.78	809+62.0	622.02	187.0	809+62.0	621.58	22.0	1	2.0	
809+62.0	622.02	812+75.0	623.28	313.0	809+62.0	621.58	22.0	1		
812+75.0	623.28	814+62.0	622.52	187.0	814+62.0	622.08	22.0	1	2.0	
814+62.0	622.52	817+75.0	623.78	313.0	814+62.0	622.08	22.0	1		
817+75.0	623.78	819+62.0	623.02	187.0	819+62.0	622.58	22.0	1	2.0	
819+62.0	623.02	822+75.0	624.28	313.0	819+62.0	622.58	22.0	1		
822+75.0	624.28	824+62.0	623.52	187.0	824+62.0	623.08	22.0	1	2.0	
824+62.0	623.52	827+75.0	624.78	313.0	824+62.0	623.08	22.0	1		
827+75.0	624.78	829+62.0	624.02	187.0	829+62.0	623.58	22.0	1	2.0	
829+62.0	624.02	832+75.0	625.28	313.0	829+62.0	623.58	22.0	1		
832+75.0	625.28	834+75.0	624.45	200.0	834+75.0	624.00	22.6	1	2.0	
834+75.0	624.45	838+50.0	625.95	375.0	834+75.0	624.00	22.6	1		
838+50.0	625.95	840+00.0	625.33	150.0	840+00.0	624.90	21.3	1	2.0	
840+00.0	625.33	843+85.0	626.87	385.0	840+00.0	624.90	21.3	1		
843+85.0	626.87	845+44.0	626.24	159.0	845+44.0	625.80	22.0	1	2.0	
845+44.0	626.24	848+76.6	627.57	332.6	845+44.0	625.80	22.0	1		
850+76.9	627.57	852+00.0	626.18	123.1	852+00.0	625.84	17.2	1	2.0	
852+00.0	626.18	854+20.0	627.06	220.0	852+00.0	625.84	17.2	1		
854+20.0	627.06	857+95.0	625.56	375.0	857+95.0	625.12	22.0	1	2.0	
857+95.0	625.56	859+20.0	626.26	125.0	857+95.0	625.12	22.0	1		
859+20.0	626.26	864+20.0	623.53	500.0	864+20.0			26		
864+20.0	623.53	869+20.0	625.53	500.0	864+20.0			26		
869+20.0	625.53	871+07.0	624.77	187.0	871+07.0	624.33	22.0	1	2.0	
871+07.0	624.77	874+20.0	626.02	313.0	871+07.0	624.33	22.0	1		
874+20.0	626.02	876+07.0	625.27	187.0	876+07.0	624.83	22.0	1	2.0	
876+07.0	625.27	879+20.0	626.52	313.0	876+07.0	624.83	22.0	1		
879+20.0	626.52	881+00.0	625.41	180.0	881+00.0	624.93	24.2	1	2.0	
881+00.0	625.41	884+20.0	626.69	320.0	881+00.0	624.93	24.2	1		
884+20.0	626.69	887+70.0	625.29	350.0	887+70.0	624.85	22.0	1	2.0	
887+70.0	625.29	889+20.0	625.91	150.0	887+70.0	624.85	22.0	1		
889+20.0	625.91	893+60.0	624.17	440.0	893+60.0	623.78	19.4	1	2.0	
893+60.0	624.17	894+20.0	624.58	60.0	893+60.0	623.78	19.4	1		
894+20.0	624.58	899+20.0	622.57	500.0	899+20.0	622.15	21.0	1	2.0	
899+20.0	622.57	902+84.7	621.12	364.7	902+84.7	620.61	25.4	1		
902+84.7	621.12	904+84.9	621.87	500.1	904+84.9	619.46	20.4	1	2.0	
904+84.9	621.87	909+85.0	618.00	465.0	909+85.0	617.42	29.2	1		
909+85.0	618.00	914+50.0	619.69	425.0	914+50.0	617.42	29.2	1	2.0	
914+50.0	619.69	918+75.0	618.60	275.0	918+75.0	618.09	25.3	1		
918+75.0	618.60	921+50.0	621.51	500.0	921+50.0	618.09	25.3	1	2.0	
921+50.0	621.51	926+50.0	620.70	200.0	926+50.0	620.22	24.0	1		
926+50.0	620.70	928+50.0	622.15	365.0	928+50.0	620.22	24.0	1	2.0	
928+50.0	622.15	932+15.0	620.65	375.0	932+15.0	620.20	22.3	1		
932+15.0	620.65	935+90.0	621.32	160.0	935+90.0	620.20	22.3	1	2.0	
935+90.0	621.32	941+25.0	619.82	375.0	941+25.0	619.41	20.7	1		
941+25.0	619.82	942+50.0	620.32	125.0	942+50.0	619.41	20.7	1	2.0	
942+50.0	620.32	946+25.0	618.82	375.0	946+25.0	618.41	20.7	1		
946+25.0	618.82	947+50.0	619.32	125.0	947+50.0	618.41	20.7	1	2.0	
947+50.0	619.32	951+25.0	617.81	375.0	951+25.0	617.38	21.6	1		
951+25.0	617.81	953+00.0	618.51	175.0	953+00.0	617.38	21.6	1	2.0	
953+00.0	618.51	956+00.0	617.17	300.0	956+00.0	616.70	23.5	1		
956+00.0	617.17	958+83.0	618.30	283.0	958+83.0	616.70	23.5	1	2.0	
958+83.0	618.30	962+25.0	616.82	342.0	962+25.0	616.33	24.5	1		
962+25.0	616.82	965+08.0	617.94	283.0	965+08.0	615.96	21.0	1	2.0	
965+08.0	617.94	969+00.0	616.38	392.0	969+00.0	615.96	21.0	1		
969+00.0	616.38	970+03.8	616.96	103.8	969+00.0	615.96	21.0	1	2.0	
SUBTOTAL LEFT OUTSIDE EDGE				19,816.3				1,466.6	66	70.0

RIGHT OUTSIDE EDGE OF PAVEMENT										
PIPE UNDERDRAINS 4"					PIPE UNDERDRAINS 4" (SPECIAL)			CONNECT TO	CONCRETE HEADWALL	PREFORMED PLASTIC TYPE B, 5"
BEGIN STATION	END STATION	LENGTH FOOT	OUTLET STATION	LENGTH FOOT	CONNECT TO STR. NO.	CONCRETE HEADWALL EACH	PREFORMED PLASTIC TYPE B, 5" FOOT			
734+78.3	627.57	739+75.0	625.19	496.7	739+75.0	624.86	16.4	1	2.0	
739+75.0	625.19	740+68.3	625.56	93.3	739+75.0	624.86	16.4	1		
742+77.1	625.17	749+00.4	622.70	623.3	749+00.4	622.31	19.6	1	2.0	
775+00.0	618.13	779+00.0	619.72	400.0	775+00.0	617.70	21.5	1	2.0	
779+00.0	619.72	781+00.0	618.82	200.0	781+00.0	618.35	23.7	1	2.0	
781+00.0	618.82	785+23.0	620.52	423.0	781+00.0	618.35	23.7	1		
785+23.0	620.52	787+10.5	619.71	187.5	787+10.5	619.26	22.4	1	2.0	
787+10.5	619.71	790+23.0	620.97	312.5	787+10.5	619.26	22.4	1		
790+23.0	620.97	792+10.5	619.97	187.5	792+10.5	619.63	17.2	1	2.0	
792+10.5	619.97	795+42.4	621.30	331.9	792+10.5	619.63	17.2	1		
797+42.7	621.74	798+50.0	620.58	107.3	798+50.0	620.10	24.2	1	2.0	
798+50.0	620.58	802+75.0	622.28	425.0	798+50.0	620.10	24.2	1		
802+75.0	622.28	804+62.0	621.52	187.0	804+62.0	621.08	22.0	1	2.0	
804+62.0	621.52	807+75.0	622.78	313.0	804+62.0	621.08	22.0	1		
807+75.0	622.78	809+62.0	622.02	187.0	809+62.0	621.58	22.0	1	2.0	
809+62.0	622.02	812+75.0	623.28	313.0	809+62.0	621.58	22.0	1		
812+75.0	623.28	814+62.0	622.52	187.0	814+62.0	622.08	22.0	1	2.0	
814+62.0	622.52	817+75.0	623.78	313.0	814+62.0	622.08	22.0	1		
817+75.0	623.78	819+62.0	623.02	187.0	819+62.0	622.58	22.0	1	2.0	
819+62.0	623.02	822+75.0	624.28	313.0	819+62.0	622.58	22.0	1		
822+75.0	624.28	824+62.0	623.52	187.0	824+62.0	623.08	22.0	1	2.0	
824+62.0	623.52	827+75.0	624.78	313.0	824+62.0	623.08	22.0	1		
827+75.0	624.78	829+62.0	624.02	187.0	829+62.0	623.58	22.0	1	2.0	
829+62.0	624.02	832+75.0	625.28	313.0	829+62.0	623.58	22.0	1		
832+75.0	625.28	834+75.0	624.45	200.0	834+75.0	624.00	22.6	1	2.0	
834+75.0	624.45	838+50.0	625.95	375.0	834+75.0	624.00	22.6	1		
838+50.0	625.95	840+00.0	625.31	150.0	840+00.0	624.88	21.5	1	2.0	
840+00.0	625.31	843+85.0	626.86	385.0	840+00.0	624.88	21.5	1		
843+85.0	626.86	845+44.0	625.77	159.0	845+44.0	625.39	18.9	1	2.0	
845+44.0	625.77	849+38.1	627.35	394.1	845+44.0	625.39	18.9	1		
851+38.4	626.11	854+20.0	627.25	281.6	851+38.4	625.60	25.4	1	2.0	
854+20.0	627.25	857+95.0	625.76	375.0	857+95.0	625.35	20.7	1	2.0	
857+95.0	625.76	859+20.0	626.26	125.0	857+95.0	625.35	20.7	1		
859+20.0	626.26	864+20.0	623.53	500.0	864+20.0	623.53		26	2.0	
864+20.0	623.53	869+20.0	625.53	500.0	864+20.0	623.53		26		
869+20.0	625.53	871+07.0	624.77	187.0	871+07.0	624.33	22.0	1	2.0	
871+07.0	624.77	874+20.0	626.02	313.0	871+07.0	624.33	22.0	1		
874+20.0	626.02	876+07.0	625.27	187.0	876+07.0	624.83	22.0	1	2.0	
876+07.0	625.									