



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

June 2, 2005

SUBJECT: FAS 836 (CH 10)
Project RS-836(112)
Section 03-00076-00-WR
Washington County
Contract No. 97254
Item 53
June 17, 2005 Letting
Addendum (A)

TO PROSPECTIVE BIDDERS:

Due to clarify information necessary to revise the following:

Proposal (Plans Included) – Schedule of Prices, Plans Sheets 6, 9, 10 and 11.

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal. Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Since the proposal sheets are displayed back to back, bidders are cautioned to exercise care when inserting revised and/or added special provisions into their proposals.

Please call 217-782-7806 if any of the above-described material is not included in this transmittal.

Very truly yours,

Michael L. Hine
Engineer of Design and Environment

A handwritten signature in black ink, reading "Ted B. Walschleger" followed by the initials "AE".

By: Ted B. Walschleger
Engineer of Project Development
and Implementation

STATE JOB #- C-98-310-05
 PPS NBR - 8-10215-0000

ILLINOIS DEPARTMENT OF TRANSPORTATION
 SCHEDULE OF PRICES
 CONTRACT NUMBER - 97254

ECMS002 DTGECM03 ECMR003 PAGE 1
 RUN DATE - 04/25/05
 RUN TIME - 183251

COUNTY NAME	CODE	DIST	SECTION NUMBER	PROJECT NUMBER	ROUTE
WASHINGTON	189	08	03-00076-00-WR	RS-0836/112/000	FAS 836

ITEM NUMBER	PAY ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT PRICE		TOTAL PRICE	
				DOLLARS	CENTS	DOLLARS	CTS
XX004949	INCID BIT SUR SUPER	TON	502.000				
X4066424	BC SC SUPER "D" N50	TON	6,120.000				
X4066614	BCBC SUP 1L-19.0 N50	TON	8,938.000				
Z0013825	CONTR LOW-STRENG MATL	CU YD	19.000				
20200410	EARTH EXCAVATION SPL	CU YD	3,181.000				
25001000	SEEDING CL 2 SPL	ACRE	0.100				
25100115	MULCH METHOD 2	ACRE	0.100				
35400400	PCC BASE GSE W 9	SQ YD	247.000				
40600200	BIT MATLS PR CT	TON	54.000				
40600300	AGG PR CT	TON	258.000				
44000030	BIT SURF REM VAR DP	SQ YD	191.000				
44000100	PAVEMENT REM	SQ YD	137.000				
44300900	STRIP REF CR CON TR A	FOOT	28,622.000				
48202600	BIT SHLD SUPER 8	SQ YD	16,273.000				
50104400	CONC HDWL REM	EACH	1.000				

* Revised 6-2-05

TOTAL SHEETS	SHEET NO.
16	6
CONTRACT NO.: 97254	

SUMMARY OF QUANTITIES

		ROAD STA.	
		AND	
SUMMARY OF QUANTITIES		CONST. CODE	TYPE 1000
CODE NO.	ITEM	UNIT	QUANTITY
20200410	EARTH EXCAVATION (SPECIAL)	CU YD	3,181
25001000	SEEDING CLASS 2 (SPECIAL)	ACRE	0.1
25100115	MULCH METHOD 2	ACRE	0.1
35400400	PORTLAND CEMENT CONCRETE BASE COURSE WIDENING 9"	SQ YD	247
40600200	BITUMINOUS MATERIALS (PRIME COAT)	TON	54
40600300	AGGREGATE (PRIME COAT)	TON	258
44000030	BITUMINOUS SURFACE REMOVAL (VARIABLE DEPTH)	SQ YD	191
44000100	PAVEMENT REMOVAL	SQ YD	137
44300900	STRIP REFLECTIVE CRACK CONTROL TREATMENT, SYSTEM A	FOOT	28,622
48202600	BITUMINOUS SHOULDERS SUPERPAVE B"	SQ YD	16,273
50104400	CONCRETE HEADWALL REMOVAL	EACH	1
54213669	PRECAST REINFORCED CONCRETE FLARED END SECTIONS 24"	EACH	1
550A0120	STORM SEWERS, CLASS A, TYPE 1 24"	FOOT	42
60225400	RESTRICTED DEPTH MANHOLES, 5'-DIAMETER, TYPE 1 FRAME, CLOSED LID	EACH	2
70101700	TRAFFIC CONTROL AND PROTECTION	L SUM	1
70300100	SHORT TERM PAVEMENT MARKING	FOOT	7,764
70300220	TEMPORARY PAVEMENT MARKING - LINE 4"	FOOT	71,131
70300280	TEMPORARY PAVEMENT MARKING - LINE 24"	FOOT	18
70301000	WORK ZONE PAVEMENT MARKING REMOVAL	SQ FT	863
78001110	PAINT PAVEMENT MARKING - LINE 4"	FOOT	71,131
78001180	PAINT PAVEMENT MARKING - LINE 24"	FOOT	18
X4066424	BITUMINOUS CONCRETE SURFACE COURSE, SUPERPAVE, MIX "D", NS0	TON	6,120
X4066614	BITUMINOUS CONCRETE BINDER COURSE, SUPERPAVE, IL-19.0, NS0	TON	8,938
XX004949	INCIDENTAL BITUMINOUS SURFACING, SUPERPAVE	TON	502
Z0013825	CONTROLLED LOW-STRENGTH MATERIAL	CU YD	19

• SEE SPECIAL PROVISIONS

* Revised 6-2-05

SUMMARY
OF
QUANTITIES

FILE: S51150.DWG, 05/10/04, 05/10/04
PLOTTED: 05/10/04

WWW.HMGENGINEERS.COM (618) 594-3711 CARLYLE, ILLINOIS 62231 HENRY, MEISENHEIMER GENDE, INC. 1075 LAKE RD., P.O. BOX 70

ENTRANCES, SIDE ROADS AND MAILBOX TURNOUTS SCHEDULE

LOCATION	EXISTING MATERIAL	TYPE	WIDTH			TOTAL AREA	BITUMINOUS MATERIALS (PRIME COAT)	AGGREGATE (PRIME COAT)	INCIDENTAL BITUMINOUS SURFACING
			FOOT	FOOT	FOOT				
						SQ YD	TON	TON	TON
C.H.I.D						10,000	3129	TONS/S.Y.	112 LB/S.Y./INCH
RT. STA. 11+40.00	BIT. APRON D&C	ROAD	22	21	20	101.74	0.032	0.15	13.53
LT. STA. 11+40.00	BIT. APRON D&C	ROAD	22	21	20	101.74	0.032	0.15	13.53
RT. STA. 17+87.19	DIRT	F.E.	20	20	20	63.52			
LT. STA. 20+43.89	DIRT	F.E.	20	20	20	63.52			
RT. STA. 22+74.52	DIRT	F.E.	20	20	20	63.52			
RT. STA. 28+43.49	AGG.	M.B.				28.89	0.009	0.04	3.84
LT. STA. 28+54.15	BIT. APRON	P.E.	20	21	20	72.41	0.023	0.11	9.63
RT. STA. 29+51.85	DIRT	F.E.	20	20	20	63.52			
LT. STA. 32+87.31	DIRT	F.E.	20	20	20	63.52			
RT. STA. 32+97.31	DIRT	F.E.	20	20	20	63.52			
RT. STA. 37+39.63	BIT. APRON	P.E.	20	21	20	72.41	0.023	0.11	9.63
LT. STA. 37+44.67	AGG.	F.E.	20	20	20	63.52			
RT. STA. 37+57.86	AGG.	M.B.				7.76	0.002	0.01	1.03
LT. STA. 39+92.22	DIRT	F.E.	20	20	20	63.52			
RT. STA. 40+53.43	DIRT	F.E.	20	20	20	63.52			
LT. STA. 40+84.72	BIT. APRON	P.E.	20	21	20	72.41	0.023	0.11	9.63
LT. STA. 41+23.59	CONC.	S.W.							
RT. STA. 41+75.81	AGG.	M.B.				28.89	0.009	0.04	3.84
RT. STA. 46+21.48	DIRT	F.E.	20	20	20	63.52			
LT. STA. 46+30.72	DIRT	F.E.	20	20	20	63.52			
LT. STA. 51+97.71	AGG.	F.E.	20	20	20	63.52			
RT. STA. 51+99.27	DIRT	F.E.	20	20	20	63.52			
LT. STA. 58+20.63	DIRT	F.E.	20	20	20	63.52			
LT. STA. 58+90.65	BIT. APRON D&C	ROAD	22	21	20	101.74	0.032	0.15	13.53
LT. STA. 64+21.69	BIT. APRON	P.E.	20	21	20	72.41	0.023	0.11	9.63
RT. STA. 67+92.74	DIRT	F.E.	20	20	20	63.52			
RT. STA. 70+11.57	AGG.	M.B.				28.89	0.009	0.04	3.84
RT. STA. 70+35.40	BIT. APRON	P.E.	20	21	20	72.41	0.023	0.11	9.63
LT. STA. 71+29.69	DIRT	F.E.	20	20	20	63.52			
RT. STA. 73+81.65	DIRT	F.E.	20	20	20	63.52			
RT. STA. 78+51.24	BIT. APRON	ROAD	22	21	20	101.74	0.032	0.15	13.53
LT. STA. 82+99.64	DIRT	F.E.	20	20	20	63.52			
RT. STA. 82+99.64	DIRT	F.E.	20	20	20	63.52			
RT. STA. 86+95.56	DIRT	F.E.	20	20	20	63.52			
RT. STA. 93+27.27	DIRT	F.E.	20	20	20	63.52			
RT. STA. 99+21.61	DIRT	F.E.	20	20	20	63.52			
LT. STA. 101+81.51	DIRT	F.E.	20	20	20	63.52			
RT. STA. 103+26.47	DIRT	F.E.	20	20	20	63.52			
RT. STA. 110+24.41	AGG.	P.E.	20	21	20	72.41	0.023	0.11	9.63
RT. STA. 110+47.17	AGG.	M.B.				7.76	0.002	0.01	1.03
LT. STA. 111+32.57	DIRT	F.E.	20	20	20	63.52			
RT. STA. 114+06.65	DIRT	F.E.	20	20	20	63.52			
LT. STA. 117+17.18	DIRT	F.E.	20	20	20	63.52			
RT. STA. 119+51.24	AGG.	F.E.	20	20	20	63.52			
RT. STA. 124+69.17	DIRT	F.E.	20	20	20	63.52			
LT. STA. 125+72.95	DIRT	F.E.	20	20	20	63.52			
RT. STA. 126+21.44	BIT. APRON	P.E.	20	21	20	72.41	0.023	0.11	9.63
RT. STA. 129+25.18	BIT. APRON	P.E.	20	21	20	72.41	0.023	0.11	9.63
RT. STA. 129+46.99	AGG.	M.B.				7.76	0.002	0.01	1.03
RT. STA. 138+16.60	DIRT	F.E.	20	20	20	63.52			
LT. STA. 138+21.50	DIRT	F.E.	20	20	20	63.52			
LT. STA. 140+96.73	DIRT	F.E.	20	20	20	63.52			



ENTRANCE, SIDEROADS AND MAILBOX TURNOUT SCHEDULES

DATE	16
SHEET	9
CONTRACT NO.	97254

* Revised 6-2-05

ENTRANCES, SIDE ROADS AND MAILBOX TURNOUTS SCHEDULE

LOCATION	EXISTING MATERIAL	TYPE	WIDTH	LENGTH	RADIUS	TOTAL AREA	BITUMINOUS MATERIALS (PRIME COAT)	AGGREGATE (PRIME COAT)	INCIDENTAL BITUMINOUS SURFACING
			FOOT	FOOT	FOOT	SQ YD	TON	TON	TON
C.H.I.D						0.0003129 TONS/S.Y.	3 LB/S.Y.	112 LB/S.Y./INCH	
RT. STA. 143+56.48	AGG.	M.B.				28.89	0.009	0.04	3.84
LT. STA. 144+14.97	BIT.	ROAD	22	21	20	101.74	0.032	0.15	13.53
RT. STA. 144+14.97	BIT.	ROAD	22	21	20	101.74	0.032	0.15	13.53
RT. STA. 144+59.56	BIT. APRON	P.E.	20	21	20	72.41	0.023	0.11	9.63
LT. STA. 145+32.31	CONC.	S.W.							
RT. STA. 145+70.43	BIT. APRON	P.E.	20	21	20	72.41	0.023	0.11	9.63
LT. STA. 146+09.76	DIRT	F.E.	20	20	20	63.52			
RT. STA. 151+93.14	AGG.	P.E.	20	21	20	72.41	0.023	0.11	9.63
LT. STA. 152+74.86	AGG.	M.B.				28.89	0.009	0.04	3.84
RT. STA. 152+89.57	AGG.	P.E.	20	21	20	72.41	0.023	0.11	9.63
RT. STA. 158+41.01	BIT. APRON	P.E.	20	21	20	72.41	0.023	0.11	9.63
LT. STA. 158+43.56	AGG.	M.B.				28.89	0.009	0.04	3.84
LT. STA. 158+66.32	AGG.	M.B.				28.89	0.009	0.04	3.84
RT. STA. 166+70.30	BIT. APRON	P.E.	20	21	20	72.41	0.023	0.11	9.63
RT. STA. 161+35.79	AGG.	P.E.	20	21	20	72.41	0.023	0.11	9.63
LT. STA. 169+72.53	DIRT	F.E.	20	20	20	63.52			
RT. STA. 170+49.37	DIRT	F.E.	20	20	20	63.52			
LT. STA. 182+01.59	DIRT	F.E.	20	20	20	63.52			
RT. STA. 183+31.69	BIT. APRON	ROAD	22	21	20	101.74	0.032	0.15	13.53
LT. STA. 181+78.37	AGG.	M.B.				7.76	0.002	0.01	1.03
LT. STA. 181+98.22	BIT. APRON	P.E.	20	21	20	72.41	0.023	0.11	9.63
LT. STA. 185+24.88	AGG.	M.B.				7.76	0.002	0.01	1.03
LT. STA. 185+47.50	BIT.	P.E.	20	21	20	72.41	0.023	0.11	9.63
LT. STA. 186+34.86	AGG.	M.B.				7.76	0.002	0.01	1.03
LT. STA. 196+57.92	BIT. APRON	ROAD	22	21	20	101.74	0.032	0.15	13.53
RT. STA. 196+57.92	BIT. APRON	ROAD	22	21	20	101.74	0.032	0.15	13.53
RT. STA. 210+83.75	BIT. APRON	P.E.	20	21	20	72.41	0.023	0.11	9.63
RT. STA. 215+78.75	DIRT	F.E.	20	20	20	63.52			
LT. STA. 219+78.75	DIRT	F.E.	20	20	20	63.52			
LT. STA. 224+16.89	AGG.	P.E.	20	21	20	72.41	0.023	0.11	9.63
LT. STA. 224+60.00	AGG.	M.B.				7.76	0.002	0.01	1.03
RT. STA. 224+72.71	BIT.	P.E.	20	21	20	72.41	0.023	0.11	9.63
LT. STA. 227+72.71	DIRT	F.E.	20	20	20	63.52			
RT. STA. 236+58.25	BIT. APRON, O&C	ROAD	22	21	20	101.74	0.032	0.15	13.53
LT. STA. 236+59.58	BIT. APRON, AGG.	ROAD	22	21	20	101.74	0.032	0.15	13.53
LT. STA. 236+89.89	AGG.	M.B.				7.76	0.002	0.01	1.03
LT. STA. 237+83.56	BIT.	P.E.	20	21	20	72.41	0.023	0.11	9.63
LT. STA. 238+03.99	AGG.	M.B.				7.76	0.002	0.01	1.03
LT. STA. 241+34.65	BIT. APRON, AGG.	M.B.	20	21	20	72.41	0.023	0.11	9.63
LT. STA. 241+51.39	AGG.	M.B.				7.76	0.002	0.01	1.03
LT. STA. 244+84.65	DIRT	F.E.	20	20	20	63.52			
RT. STA. 244+84.65	DIRT	F.E.	20	20	20	63.52			
RT. STA. 248+40.96	AGG.	F.E.	20	20	20	63.52			
LT. STA. 252+40.96	DIRT	F.E.	20	20	20	63.52			
RT. STA. 252+65.96	DIRT	F.E.	20	20	20	63.52			
LT. STA. 261+87.28	AGG.	F.E.	20	20	20	63.52			
RT. STA. 264+82.28	DIRT	F.E.	20	20	20	63.52			
LT. STA. 265+78.72	AGG.	M.B.				7.76	0.002	0.01	1.03
LT. STA. 265+93.99	BIT. APRON	P.E.	20	21	20	72.41	0.023	0.11	9.63
LT. STA. 267+38.47	AGG.	C.F.	20	21	20	72.41	0.023	0.11	9.63



ENTRANCE, SIDEROADS AND MAILBOX TURNOUT SCHEDULES

TOTAL
15
SHEET
10
CONTRACT NO. 57254

* Revised 6.2-05

ENTRANCES, SIDE ROADS AND MAILBOX TURNOUTS SCHEDULE

LOCATION	EXISTING MATERIAL	TYPE	WIDTH	LENGTH	RADIUS	TOTAL AREA	BITUMINOUS MATERIALS (PRIME COAT)	AGGREGATE (PRIME COAT)	INCIDENTAL BITUMINOUS SURFACING
			FOOT	FOOT	FOOT	SQ YD			
C.H.I.D							0.0003129 TONS/S.Y.	3 LB/S.Y.	112 LB/S.Y./INCH
RT. STA. 268+00.00	DIRT	F.E.	20	20	20	63.52			
RT. STA. 271+50.00	DIRT	F.E.	20	20	20	63.52			
LT. STA. 276+56.44	AGG.	F.E.	20	20	20	63.52			
LT. STA. 277+43.15	AGG.	M.B.				28.89	0.009	0.04	3.84
RT. STA. 277+59.96	BIT. APRON	P.F.	20	21	20	72.41	0.023	0.11	9.63
LT. STA. 277+62.10	BIT. APRON	P.F.	20	21	20	72.41	0.023	0.11	9.63
LT. STA. 279+63.50	AGG.	F.E.	20	20	20	63.52			
RT. STA. 282+03.14	BIT. APRON. AGG.	P.F.	20	21	20	72.41	0.023	0.11	9.63
LT. STA. 282+58.53	AGG.	M.B.				28.89	0.009	0.04	3.84
RT. STA. 282+59.91	BIT. APRON. AGG.	P.F.	20	21	20	72.41	0.023	0.11	9.63
LT. STA. 282+98.79	BIT. APRON. O&C	ROAD	22	21	20	101.74	0.032	0.15	13.53
LT. STA. 286+06.10	AGG.	M.B.				28.89	0.009	0.04	3.84
RT. STA. 286+06.10	BIT. APRON. AGG.	P.F.	20	21	20	72.41	0.023	0.11	9.63
LT. STA. 286+56.10	DIRT	F.E.	20	20	20	63.52			
RT. STA. 287+81.10	DIRT	F.E.	20	20	20	63.52			
LT. STA. 291+81.81	AGG.	M.B.				7.75	0.002	0.01	1.03
LT. STA. 291+92.10	BIT. APRON	P.F.	20	21	20	72.41	0.023	0.11	9.63
TOTALS							1.2	5.7	502.1

ENTRANCE, SIDEROADS
AND MAILBOX TURNOUT
SCHEDULES

16	11
CONTRACT NO.: 97254	

* Revised 6-2-05