



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

September 8, 2025

SUBJECT: FAI Route 74 (I-74)
Project CAR-S75P(806)
Section 72[(8-9)L-1,(10)L];(90-11)L
Peoria and Tazewell Counties
Contract No. 68K25
Item No. 41, September 19, 2025 Letting
Addendum A

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Revised page 5 of the Special Provisions.
2. Revised sheet 2 of the Plans.

Prime contractors must utilize the enclosed material when preparing their bid and must include any changes to the Schedule of Prices in their bid.

Very truly yours,

A handwritten signature in black ink, appearing to read 'Jack A. Elston'.

Jack A. Elston, P.E.
Bureau Chief, Design and Environment

USE OF EXISTING LUMINAIRE WIRING, FUSES, AND FUSE HOLDERS

Existing luminaire wiring, fuses, and fuse holders will be reused with the proposed high mast, tunnel, underpass, and roadway luminaires. If the existing items are damaged, incompatible, or not re-usable, the Contractor shall furnish and install new items as required for luminaire installation as directed by the Engineer. The Contractor shall furnish and install all items required for luminaire installation. All material shall conform to the Standard Specifications.

Basis of Payment: If the existing items are damaged, the work shall be paid consistent with article 109.04 of the Standard Specifications. If the existing items are incompatible with the luminaire supplied by the contractor, then the cost of the work shall be included in the cost of the luminaire.

USE OF EXISTING BRACKETING AND HARWARE

Existing luminaire mounting brackets and hardware will be reused with the proposed high mast, tunnel, underpass, and roadway luminaires. If the existing items are damaged, incompatible, or not re-usable, the Contractor shall furnish and install new items as required for luminaire installation and as directed by the Engineer. The Contractor shall furnish and install brackets, hardware, and all other items required for luminaire installation. All brackets and hardware shall be galvanized steel or stainless-steel. All material shall conform to the Standard Specifications.

Basis of Payment: If the existing items are damaged, the work shall be paid consistent with article 109.04 of the Standard Specifications. If the existing items are incompatible with the luminaire supplied by the contractor, then the cost of the work shall be included in the cost of the luminaire.

TUNNEL LUMINAIRE

Description: This work shall consist of furnishing and installing a light emitting diode tunnel luminaire. This work shall be according to all applicable portions of Sections 821 and 1067 of the Supplemental Specifications and Recurring Special Provisions, except as modified herein.

Basis of Payment: Add the following to Article 821.08: TUNNEL LUMINAIRE 1; TUNNEL LUMINAIRE 2; TUNNEL LUMINAIRE 3; TUNNEL LUMINAIRE 4.

CEMENT, FINELY DIVIDED MINERALS, ADMIXTURES; CONCRETE, AND MORTAR (BDE)

Effective: January 1, 2025

Revise the first paragraph of Article 285.05 of the Standard Specifications to read:

“285.05 Fabric Formed Concrete Revetment Mat. The grout shall consist of a mixture of cement, fine aggregate, and water so proportioned and mixed as to provide a pumpable slurry. Fly ash or ground granulated blast furnace (GGBF) slag, and concrete admixtures may be used at the option of the Contractor. The grout shall have an air content of not less than 6.0 percent nor more than 9.0 percent of the volume of the grout. The mix shall obtain a compressive strength of 2500 psi (17,000 kPa) at 28 days according to Article 1020.09.”

Revised September 8, 2025